

## **Bryant Development and Review Committee Meeting**

Boswell Municipal Complex - City Hall Conference Room 210 SW 3rd Street

Date: June 01, 2023 - Time: 9:00 AM

#### Call to Order

#### **Old Business**

1. Cypress Valley Phase 2 - Final Plat

Hope Consulting - Requesting Recommendation for Approval of Final Plat

- · 0658-PLT-2.pdf
- 0658-STSE-01.pdf
- 0658-WSBND-01.pdf

#### 2. Reynolds Centre Development - 23146 I-30 N

Bond Consulting - Requesting Site Plan Approval

- 0729-PLN-01.pdf
- <u>0729-ELV-01.pdf</u>
- 0729-SWP-01.pdf
- 0729-APP-01.pdf

#### **New Business**

3. Summerwood Partners Development - Vernia Park Subdivision - Site Plan Changes

Zane Robbins - Requesting Approval for Site Plan Changes

- · 0739-PLN-01.pdf
- 4. Walmart 400 Bryant Ave New Building Addition

Harrison French and Associates - Requesting Approval for New Building Addition

- <u>0740-PLN-01.pdf</u>
- 5. Hurricane Gardens Subdivision Lot 2 and 3 Replat

Hope Consulting - Requesting Recommendation for Approval of Replat

- 0738-PLN-01.pdf
- 6. Bryant Family Chiropractic 3405 Market Place Tenant Mounment Sign

Southpaw Designs - Requesting Sign Permit Approval

• 0735-APP-01.pdf

#### 7. Meramec Specialty Co - 6905 Hwy 5 - Fireworks Temporary Business Liscense

Kevin Bailey - Requesting Approval for Temporary Business License for Fireworks Stand

- 0724-PLN-03.pdf
- 0724-PLN-02.pdf
- · 0724-PLN-01.pdf

#### 8. Street Name Change - Shady Pine Street

Request for Approval of Shady Pine Street to be changed to Avery Lane.

#### **Staff Approved**

#### 9. KO Auto Sales - 23337 I-30 - Sign Permit

KT&T Signs - Requesting Sign Permit Approval - STAFF APPROVED

• 0722-APP-02.pdf

#### 10. Sage Heath - 1800 N Reynolds Road - Sign Permit

Lumatech Inc - Requesting Sign Permit Approval - STAFF APPROVED

- · 0733-APP-02.pdf
- 0733-APP-01.pdf


#### 11. Road Runner - 23190 I-30 - Sign Permit

Custom Advertising - Requesting Sign Permit Approval - STAFF APPROVED

• <u>0737-APP-01.pdf</u>

#### **Permit Report**

### Adjournments



W/CAP #128

— POINT OF COMMENCEMENT

1/2" REBAR N78°51'49"E 14.43

POWER POLE S65°E 18.0'

NW/4 SW/4 SECTION 10

S.W. CORNER

T-1-S R-14-W

REFERENCES:

NOTES

DOCUMENTS USED IN THE PREPARATION OF THIS SURVEY:

- MAGNOLIA VILLAGE PHASE 1 FINAL PLAT FILED ON FEB. 27, 2007, SALINE COUNTY CIRCUIT CLERK, BOOK 07, PAGE 20887


- WARRANTY DEED, BOOK 10 PAGE 059270 FILED FOR RECORD ON JULY 10, 2010 SALINE

-CYPRESS VALLEY PHASE 1 FINAL PLAT FILED ON JANUARY 31, 2012, SALINE COUNTY CIRCUIT CLERK, BOOK 2012, PAGE 6940

- DELTON BROWN SURVEY SIGNED ON JANUARY 23, 2004, FILED FOR RECORD ON MARCH 5, 2004, SALINE COUNTY CIRCUIT CLERK, BOOK 04, PAGE 18723

-NO OTHER DOCUMENTS WERE PROVIDED FOR, NOR ARE REFERENCED ON THIS

-AREAS AS SURVEYED -IN SW/4 SW/4 5.72 ACRES -IN SE/4 SW/4 2.78 ACRES




PART OF THE SE/4 SW/4 OF SECTION 10, TOWNSHIP 1 SOUTH, RANGE 14 WEST, IN SALINE COUNTY, ARKANSAS, MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF THE NW/4 SW/4 OF SECTION 10, A FOUND 1/2" REBAR; THENCE S88°21'12"E 25.00 TO THE SOUTHWEST CORNER OF PHASE 1, MAGNOLIA VILLAGE, A FOUND 1/2" REBAR; THENCE AT PLATTED BEARING OF S88°21'12"E ALONG THE SOUTH BOUNDARY OF MAGNOLIA VILLAGE SUBDIVISION 635.00 FEET; THENCE S87°00'06"E 111.53 FEET TO A FOUND 5/8" REBAR; THENCE N88°08'26"E 50.33 FEET TO A FOUND 5/8" REBAR; THENCE S88°14'50"E 119.44 FEET TO A FOUND 5/8" REBAR; THENCE S88°16'00"E 122.25 FEET TO THE **POINT OF BEGINNING**, A FOUND 5/8" REBAR; THENCE S88°21'12"E 388.01 FEET ALONG SOUTH LINE OF MAGNOLIA VILLAGE PHASE 1 TO A SET 1/2" REBAR AND CAP; THENCE LEAVING THE SOUTH LINE OF MAGNOLIA VILLAGE PHASE 1 S2°13'39"W 780.22 FEET TO A FOUND 5/8" REBAR WITH CAP #1211, THENCE N88°18'50"W 30.04 FEET TO A FOUND #5 REBAR WITH CAP #1211, THENCE S02°16'52"W 193.55 FEET TO A FOUND #5 REBAR WITH CAP #1702, THENCE N87°58'28"W 354.55 FEET TO THE EAST BOUNDARY OF CYPRESS VALLEY PHASE 1; THENCE N02°02'17"E 135.20 FEET ALONG THE EAST BOUNDARY OF CYPRESS VALLEY PHASE 1; CONTINUING ALONG SAID BOUNDARY N01°57'11"E 50.00 FEET; N02°04'09"E 270.00 FEET; N01°52'16"E 50.00 FEET; N02°04'09"E 270.00 FEET; N01°57'13"E 50.00 FEET; N02°02'17"E 146.17 FEET TO THE SOUTH LINE OF MAGNOLIA VILLAGE PHASE 1, A FOUND #4 REBAR WITH HOPE CAP #1702 AND THE POINT OF BEGINNING. CONTAINING AN AREA OF 8.5 ACRES.

## NOTE:

1. TRACT A & TRACT B WILL BE UTILIZED AS A DETENTION BASIN, DRAINAGE AND UTILITY EASEMENTS MAINTAINED BY THE PROPERTY OWNERS ASSOCIATION.









## FINAL PLAT **CYPRESS VALLEY SUBDIVISION PHASE 2**

A SUBDIVISION IN THE CITY OF BRYANT, SALINE COUNTY, ARKANSAS

- Aliquot Corner Found monument O - Set ½" Rebar ▲ - Computed point (M)- Measured

(P) - Plat/Deed



VICINITY MAP:

#### OWNER:

DEVELOPER:

Kennedy Development, LLC Address: 1229 Hot Springs Hwy Benton, AR 72089

Name: Kennedy Development, LLC 1229 Hot Springs Hwy Benton, AR 72089

### CERTIFICATE OF OWNER:

We, the undersigned, owners of the real estate shown and described herein do hereby certify that we have laid off, platted and subdivided, and do hereby lay off, plat and subdivide said real estate in accordance with the within plat.

Date of Execution

Source of Title: 2021-010792

#### CERTIFICATE OF SURVEYING ACCURACY:

I, Jonathan L. Hope, hereby certify that this plat correctly represents a survey and a plan made by me or under my supervision; that all monuments shown hereon actually exist and their location, size, type and material are correctly shown; and that all interior lot lines have been adjusted to "as built conditions" and are accurately described on the plat and identified on the ground in terms of length and direction of the property side as required in accord with the City of Bryant Subdivision Regulation Ordinance.

Date of Execution

Jonathan L. Hope Registered Professional Land Surveyor No. 1762

### CERTIFICATE OF FINAL ENGINEERING ACCURACY

I, Kazi Islam, hereby certify that this plat correctly represents a plat made by me, and that the engineering requirements of the City of Bryant Subdivision Rules and Regulations have been

Date of Execution

Kazi Islam Registered Professional Engineer, No. 20876

## CERTIFICATE OF FINAL APPROVAL

Pursuant to the City of Bryant Subdivision Rules and Regulations, this document was given approval by the Bryant Planning Commission at a meeting held \_\_\_\_\_\_, 20 \_\_\_\_\_. All of the document is hereby accepted, and this certificate executed under the authority of said rules and regulations.

Date of Execution

CONING: PROPOSED R-2

Rick Jordan, Bryant Planning Commission

SOURCE OF WATER: CITY OF BRYANT

SOURCE OF SEWER: CITY OF BRYANT SOURCE OF ELECTRIC: ENTERGY

SOURCE OF GAS: CENTERPOINT

PROPERTY SPECIFICATIONS:

KENNEDY DEVELOPMENT LLC OWNER: 1229 HOT SPRINGS HWY BENTON, AR 72015

DEVELOPER/: KENNEDY DEVELOPMENT LLC SUBDIVIDER 1229 HOT SPRINGS HWY BENTON, AR 72015 ENGINEERS: HOPE CONSULTING INC

BUILDING SETBACKS: 129 N. MAIN STREET FRONT-25' OR AS SHOWN REAR-25' OR AS SHOWN NAME OF SUBDIVISION: CYPRESS VALLEY PHASE 2 SIDE-8' OR AS SHOWN SOURCE OF TITLE: DEED BOOK 2021, PAGE 10792

I'ILITY & DRAINAGE EASEMENTS FRONT-10' OR AS SHOWN REAR - 5' OR AS SHOWN

SIDE - 5' OR AS SHOWN

By affixing my seal and signature, I Jonathan L. Hope, Arkansas PLS No, 1762, hereby certify that this drawing correctly depicts a survey compiled by me or under my direct supervision.

NOTE: This survey was based on legal descriptions and title work furnished by others and does not represent a title search.

No portion of the property described hereon lies within the 100 year floodplain, according to the Flood Insurance Rate Map, panel # 05125C0240E , Dated: 06/05/2020



129 N. Main Street, Benton, Arkansas 72015 PH. (501)315-2626 FAX (501) 315-0024 www.hopeconsulting.com

FOR USE AND BENEFIT OF: KENNEDY DEVELOPMENT, LLC

## FINAL PLAT

CYPRESS VALLEY SUBDIVISION PHASE 2 A SUBDIVISION IN THE CITY OF BRYANT, SALINE COUNTY, ARKANSAS

ı	DATE:	05/10/2023		C.A.D.	BY:			DRA	WING NU	MBER:
	REVISED:			CHECKE	D BY:	:		/	71	0.121
	SHEET:			SCALE:		1"= 60'		4	<u> </u>	U4ZI
	500	01S	1	4W	0	10	300		62	1762



## **Estimate**

Date	Estimate #
4/20/2023	16897

PO Box 185 Mabelvale, AR 72103

Name / Ad							
Sam Johnson 3701 Alcoa R Benton, AR 7							
			Rep			Proj	ect#
			House	=			
Item	Description	Qty	U/M	Rate	Fuel	Labor	Total
03-0085	9"x48" Extruded Aluminum - (Cloverbrook Dr) St Sign	1		72.00			72.00
03-0085	9"x48" Extruded Aluminum - (Springwood Cir) St Sign	1		72.00			72.00
03-0089	30" OC .080 - Aluminum - HIP - Stop Sign	1		45.75			45.75
04-1023	12" U-Channel Heavy Duty Street Sign Bracket Extruded - 90 deg	1		19.00			19.00
04-1020 Installation	12" Bracket Crosspiece EXT Blade Installation	1 1		22.00 500.00			22.00 500.00
	Order placed on 04/20/23						
				Su	ıbtotal		\$730.75
ESTIMATES	DO NOT INCLUDE SALES TAX			Sa	les Tax (8	3.625%)	\$0.00
				To	otal		\$730.75

### **MAINTENANCE** BOND

### **United States Fire Insurance Company**

Bond No.;602-200386-9		
у		
KNOWN ALL BY THESE PRESENTS: That w	/e Sam Johnson Construction, Inc.	
as Principal, and United States Fire Insurance Company		, a corporation
as Principal, and <u>United States Fire Insurance Company</u> organized and existing under the Laws of the and firmly bound unto <u>City Of Bryant</u>	State of <u>Delaware</u> ,	as Surety, are held , as Obligee, in the
total sum of		
U.S. Dollars ( 120,197.00 ) for the p themselves, jointly and severally, as provided h	payment whereof said Princi perein.	pal and Surety bind
WHEREAS, the Principal entered into a contra Cypress Valley Ph2 Bridgep	act with the Obligee dated	<u>5-9-2023</u> for
		("Work").
		` ,
NOW, THEREFORE, THE CONDITION OF THe shall maintain and remedy said Work free from period of year(s) commencing of Maintenance Period"), then this obligation shall affect the statement of the state	n defects in materials and	workmanship for a
and effect.	ii be void, otherwise it shall	remain in tuil torce
PROVIDED, HOWEVER, that any suit under the (1) year from the expiration date of the Mainte limitation is prohibited by any law controlling the deemed to be amended so as to be equal to such law, and said period of limitation shall be to run on the expiration date of the Maintenance.	enance Period; provided, he construction hereof, such the minimum period of limideemed to have accrued as	owever, that if this in limitation shall be tation permitted by
SIGNED this 10 day of May	,	
	Sam Johnson Construction, Inc. (Principal	<b>N</b>
	(Frincipal	)
	By:	
	United States Fire Insurance Company	
	0 1	•
	By: Neil Simpson	Attendance to the second
	Neil Simpson	, Attorney-in-Fact

#### POWER OF ATTORNEY UNITED STATES FIRE INSURANCE COMPANY PRINCIPAL OFFICE - MORRISTOWN, NEW JERSEY

07080

KNOW ALL MEN BY THESE PRESENTS: That United States Fire Insurance Company, a corporation duly organized and existing under the laws of the state of Delaware, has made, constituted and appointed, and does hereby make, constitute and appoint:

#### Neil Simpson, Kathy Richardson

each, its true and lawful Attorney(s)-In-Fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver: Any and all bonds and undertakings of surety and other documents that the ordinary course of surety business may require, and to bind United States Fire Insurance Company thereby as fully and to the same extent as if such bonds or undertakings had been duly executed and acknowledged by the regularly elected officers of United States Fire Insurance Company at its principal office, in amounts or penalties not exceeding: Seven Million, Five Hundred

This Power of Attorney limits the act of those named therein to the bonds and undertakings specifically named therein, and they have no authority to bind United States Fire Insurance Company except in the manner and to the extent therein stated.

This Power of Attorney is granted pursuant to Article IV of the By-Laws of United States Fire Insurance Company as now in full force and effect, and consistent with Article III thereof, which Articles provide, in pertinent part:

Article IV, Execution of Instruments - Except as the Board of Directors may authorize by resolution, the Chairman of the Board, President, any Vice-President, any Assistant Vice President, the Secretary, or any Assistant Secretary shall have power on behalf of the Corporation:

(a) to execute, affix the corporate seal manually or by facsimile to, acknowledge, verify and deliver any contracts, obligations, instruments and documents whatsoever in connection with its business including, without limiting the foregoing, any bonds, guarantees, undertakings, recognizances, powers of attorney or revocations of any powers of attorney, stipulations, policies of insurance, deeds, leases, mortgages, releases, satisfactions and agency agreements,

(b) to appoint, in writing, one or more persons for any or all of the purposes mentioned in the preceding paragraph (a), including affixing the

Article III, Officers, Section 3.11, Facsimile Signatures. The signature of any officer authorized by the Corporation to sign any bonds, guarantees, undertakings, recognizances, stipulations, powers of attorney or revocations of any powers of attorney and policies of insurance issued by the Corporation may be printed, facsimile, lithographed or otherwise produced. In addition, if and as authorized by the Board of Directors, dividend warrants or checks, or other numerous instruments similar to one another in form, may be signed by the facsimile signature or signatures, lithographed or otherwise produced, of such officer or officers of the Corporation as from time to time may be authorized to sign such instruments on behalf of the Corporation. The Corporation may continue to use for the purposes herein stated the facsimile signature of any person or persons who shall have been such officer or officers of the Corporation, notwithstanding the fact that he may have ceased to be such at the time when such instruments shall be issued.

IN WITNESS WHEREOF, United States Fire Insurance Company has caused these presents to be signed and attested by its appropriate officer and its corporate seal hereunto affixed this 28th day of September, 2021.

UNITED STATES FIRE INSURANCE COMPANY



State of New Jersey} County of Morris } Matthew E. Lubin, President

On this 28th day of September, 2021, before me, a Notary public of the State of New Jersey, came the above named officer of United States Fire Insurance Company, to me personally known to be the individual and officer described herein, and acknowledged that he executed the foregoing instrument and affixed the seal of United States Fire Insurance Company thereto by the authority of his office.



Melissa H D'dassio

Melissa H. D'Alessio (Notary Public) I, the undersigned officer of United States Fire Insurance Company, a Delaware corporation, do hereby certify that the original Power of Attorney of which the foregoing is a full, true and correct copy is still in force and effect and has not been revoked.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the corporate seal of United States Fire Insurance Company on the 7 day

UNITED STATES FIRE INSURANCE COMPANY Mehad Cofan

Michael C. Fay, Senior Vice President



## MAINTENANCE BOND

## **United States Fire Insurance Company**

Bond No.:602-200387-8	
KNOWN ALL BY THESE PRESENTS: That we s	••
as Principal, and United States Floring	am Johnson Construction, Inc.
as Principal, and United States Fire Insurance Company organized and existing under the Laws of the States and firmly bound unto Gircust	, a corporation
and firmly bound unto concern	te or <u>Delaware</u> , as Surety, are held
and firmly bound unto City Of Bryant total sum of	, as Obligee, in the
U.S. Dollars ( State on ) for the	
U.S. Dollars (	nent whereof said Principal and Surety bind
WHEREAS, the Principal entered into a contract	with the Obligee dated 5-9-2023 for
Cypress Valley Ph2 Bridgeport Road	Street Specification Part 2.7
	("Work").
NOW, THEREFORE, THE CONDITION OF THIS of shall maintain and remedy said Work free from deperiod of year(s) commencing on "Maintenance Period"), then this obligation shall be and effect.  PROVIDED, HOWEVER, that any suit under this be (1) year from the expiration date of the Maintenan limitation is prohibited by any law controlling the condemned to be amended so as to be equal to the such law, and said period of limitation shall be deen to run on the expiration date of the Maintenance Period of t	efects in materials and workmanship for a  5-09-2023  (the e void; otherwise it shall remain in full force  ond shall be commenced no later than one nce Period; provided, however, that if this onstruction hereof, such limitation shall be minimum period of limitation permitted by
SIGNED this <u>10</u> day of <u>May</u>	. 2023
Sam	Johnson Construction, Inc.
By:	Him (Principal)
Unite	d States Fire Insurance Company

Neil Simpson

, Attorney-in-Fact

#### POWER OF ATTORNEY UNITED STATES FIRE INSURANCE COMPANY PRINCIPAL OFFICE - MORRISTOWN, NEW JERSEY

07080

KNOW ALL MEN BY THESE PRESENTS: That United States Fire Insurance Company, a corporation duly organized and existing under the laws of the state of Delaware, has made, constituted and appointed, and does hereby make, constitute and appoint:

#### Neil Simpson, Kathy Richardson

each, its true and lawful Attorney(s)-in-Fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver: Any and all bonds and undertakings of surety and other documents that the ordinary course of surety business may require, and to bind United States Fire Insurance Company thereby as fully and to the same extent as if such bonds or undertakings had been duly executed and acknowledged by the regularly elected officers of United States Fire Insurance Company at its principal office, in amounts or penalties not exceeding: Seven Million, Five Hundred

This Power of Attorney limits the act of those named therein to the bonds and undertakings specifically named therein, and they have no authority to bind United States Fire Insurance Company except in the manner and to the extent therein stated.

This Power of Attorney is granted pursuant to Article IV of the By-Laws of United States Fire Insurance Company as now in full force and effect, and consistent with Article III thereof, which Articles provide, in pertinent part:

Article IV, Execution of Instruments - Except as the Board of Directors may authorize by resolution, the Chairman of the Board, President, any Vice-President, any Assistant Vice President, the Secretary, or any Assistant Secretary shall have power on behalf of the Corporation:

(a) to execute, affix the corporate seal manually or by facsimile to, acknowledge, verify and deliver any contracts, obligations, instruments and documents whatsoever in connection with its business including, without limiting the foregoing, any bonds, guarantees, undertakings, recognizances, powers of attorney or revocations of any powers of attorney, stipulations, policies of insurance, deeds, leases, mortgages, releases, satisfactions and agency agreements;

(b) to appoint, in writing, one or more persons for any or all of the purposes mentioned in the preceding paragraph (a), including affixing the

Article III, Officers, Section 3.11, Facsimile Signatures. The signature of any officer authorized by the Corporation to sign any bonds, guarantees, undertakings, recognizances, stipulations, powers of attorney or revocations of any powers of attorney and policies of insurance issued by the Corporation may be printed, facsimile, lithographed or otherwise produced. In addition, if and as authorized by the Board of Directors, dividend warrants or checks, or other numerous instruments similar to one another in form, may be signed by the facsimile signature or signatures, lithographed or otherwise produced, of such officer or officers of the Corporation as from time to time may be authorized to sign such instruments on behalf of the Corporation. The Corporation may continue to use for the purposes herein stated the facsimile signature of any person or persons who shall have been such officer or officers of the Corporation, notwithstanding the fact that he may have ceased to be such at the time when such instruments shall be issued.

IN WITNESS WHEREOF, United States Fire Insurance Company has caused these presents to be signed and attested by its appropriate officer and its corporate seal hereunto affixed this 28th day of September, 2021.

UNITED STATES FIRE INSURANCE COMPANY



State of New Jersey) County of Morris } Matthew E. Lubin, President

On this 28th day of September, 2021, before me, a Notary public of the State of New Jersey, came the above named officer of United States Fire Insurance Company, to me personally known to be the individual and officer described herein, and acknowledged that he executed the foregoing instrument and affixed the seal of United States Fire Insurance Company thereto by the authority of his office.



Melissa H O'dassio


Melissa H. D'Alessio (Notary Public)

I, the undersigned officer of United States Fire Insurance Company, a Delaware corporation, do hereby certify that the original Power of Attorney of which the foregoing is a full, true and correct copy is still in force and effect and has not been revoked.


IN WITNESS WHEREOF, I have hereunto set my hand and affixed the corporate scal of United States Fire Insurance Company on the 7day

UNITED STATES FIRE INSURANCE COMPANY


Michael C. Fay, Senior Vice President



Front, West Elevation



Back, East Elevation



Side, South Elevation

Side, North Elevation

# Stormwater Pollution Prevention Plan (SWPPP) for Construction Activity for Small Construction Sites

# National Pollutant Discharge Elimination System (NPDES) General Permit # ARR150000

Prepared for:

**Anchor Realty** 

Date:

May 9, 2023

Prepared by:

Bond Consulting Engineers, Inc.

Project Name and Location: Reynolds Centre Commercial Expansion

Property Parcel Number (Optional): 840-12104-003

Operator Name and Address: Anchor Realty Investments, LLC

102 Country Club Parkway

Maumelle, AR 72113

#### A. Site Description

- a. Project description, intended use after NOI is filed: The site will be the home of a new commercial building in an existing development.
- b. Sequence of major activities which disturb soils:
  - a. Installation of erosion control measures
  - b. Clear and grub underbrush
  - c. Mass earth work
  - d. Install storm drainage infrastructure
  - e. Grade area to drain
  - f. Periodically remove accumulated sediment from around silt fences and other areas
  - g. Obtain vegetation around completed structures
  - h. Stabilization of disturbed soils
  - i. Removal of erosion control measures, as needed
- c. Total Area: 1.06 ac

Disturbed Area: 1.06 ac

#### B. Responsible Parties

Be sure to assign all SWPPP related activities to an individual or position; even if the specific individual is not yet known (i.e. contractor has not been chosen).

Individual/Company	Phone Number	Service Provided for SWPPP (i.e., Inspector, SWPPP revisions, Stabilization Activities, BMP Maintenance, etc.)
Erosion Control Contractor	n/a	All SWPPP Services

#### C. Receiving Waters

- a. The following waterbody (or waterbodies) receives stormwater from this construction site: <u>An unnamed tributary of Crooked Creek; thence into Crooked Creek; thence into Fourche Creek; thence into the Arkansas River.</u>
- b. Is the project located within the jurisdiction of an MS4? ⊠Yes ☐ No

	i. If yes, Name of MS4: City of Bryant	
Э.	Ultimate Receiving Water:	
	Red River	White River
	Ouachita River	St. Francis River
	Arkansas River	Mississippi River

- D. Site Map Requirements (Attach Site Map):
  - a. Pre-construction topographic view;
  - Direction of stormwater flow (i.e., use arrows to show which direction stormwater will flow) and approximate slopes anticipated after grading activities;
  - c. Delineate on the site map areas of soil disturbance and areas that will not be disturbed under the coverage of this permit;
  - d. Location of major structural and nonstructural controls identified in the plan;
  - e. Location of main construction entrance and exit;
  - f. Location where stabilization practices are expected to occur;
  - g. Locations of off-site materials, waste, borrow area, or equipment storage area;
  - h. Location of areas used for concrete wash-out;
  - i. Location of all surface water bodies (including wetlands) with associated natural buffer boundary lines. Identify floodplain and floodway boundaries, if available;
  - Locations where stormwater is discharged to a surface water and/or municipal separate storm sewer system if applicable,
  - k. Locations where stormwater is discharged off-site (should be continuously updated);
  - Areas where final stabilization has been accomplished and no further construction phase permit requirements apply;
  - m. A legend that identifies any erosion and sediment control measure symbols/labels used in the site map and/or detail sheet; and
  - n. Locations of any storm drain inlets on the site and in the immediate vicinity of the site.

#### E. Stormwater Controls

- a. Initial Site Stabilization, Erosion and Sediment Controls, and Best Management Practices:
  - i. Initial Site Stabilization: <u>1.06 acres of area will be disturbed over the duration of the project.</u> Construction of streets, water, sanitary sewer, gas, electric, phone, and cable shall be the areas initially disturbed.

	11.	washout areas, and construction entrances will be installed before construction
		begins.
	iii.	If periodic inspections or other information indicates a control has been
		used inappropriately or incorrectly, the operator will replace or modify
		the control for site situations: Yes No
		If No, explain:
	iv.	Off-site accumulations of sediment will be removed at a frequency
		sufficient to minimize off-site impacts: XYes No
		If No, explain:
	V.	Sediment will be removed from sediment traps or sedimentation ponds
		when design capacity has been reduced by 50%: XYes No
		If No, explain:
	vi.	Litter, construction debris, and construction chemicals exposed to
		stormwater shall be prevented from becoming a pollutant source for
		stormwater discharges: Xes No
		If No, explain:
	vii.	Off-site material storage areas used solely by the permitted project are
		being covered by this SWPPP: ☐Yes ☒No
		If Yes, explain additional BMPs implemented at off-site material
		storage area:
b.	Stabili	zation Practices
	į,	Description and Schedule: During construction of streets, utilities, sidewalks,
		and buildings, surrounding vegetation will be disturbed as required. After
		streets and utilities are installed, the areas that will no longer be disturbed will
		be seeded and BMP's installed until vegetation growth.
	ii.	Are buffer areas required? Yes No
		If Yes, are buffer areas being used? Yes No
		If No, explain why not:
		If Yes, describe natural buffer areas:

iii.	A record of the dates when grading activities occur, when construction
	activities temporarily or permanently cease on a portion of the site, and
	when stabilization measures are initiated shall be included with the plan.
	⊠Yes □ No
	If No, explain:
iv.	Deadlines for stabilization:
	1. Stabilization procedures will be initiated 14 days after
	construction activity temporarily ceases on a portion of the site.
	2. Stabilization procedures will be initiated immediately in portions
	of the site where construction activities have permanently ceased
c. Struc	tural Practices
i.	Describe any structural practices to divert flows from exposed soils, store
	flows, or otherwise limit runoff and the discharge of pollutants from
	exposed areas of the site: Silt fence barriers are being used around all
	exposed areas of the site that may be adversely affected by errant water flows.
ii	Describe Velocity Dissipation Devices: No areas of the site are expected to
	have high velocity flow, however the silt fences will be placed in such a way to
	retard any flows that may occur.
iii	. Sediment Basins:
	Are 10 or more acres draining to a common point? $\square$ Yes $igtimes$ No
	Is a sediment basin included in the project? $\Box$ Yes $igotimes$ No
	If Yes, what is the designed capacity for the storage?
	3600 cubic feet per acre = :
	or
	10 year, 24 hour storm = :
	Other criteria were used to design basin:
	If No, explain why no sedimentation basin was included and
	describe required natural buffer areas and other controls
	implemented instead: The site is an existing incomplete commercial
	development. The entirety of the site is planned for use either for
	buildings, roads or parking. The silt fencing will be sufficient to control
	any stormwater flows coming from the site.
F. Other Contr	ols
	materials, including building materials, shall be prevented from being
	narged to Waters of the State: $\boxtimes$ Yes $\square$ No
uisci	ialged to waters of the State. Mies Mino

	b.	Off-site vehicle tracking of sediments and the generation of dust shall be
		minimized through the use of:
		A stabilized construction entrance and exit
		Vehicle tire washing
		Other controls, describe:
	c.	Temporary Sanitary Facilities: Portable toilets will be available and shall be located
		away from any anticipated storm water flow. The contractor is responsible for regular
		cleaning of the portable toilets. All waste will be disposed of in proper waste
	d.	Concrete Waste Area Provided:
		⊠Yes
		No. Concrete is used on the site, but no concrete washout is provided.
		Explain why:
		N/A, no concrete will be used with this project
	e.	Fuel Storage Areas, Hazardous Waste Storage, and Truck Wash Areas: No fuel
		storage or hazardous materials are anticipated on this project. However, no
		contaminants from fuel storage, hazardous materials, and truck washing shall be
		discharged to waters of the State. If truck washing occurs, then the water must be
		collected and contained and pumped out as required by a licensed operator for this type
		of operation.
G.	Non-S	tormwater Discharges
	a.	The following allowable non-stormwater discharges comingled with stormwater
		are present or anticipated at the site:
		Fire-fighting activities;
		Fire hydrant flushings;
		Water used to wash vehicles (where detergents or other chemicals are
		not used) or control dust in accordance with Part II.A.4.H.2;
		Potable water sources including uncontaminated waterline flushings;
		Landscape Irrigation; Routine external building wash down which does not use detergents or
		other chemicals;
		Pavement wash waters where spills or leaks of toxic or hazardous
		materials have not occurred (unless all spilled materials have been removed)
		and where detergents or other chemicals are not used;
		Uncontaminated air conditioning, compressor condensate (See Part
		I.B.12.C of the permit);,
		☐ Uncontaminated springs, excavation dewatering and groundwater (See
		Part I.B.13.C of the permit);
		Foundation or footing drains where flows are not contaminated with
		process materials such as solvents (See Part I.B.13.C of the permit);

- b. Describe any controls associated with non-stormwater discharges present at the site: The controls already in use on the site will be sufficient to contain any non-stormwater discharges on the site.
- H. Applicable State or Local Programs: The SWPPP will be updated as necessary to reflect any revisions to applicable federal, state, or local requirements that affect the stormwater controls implemented at the site. 

  Yes 
  No

#### I. Inspections

a. Inspection free	quency:
--------------------	---------

Every 7	calendar	days
---------	----------	------

or

At least once every 14 calendar days and within 24 hours of the end of a storm even 0.25 inches or greater (a rain gauge must be maintained on-site)

b. Inspections:

Completed inspection forms will be kept with the SWPPP.

ADEQ's inspection form will be used (See Appendix B)

or

☐ A form other than ADEQ's inspection form will be used and is attached (See inspection form requirements Part II.A.4.L.2)

- c. Inspection records will be retained as part of the SWPPP for at least 3 years from the date of termination.
- d. It is understood that the following sections describe waivers of site inspection requirements. All applicable documentation requirements will be followed in accordance with the referenced sections.
  - i. Winter Conditions (Part II.A.4.L.4)
  - ii. Adverse Weather Conditions (Part II.A.4.L.5)

#### J. Maintenance:

The following procedures to maintain vegetation, erosion and sediment control measures and other protective measures in good, effective operating condition will be followed: The site erosion control measures will be checked periodically by site personnel and by the inspector during his visits. Any measures deemed deficient will be identified and appropriate repairs will be initiated.

Any necessary repairs will be completed, when practicable, before the next storm event, but not to exceed a period of 3 business days of discovery, or as otherwise directed by state or local officials.

#### K. Employee Training:

The following is a description of the training plan for personnel (including contractors and subcontractors) on this project: All job foremen and inspectors will be taught how to recognize deficiencies and failures in the erosion control structures. They will be taught how to maintain any erosion control measures in place on the site, and will be instructed in how to lead workmen in maintaining and repairing said structures. They will be instructed to immediately contact job supervisors for consultation if there are any problems with the erosion control measures.

\*\*Note, Formal training classes given by Universities or other third-party organizations are not required, but recommended for qualified trainers; the permittee is responsible for the content of the training being adequate for personnel to implement the requirements of the permit.

#### Certification

"I certify under penalty of law that this document and all attachments such as Inspection Form were prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature of Responsible or Cognizant Official	
Title:	Date:
11tte	Date

					Date of Ir	nspection:		
nsp	ector Title: _							
Day:	s Since Last R	tain Event:	days	Rai	nfall Since Las	t Rain Event: _	inches	
		ny Discharges Durin						
_OCa	ition of Disch	narges of Sediment,	Other Pollutant (s	specify polluta	nt & location):			
						, ,,,		
Loca	itions in Nee	d of Additional BM	Ps:					
Info	rmation on L	ocation of Constru	ction Activities					
	Location		Activity Begin Date	Activity Occuring Now (y/n)?	Activity Ceased Date	Stabilizatio Initiated Da		
					•			
					-			
Info	rmation on E	BMPs in Need of Ma	aintenance					
Loca	ation	In Working Order?	Maintenance Scheduled Date		Maintenance Date	Completed	Maintenance to be Performed By	
Cha	nges require	d to the SWPPP:		Re	asons for char	iges:		
SW		completed (date):						
						•	n were prepared under m roperly gather and evalua	
	the informati	on submitted. Base	d on my inquiry of	the person or p	ersons who ma	nage the syster	m, or those persons direct	
	•						ge and belief, true, accurat luding the possibility of fir	
		ment for knowing vic	=	,		···-	,	
Sigr	nature of Res	ponsible or Cogniz	ant Official:				Date:	
			T'11-					
			Title:				_	

**ARR150000 Inspection Form** 

Appendix A

The BMPs listed here should be considered for every project. Those BMPs that are not included in the SWPPP should be checked as "Not Used" with a brief statement describing why it is not being used.

Note: Appendix B and C do not have to be submitted with the SWPPP. These attachments are for use during the development of the SWPPP.

	EROSION CONTR	ROL BMPs		
ВМР	BMP Considered for project	BMP Used	BMP Not Used	If not used, state reason
EC-1 Scheduling				
EC-2 Preservation of Existing Vegetation				
EC-3 Hydraulic Mulch				
EC-4 Hydroseeding				
EC-5 Soil Binders				
EC-6 Straw Mulch				
EC-7 Geotextiles & Mats				
EC-8 Wood Mulching				
EC-9 Earth Dikes & Drainage Swales				
EC-10 Velocity Dissipation Devices				
EC-11 Slope Drains				
EC-12 Stream bank Stabilization				
	SEDIMENT CONT	ROL BMPs		
	ВМР			
	Comoidened			
DAAD	Considered	DA4D ! !!	BMP Not	If not used, state
BMP	for project	BMP Used	Used	reason
SE-1 Silt Fence		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls SE-6 Gravel Bag Berm		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls SE-6 Gravel Bag Berm SE-7 Street Sweeping and Vacuuming		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls SE-6 Gravel Bag Berm SE-7 Street Sweeping and Vacuuming SE-8 Sand Bag Barrier		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls SE-6 Gravel Bag Berm SE-7 Street Sweeping and Vacuuming SE-8 Sand Bag Barrier SE-9 Straw Bale Barrier		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls SE-6 Gravel Bag Berm SE-7 Street Sweeping and Vacuuming SE-8 Sand Bag Barrier SE-9 Straw Bale Barrier SE-10 Storm Drain Inlet Protection		BMP Used		
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls SE-6 Gravel Bag Berm SE-7 Street Sweeping and Vacuuming SE-8 Sand Bag Barrier SE-9 Straw Bale Barrier SE-10 Storm Drain Inlet Protection SE-11 Chemical Treatment	for project			
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls SE-6 Gravel Bag Berm SE-7 Street Sweeping and Vacuuming SE-8 Sand Bag Barrier SE-9 Straw Bale Barrier SE-10 Storm Drain Inlet Protection SE-11 Chemical Treatment	for project			
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls SE-6 Gravel Bag Berm SE-7 Street Sweeping and Vacuuming SE-8 Sand Bag Barrier SE-9 Straw Bale Barrier SE-10 Storm Drain Inlet Protection SE-11 Chemical Treatment	for project		Used	reason
SE-1 Silt Fence SE-2 Sediment Basin SE-3 Sediment Trap SE-4 Check Dam SE-5 Fiber Rolls SE-6 Gravel Bag Berm SE-7 Street Sweeping and Vacuuming SE-8 Sand Bag Barrier SE-9 Straw Bale Barrier SE-10 Storm Drain Inlet Protection SE-11 Chemical Treatment	for project			

ACKIN	G C	ONT	ROL BM	IPs					
ВМР	_,								
		BMP Used		Used			If not used, state reason		
	7								
j							Ī		
			***************************************					]	
RM WA	TEI	R MA	NAGEN	1EN	T BN	1Ps		<b>=</b> ,	
ВМР									
								ot	If not used, state
for p	oje	ect	BMP	Us	ed	Use	<u>d</u>	7	reason
	Щ			<u></u>			<u> </u>		
	Щ		ļ	느					
			1	<u>_</u>	1		L		
	Щ			<u></u>			<u> </u>	<u> </u>	
	Щ						L		
					<u> </u>		Ļ	<u> </u>	
							<u>_</u>		
							<u> </u>	<u></u>	
				L					
					]				
					]				
					]			]	
					]				
7		TERIA	ALS POL	LU.	TION	CONTR	OL	BMPs	<b>3</b>
			DNAD	ı I Ia	ام م			ot	If not used, state
lor b	loj		DIVIP		 	056	u 	1	reason
	<u> </u>	1			<u>.                                    </u>				
	H	]		<u> </u>	<u>]</u>		<u> </u>	1	
	<u></u>	]	-	$\vdash$	] ]		十	$\dashv$	
+		]		F	<u>.                                    </u>		<u> </u>		
	늗	]			]		<u> </u>	=	
	<u></u>	]		十	<u>.                                    </u>		늗	╡	
		<u>)                                    </u>		十	] ]		누		
	_	<u> </u>		十	<u> </u> 		<u>L.</u>		
	H	]		_	] ]		-	$\dashv$	
	BMP Consi for pr RM WA BMP Consi for pr	BMP Consider for project for p	BMP Considered for project  RM WATER MA BMP Considered for project	BMP Considered for project  BMP  RM WATER MANAGEN  BMP Considered for project  BMP  I I I I I I I I I I I I I I I I I I	Considered for project BMP Use BMP Use BMP Considered for project BMP Use BMP	BMP Considered for project  BMP Used  BMP Used  Considered for project  BMP Used  BMP Used  BMP Used  Considered for project  BMP Used  Considered  Considered  Considered  Considered  Considered  Considered  Considered  Considered  Considered  Considered	BMP Considered for project BMP Used Used  RM WATER MANAGEMENT BMPs  BMP Considered for project BMP Used Used  Used  AMD MATERIALS POLLUTION CONTRETED BMP Considered BMP BMP Considered BMP Used BMP	BMP Considered for project BMP Used Used  Considered SMP Used  Considered SMP Used Used  Considered SMP Used Used  Considered SMP Used Used  Considered SMP Used SMP Used  Considered SMP Used SMP Used SMP Used SMP Used  Considered SMP Used SMP Use	BMP Considered for project  BMP Used  Used  Used  RM WATER MANAGEMENT BMPS  BMP Considered for project  BMP Used  Used  Used  Used  Considered Used  Considered For project  Considered For project  Considered For project  Considered For project  Considered  C

Yes = Complete

No = Incomplete/Deficient

N/A = Not applicable to project

es No	N/A	A. A site description, including:	Permit Section
		1. Project description, intended use after NOT	Part II.A.4.A.1
		2. Sequence of major activities	Part II.A.4.A.2
		3. Total & disturbed acreage	Part II.A.4.A.3
		B. Responsible Parties: All parties dealing with the SWPPP and the areas they are	
		responsible for on-site.	Part II.A.4.B
<u> </u>	<u> </u>	C. Receiving Water.	Part II.A.4.C
		-M S4 Name	Part II.A.4,C
		-Ultimate Receiving Water	Part II.A.4.C
	···	D.Site Map See End of Evaluation Form	Part H.A.4.F
I		E. Description of Controls:	•
		1. Erosion and sediment controls, including:	
		a. Initial site stabilization	Part II.A.4.G.1.a
		b. Erosion and sediment controls	Part II.A.4.G.1.b
		c. Replacement of inadequate controls	Part II.A.4.G.1.c
		d. Removal of off-site accumulations	Part II.A.4.G.1.d
		e. Maintenance of sediment traps/basins @ 50% capacity	Part II.A.4.G.1.e
		f. Litter, construction debris and chemicals properly handled	Part II.A.4.G.1.f
		g. Off-site storage areas and controls	Part II.A.4.G.1.g
		2. Stabilization practices:	
		a. Description and schedule for stabilization	Part II.A.4.G.2.a
		b. Description of buffer areas	Part II.A.4.G.2.b
		c. Records of stabilization	Part II.A.4.G.2.c
		d. Deadlines for stabilization	Part H.A.4.G.2.d
		3. Structural Practices:	
		-Describe structural practices to divert flows, store flows, or otherwise limit runoff	Part II.A.4.G.3
		a. Sediment basins	Part II.A.4.G.3.a.1
		-Are more than 10 acres draining to a common point? If so, are sediment basins included?	Part II.A.4.G.3.a.1
		-Sediment basin dimensions and capacity description and calculations	Part II.A.4.G.3.a.1
		-If a basin wasn't practicable, are other controls sufficient?	Part II.A.4.G.3.a.1
		b. Velocity dissipation devices concentrated flow from 2 or more acres	Part II.A.4.G.3.b
		F. Other controls including:	
		1. Solid waste control measures	Part II.A.4.H.1
		2. Vehicle off-site tracking controls	Part II.A.4.H.2
		3. Compliance with sanitary waste disposal	Part II.A.4,H.4
		4. Does the site have a concrete washout area controls?	Part II.A.4.H.5
		5. Does the site have fuel storage areas, hazardous waste storage and/or truck wash areas	
		controls?	Part II.A.4.H.6
<u> </u>	<u> </u>	G. Identification of allowable non-storm water discharges	Part II.A.4.1
		-Appropriate controls for dewatering, if present	Part I.B.12.C
		H. State or local requirements incorporated into the plan.	Part II.A.4.K
		in State of total requirements into polated into the plan.	1 at 11./X.4.1X

Yes = Complete

No = Incomplete/Deficient

N/A = Not applicable to project

s No	N/A	I. Inspections	Permit Section
		1. Inspection frequency listed?	Part II.A.4,L.1
		2. Inspection form	Part II.A.4.L.2
		Ours.	
		If not ours, does it contain the following items:	
		a. Inspector name and title	Part II.A.4.L.2.a
		b. Date of inspection.	Part II.A.4.L.2.b
		c. Amount of rainfall and days since last rain event (14 day only)	Part II.A.4.L.2.c
		d. Approx beginning and duration of storm event	Part II.A.4.L.2.d
		e. Description of any discharges during inspection	Part II.A.4.L.2.e
<u> </u>		f. Locations of discharges of sediment/other pollutants	Part II.A.4.L.2.f
		g. BMPs in need of maintenance	Part II.A.4.L.2.g
		h. BMPs in working order, if maintenance needed (scheduled and completed)	Part II.A.4.L.2.h
		i. Locations that are in need of additional controls	Part II.A.4.L.2.i
		j. Location and dates when major construction activities begin, occur or cease	Part II.A.4.L.2.j
		k. Signature of responsible/cognizant official	Part II.A.4.L.2.k
		3. Inspection Records	Part II.A.4.L.3
	**********	4. Winter Conditions	Part II.A.4.L.4
		5. Adverse Weather Conditions	Part II.A.4.L.5
-T	T	K. Employee Training	Part II.A.4.N
		To comproyee Training	Tat II.7 (.T.IV
		Signed Plan Certification	Part II.A.7. and Par II.B.10
		D. Site Map showing:	
		1. Pre-construction topographic view	Part II.A.4.F.1
		2. Drainage flow	Part II.A.4.F.2
		3. Approximate slopes after grading activities	Part H.A.4.F.2
		<ul><li>3. Approximate slopes after grading activities</li><li>4. Areas of soil disturbance and areas not disturbed</li></ul>	Part II.A.4.F.2 Part II.A.4.F.3
		4. Areas of soil disturbance and areas not disturbed	Part II.A.4.F.3
		Areas of soil disturbance and areas not disturbed     Location of major structural and non-structural controls.	Part II.A.4.F.3 Part II.A.4.F.4
		4. Areas of soil disturbance and areas not disturbed 5. Location of major structural and non-structural controls. 6. Location of main construction entrance and exit.	Part II.A.4.F.3 Part II.A.4.F.4 Part II.A.4.F.5
		<ul> <li>4. Areas of soil disturbance and areas not disturbed</li> <li>5. Location of major structural and non-structural controls.</li> <li>6. Location of main construction entrance and exit.</li> <li>7. Areas where stabilization practices are expected to occur.</li> </ul>	Part II.A.4.F.3  Part II.A.4.F.4  Part II.A.4.F.5  Part II.A.4.F.6
		<ol> <li>Areas of soil disturbance and areas not disturbed</li> <li>Location of major structural and non-structural controls.</li> <li>Location of main construction entrance and exit.</li> <li>Areas where stabilization practices are expected to occur.</li> <li>Locations of off-site materials, waste, borrow area or storage area.</li> </ol>	Part II.A.4.F.3  Part II.A.4.F.4  Part II.A.4.F.5  Part II.A.4.F.6  Part II.A.4.F.7
		<ol> <li>Areas of soil disturbance and areas not disturbed</li> <li>Location of major structural and non-structural controls.</li> <li>Location of main construction entrance and exit.</li> <li>Areas where stabilization practices are expected to occur.</li> <li>Locations of off-site materials, waste, borrow area or storage area.</li> <li>Locations of areas used for concrete wash-out.</li> </ol>	Part II.A.4.F.3 Part II.A.4.F.4 Part II.A.4.F.5 Part II.A.4.F.6 Part II.A.4.F.7 Part II.A.4.F.8
		<ol> <li>4. Areas of soil disturbance and areas not disturbed</li> <li>5. Location of major structural and non-structural controls.</li> <li>6. Location of main construction entrance and exit.</li> <li>7. Areas where stabilization practices are expected to occur.</li> <li>8. Locations of off-site materials, waste, borrow area or storage area.</li> <li>9. Locations of areas used for concrete wash-out.</li> <li>10. Locations of surface waters on site.</li> </ol>	Part II.A.4.F.3 Part II.A.4.F.4 Part II.A.4.F.5 Part II.A.4.F.6 Part II.A.4.F.7 Part II.A.4.F.8 Part II.A.4.F.9



2601 T.P. White Drive Jacksonville, AR 72076

TEL 501.982.1538 FAX 501.982.1530

www.bondce.com

May 9, 2023

Mr. Truett Smith, Director Community Development 210 S.W. 3<sup>rd</sup> Street Bryant, AR 72022

RE: Site Plan – Reynolds Centre Commercial Expansion, Bryant, Arkansas

Dear Mr. Smith:

We have attached 12 copies of the site plan and proposed elevations for the new building in the Reynolds Centre development. We have also attached 2 full sets of civil design plans and the storm water pollution prevention plan. As you know this is the last building of a larger development. Our client plans to use much of the existing site as is and disturb as little as necessary.

The landscape area for this building is relatively small and confined to parking islands and the southern border of the proposed building in this undeveloped section.

Most utilities already existing for the proposed area, but a sewer extension is planned to the existing sewer line on the West side of the property. The site is graded for surface stormwater flow. Since all site conditions are existing there is no additional detention planned.

Please feel free to call me if you have any questions.

Sincerely,

Tommy Bond P.E

cc:

Anchor Realty BCE # 9922



## SMALL SCALE DEVELOPMENT COMMERCIAL BUILDING CHECKLIST

CITY OF BRYANT 210 SW 3<sup>RD</sup> STREET BRYANT, AR 72022 501-943-0309

PC MEETING DATE:

THURSDAY OF EACH WEEK

TIME:

9:00 A.M.

PLACE:

ADMINISTRATION CONFERENCE ROOM-BRYANT OFFICE

COMPLEX

**AGENDA DEADLINE:** 

5:00 P.M. FRIDAY PRIOR TO SCHEDULED MEETING DATE

#### REQUIREMENTS FOR SUBMISSION

- 1. COMPLETED CHECKLIST (SUBDIVISION OR BUILDING)
- 2. ADA/ABA FORM COMPLETED
- 3. Two full sets of Building Plans
- 4. 12 FOLDED COPIES OF SITE PLAN (MINIMUM SIZE 17" X 34") THAT INCLUDES THE FOLLOWING:

A. VICINITY MAP

- B. LEGAL DESCRIPTION
- C. LANDSCAPING PLAN
- 12 FOLDED COPIES OF FLOOR PLAN
- 6. 12 COPIES OF FRONT AND REAR BUILDING ELEVATIONS
- A CD IN .PDF FORMAT
- 8. Copy of ADEQ Stormwater Pollution Prevention Plan for property parcel containing one acre or larger.
- 9. 2 COPIES OF STORMWATER DETENTION PLAN
- \$250.00 FOR STORMWATER DETENTION AND DRAINAGE PLAN REVIEW

## ALL REQUIREMENTS LISTED ABOVE MUST BE COMPLETED AND ATTACHED BEFORE SUBMITTING APPLICATION TO BE PLACED ON THE PLANNING COMMISSION AGENDA.

NOTE: When making changes to an approved Site Plan, a revised Site Plan must be submitted to the Bryant Planning Commission for approval. This must be done prior to implementation. Failure to a comply will result in penalties/fines being imposed in accordance with City ordinances.

I HAVE COMPLIED WITH THE REQUIREMENTS LISTED ABOVE AND HAVE CHECKED ALL OF THE BOXES ON THE CHECKLIST WHICH APPLY TO THIS PROJECT SUBMITTAL.

SIGNATURE

Wing 7, 2023

DATE

## City of Bryant Commercial Building Checklist

Name of Development REYNOLDS CENTRE COMME	ERCIAL EXPANSION
Site Location PARCEL # 840 - 12104 - 003	Current zoning C-2
Owner ANCHOR PRACTY INVESTMENTS LLC	Phone 501 - 701-0977

#### I. BASIC INFORMATION NEEDED ON THE SITE PLAN

- ▲ 1. Name of Development
- 2. Current zoning
- ▲ 3. Name and Address of owner of Record
- ▲ 4. Name and address of the architect, landscape architect, engineer, surveyor, or other person involved in the preparation of the plan
- 5. Date of preparation of the plan
- ▲ 6. Vicinity map locating streets, highways, section lines, railroad, schools, & parks within ½ mile
- Legal description of the property with exact boundary lines
- 8. North arrow & Scale
- ▲ 9. Identification of any land areas within the 100 year floodplain and within the 100 year floodway
- 10. Lot area in square feet
- ▲ 11. Show scale (not less than 1" = 100') (paper size minimum 17" X 34")
- 12. Existing streams, drainage channels, and other bodies of water
- ▲ 13. Drainage easements for stormwater run-off and detention shown & labeled
- 14. Location and name of existing streets
- ▲ 15. Show source of water supply
- ▲ 16. Show location of waste water connection to municipal system & sanitary sewer layout
- ▲ 17. Fire Hydrant placement
- ▲ 18. Proposed location of buildings and other structures, parking areas, drives, loading areas, service areas, alleys, walks, screening, and public streets
- ▲ 19. Sufficient dimensions to indicate relationship between buildings, property lines, parking areas and other elements of the plan
- 20. Extent and character of proposed landscaping. Common and/or Botanical plant names and sizes of new vegetation must be clearly indicated.
- 21. Location, massing and pattern of existing vegetation to be retained
- 22. Existing structures on the site
- 23. Pedestrian and vehicular access points, sidewalks, crosswalks, etc.
- ▲ 24. Typical building elevations depicting the style, size and exterior construction materials of the buildings proposed. Where several building types are proposed on the plan, such as apartments and commercial buildings, a separate sketch shall be prepared for each type. The elevations shall be drawn at a minimum scale of 1/16" to a foot and must show adjoining context.
- ▲ 25. Any variance approvals

II ADDITIONAL INFORMATION NEEDED, BUT NOT ON THE SITE PLAN COMMERCIAL BUILDING WORKSHEET Yes No Site is compatible with Master Street Plan Proposed improvement is within building line setbacks Side ft. CNR Side \_\_\_\_ft. Back \_\_\_\_ Front ft. ft. Parking requirements can be satisfied Floor Space \_\_\_\_\_sq.ft. divided by 300 = \_\_\_\_ (no. of parking spaces required) Improvement is outside 100 year flood plain (if answer is no - Provide 404 Permit for site) Lowest building floor level and all mechanical equipment are above FEMA 100 year flood elevation Will there be a dumpster located on the site? Will there be a construction site office? Have you made "One Call"? Structure and site complies with ADA (Americans with Disability Act) and ABA (Architectural Barriers Act) Accessibility Guidelines Design complies with Arkansas Plumbing Code and National Electric Code requirements Foundation and structure meet earthquake requirements for Zone 1. Structure meets Arkansas Energy Code for specified use. Complies with Arkansas Fire Prevention Code Complies with International Code Council regulations Will a Site Clearance Permit be required? (City Ordinance 2002-03) Are you granted any variances by the Board of Adjustment? If you have been granted a variance please explain in detail: III. LANDSCAPING COMPLIANCE WITH REQUIREMENTS

	YES	NO
No planting within 5 feet of a fire hydrant	<b>/</b>	Approximate the second of the
Spacing will be 40' between trees	<b>/</b>	Water and Annual Control of the Cont
Tree must be a minimum 3" in diameter at the base and 12' + tall	<b>✓</b>	***************************************
Existing trees meeting the minimum size can be counted to meet above criteria		
No trees can be planted within 30 feet of a property corner or driveway	V	***************************************
Shrubs along street right-of-way lines cannot exceed 30 inches in height	<b>/</b>	1.40044-0100480000000000000000000000000000

IV. SITE COVERAGE COMPLIANCE WITH REQUIREMENTS (FOR YOUR CONVENIENCE WE HAVE LISTED THE THREE COMMERCIAL ZONING SITE COVERAGE REQUIREMENTS -CHOOSE THE ZONING FOR THIS PROJECT AND COMPLETE ONLY THAT SECTION) YES NO 1. C-1 Zoning - Neighborhood Commercial Lot area: minimum of 2,500 square feet; maximum 16,000 square feet Front Yard: none required Side Yard: minimum of 5 feet each side Rear Yard: minimum of 55 feet Maximum lot coverage of 70% of the total area of the site for all principal, accessory buildings, parking lots, sidewalks, private streets, or drives. Parking: one space per each 200 sq. ft. of commercial use Loading areas: physically separated from all streets with 10 ft grassy area When abuts a residential district, a minimum 6' high wood, rock, or masonry fence is required with a landscape screen 2. C-2 Zoning - Lots fronting along roadways designated as Interstate 30 and frontage roads, State Highway 5 and 183 Front Yard: not less than 50 feet from front property line Side Yard: not required, except where they abut a street or a residential lot line then a minimum of 25 feet is required Rear Yard: minimum of 15 feet, except where they abut residential area then a minimum of 55 feet is required A maximum lot coverage of 35% of the total area of the site for all principal and accessory buildings Parking: one space per each 300 sq. ft. of occupied space When abuts a residential district, a minimum 6' high wood, rock, or masonry fence is required with a landscape screen 3. C-2 Zoning - Lots fronting along roadways designated as interior local. Front Yard: none required Side Yard: not required, except where they abut a street or a residential lot line then a minimum of 25 percent of lot dimension Rear Yard: minimum of 15 feet, except where they abut residential area then a minimum of 55 feet is required A maximum lot coverage of 85% of the total area of the site for all principal,

accessory buildings and parking

fence is required with a landscape screen

Parking: one space per each 300 sq. ft. of occupied space

When abuts a residential district, a minimum 6' high wood, rock, or masonry

#### V. SITE PLAN ATTACHMENTS

(APPLICATION WILL NOT BE ACCEPTED UNTIL ALL ATTACHMENT REQUIREMENTS ARE MET)

- ▲ 26. Letter to Planning Commission stating your request
- 27. Completed Checklist
- 28. Completed ADA/ABA Form
- ▲ 29. Two full sets of Building Plans
- ▲ 30. 20 copies of Site Plan (folded to no larger than 8 ½ X 14 size) that includes vicinity map and landscaping plan (minimum size 17" X 34" paper)
- ▲ 31. 20 copies of Landscaping Plan (folded to no larger than 8 ½ X 14 size)
- ▲ 32. 20 copies of building floor plan (folded to no larger than 8 ½ X 14 size).
- 33. Copy of Stormwater Detention approval
- 34. Copy of ADEQ Stormwater Pollution Prevention Plan for property containing one acre or larger.
- 35. IBM compatible diskette or CD with data in POF format.
- 36. Receipt for \$250.00 for \$tornwater Detention and Drainage Plan review

I CERTIFY that the design of complies with the above regulations, taws and complies with the above regulations, taws and complete of the control of the cont	des.	A.R.	ngineer/Arculto 72 · Z 33 Phone #	
Action Taken:	<u>CITY USE</u>			
Special Conditions:				
Permit Issued: Date	Sq.Ft.		Алначат \$	
Construction Completed Certified For Occupancy;	Oate: Inspector:			

Permit	No.	
--------	-----	--

#### **BUILDING PERMIT**

## ADA/ABA ACCESSIBILITY STANDARDS

The Americans with Disability Act and Architectural Barriers Act Accessibility Guidelines were prepared by the U.S. Access Board and mandated by the U.S. Department of Justice regulations implementing Title III as the official ADA/ABA accessibility guidelines. All new construction, remodeling, and modifications must conform to these building standards for places of public accommodation and commercial facilities. Residential is exempt.


The ADA/ABA accessibility guidelines contain general design standards for building and site elements, such as accessible entrances and routes, ramps, parking spaces, stairs, elevators, restrooms, signage, etc. Also included are specific standards for restaurants, medical care facilities, libraries and transportation facilities and vehicles, and places of lodging.


The guidelines also include "scoping" requirements that outline the necessary features or appropriate quantity for achieving ready access. For example, at least 50 percent of all public entrances to buildings must be accessible with an accessible path of travel. In public restrooms, at least one bathroom stall must be accessible unless there are more than six stalls, in which case the number increases.

I hereby certify that I have read and examined the above notice and will comply with all guidelines of the ADA Accessibility Guidelines. I further understand that a copy of the ADA/ABA Regulations are available for inspection during business hours of City Hall or I may obtain a copy by writing:

The Access Board
1331 F Street, NW, Suite 1000
Washington, DC 20004-1111
(202) 272-0080 (v) (202) 272-0082 (TTY) (202) 272-0081 (fax)
(800) 872-2253 (v) (800) 993-2822 (TTY)
email: info@access-board.gov

Signature of Contractor Byon Roomer	Date 5/9/23
Signature of Owner	/ /
( if owner-builder)	Date
Application of Permit Approved:	Date
Commission - C	Chairman





## condeve city of BRYANT, co



City of Bryant, Arkansas Community Development 210 SW 3<sup>rd</sup> Street Bryant, AR 72022 501-943-0943

## SIGN PERMIT APPLICATION

Applicants are advised to read the Sign Ordinance prior to completing and signing this form.

The Sign Ordinance is available at \_\_\_\_\_\_\_ under the Planning and Community

Development tab.

Date: MAY 15, 2023

Note: Electrical Permits may be Required, Please contact the Community Development Office for more information.

Sign Co. or Sign Owner

Name SUTHEAW DESIGNS

Address 2136, NARROWAY

City, State, Zip BENTON, AR 72015

Phone 501-563-4725

Email Address Sathpau design Se

**Property Owner** 

Name CHRIS REED

Address 3405 MARKETPLACE DR.

City, State, Zip BRYANT AR

Phone 501-847-0868

Email Address \_\_\_\_

GENERAL INFORMATION

Name of Business

BRYANT FAMILY CHIROPRACTIC

Address/Location of sign

3405 MARKETPLACEDR

Zoning Classification

c2

Please use following page to provide details on the signs requesting approval. Along with information provided on this application, a Site Plan showing placement of sign(s) and any existing sign(s) on the property is required to be submitted. Renderings of the sign(s) showing the correct dimensions is also required to be submitted with the application. A thirty-five dollar (\$35) per sign payment will be collected at the time of permit issuance. According to the Sign Ordinance a fee for and sign variance or special sign permit request shall be one hundred dollars (\$100). Additional documentation may be required by Sign Administrator.

READ CAREFULLY BEFORE SIGNING

I do hereby certify that all information contained within this application is true and correct. I fully understand that the terms of the Sign Ordinance supersede the Sign Administrator's approval and that all signs must fully comply with all terms of the Sign Ordinance regardless of approval. I further certify that the proposed sign is authorized by the owner of the property and that I am authorized by the property owner to make this application. I understand

that no sign may be placed in public right of way. I understand that I must comply with all Building and Electrical Codes and that it is my responsibility to obtain all necessary permits.

## Use table below to enter information regarding each sign for approval. Please use each letter to reference each sign rendering.

SIGN	Type (Façade, Pole, Monument, other)	<b>Dimensions</b> (Height, Length, Width)	Sqft (Measured in whole as rectangle)	Height of Sign (Measured from lot surface)		Column for Admin Certifying Approval
				Top of Sign	Bottom of Sign	
Α	monumeni	73"×48"	APPROL	75"	26h	
В					And the state of t	
С						
E						
F						
G						

# Southe

# Rendering

Sig			L/:-	
	115	all	NI	<b>U</b> 5


Artwork Approved By:

E. Narroway Rd. Benton AR. 72015 (501) 563-4725


Date:

southpawdesigns@yahoo.com

**Project: Bryant Family Chiropractic** Description: Proposed roadside sign




\*NOTICE: All designs- both structural and installation, engineering ideas, original artwork and applications thereof are the intellectual property of Southpaw Designs. All rights reserved. Any unauthorized usage, duplication of or any reasonable likeness thereof shall be considered infringement and proper legal recourse will be taken upon all parties involved in design, production, construction, installation and display in any form.





6905 HWY. 5 N







## **Temporary Business Application For the Sale of Fireworks**

 Applications are due by 5:00PM Wednesday the week prior to the Scheduled Development and Review Committee Meeting.

Application Deadlines and dates can be found at <a href="www.cityofbryant.com">www.cityofbryant.com</a> under the Community Development tab. Date: 4-2023 **Business Information:** Name Meramec Specialty Co. d.b.a. Fleworks City Federal Tax Employer ID Number \_ 13-0762804 Arkansas State Sales Tax Number 035048-18-001Location of Proposed Temporary Business 6905 HU45N. Bryant AR. 72012 **Business Owner: Contact Person:** Address 4 Phone 8 Email K. bailey ar @ ad. com baileyar@aol.com thistictoyd ead.com **Checklist for Submission** Completed Application and Checklist Twenty-Five Dollar (\$25.00) Application fee Provide proof of 1,000,000 Liability Insurance or Surety Bond worth the same amount. (Further information on the details of liability insurance can be found in Section 2-4 of the Temporary Business Section of the Bryant Business Ordinance.) (Continued on Page 2) Eight (8) copies of a Site Plan:

- Site Plan shall be to scale, all structures shall be identified. Clear identification of any open display areas
- Fireworks tent / canopy shall have a minimum 50ft. setback from all other structures
- Show parking spaces dedicated by the owner of the property for use by the temporary business.
- Exits shall be provided every 100 ft. with a minimum of 2 remotely located exits

  Minimum exit width shall be 72 in. All exits shall be identified with proper signage

  No smoking permitted within 50 ft. of firework tent / canopy. "NO SMOKING" signs shall be posted at all entrance / exits
- ☑ 2 ABC fire extinguishers, with a 2A rating or greater, shall be provided. The maximum travel distance to an extinguisher shall not exceed 75 ft. Additional extinguishers may be required. Extinguishers shall be clearly visible, marked with appropriate signage, and mounted height of not less than 36 in. from the ground
- Generators or other combustion power sources, including fuel, shall be separated from tents / canopies by a minimum of 25 ft.
- Applicant shall contact the Bryant Fire Dept. Fire Marshal's office and schedule an inspection once the business is ready for operation. The inspection shall be conducted prior to any sales to the public are allowed. Contact: 501-943-0964

#### READ CAREFULLY BEFORE SIGNING

A 12	
I TEUIN A. DAILE	, do hereby certify that all
information contained within this application is true and co	orrect. I further certify that I agree too
and will abide by all Temporary Business rules and regulati	ions as outlined in the Bryant Business
Ordinance. I also understand that I shall comply with all ac	ditional applicable ordinances of the
City as well as the requirements of all state and federal lav	vs. Furthermore, I understand
violation of Temporary Business Ordinance 2007-43 is a ma	isdemeanor punishable by a fine of up
to \$500.00 per occurrence of violation. Each day's occurren	nce is a separate violation.

Owners Signature \_\_\_\_\_

Cidilatice No. 2000-30	Ordinance	No.	2006-	38	
------------------------	-----------	-----	-------	----	--

AN ORDINANCE TO LIMIT THE SALE AND DISCHARGE OF FIREWORKS WITHIN THE CITY OF BRYANT, AND FOR OTHER PURPOSES.

WHEREAS, it is the desire of the City of Bryant to maintain the safety and peace of the city.

NOW, THEREFORE, BE IT ORDAINED by the City Council of the City of Bryant, Arkansas, that:

Section 1: The term "fireworks" means and includes any combustible or explosive composition or any substance, combination of substances, or article prepared for the purpose of producing a visible or audible effect by combustion, explosion deflagration, or detonation and includes, but is not limited to, sky rockets, roman candles, daygo bombs, blank cartridges, toy cannons, toy canes, or toy guns in which explosives other than toy paper caps are used, the type of balloons which require fire underneath to propel then, firecrackers, torpedoes, sparklers, or other fireworks of like construction, any fireworks containing any explosive or flammable compound, or any tablet or other device containing any explosive substance. This definition includes items which contain even small amounts of silver fulminate, potassium nitrate, ammonium perchlorate, or other chemical or pyrotechnical composition intended to produce a pyrotechnic event or effect, even if not classified as a "hazardous material" under federal regulation.

#### Section 2: Regulations

- A. No individual, firm, partnership, corporation, or association shall possess for sale, sell, or offer for sale at retail, or discharge within the city limits, any fireworks, as defined herein, except as specifically provided in this chapter.
- B. No parent, guardian, or custodian of any child under the age of majority shall knowingly permit or consent to the possession or discharge of fireworks by any child under the age of majority without proper supervision. Possession or discharge by any child under the age of majority within the city limits shall be *prima facie* evidence of the knowing permission or consent of such parent, guardian, or custodian.
- C. No fireworks may be discharged within the boundaries of or within three hundred (300) feet of any public park owned or maintained by the City without a public display permit except as otherwise provided in this chapter. No fireworks may be discharged upon any public street, alley, road, or right-of-way, except as otherwise provided in this chapter. No fireworks may be discharged within 1000 feet of any

hospital, nursing, or assisted living facility. No fireworks may be discharged under or upon a motor vehicle, whether moving or not, or within 300 feet of any gas station; gas, oil, or propane storage facility; or other area which is highly flammable by nature.

- D. Subject to the limitations contained in this chapter, fireworks, as listed below, may be discharged within the city limits only on private property of the owner, or with the owner's permission when such discharge is in a safe and sane manner, and limited to the 4th of July holiday only:
  - 1. Between 12:00 p.m. and 10:00 p.m. July 3rd;
  - 2. Between 12:00 p.m. and 10:00 p.m. July 4th; and
  - 3. Between 12:00 p.m. and 10:00 p.m. July 5th;

And for the New Year's Day holiday only from 12:00 p.m. and 10:00 p.m. December 31st and 12:00 p.m. and 10:00 p.m. January 1st. As used in this part, "safe and sane manner" refers to actions which do not endanger life, limb or property of those in the area of the discharge. Nothing in allowing the discharge of fireworks within the city limits relieves the individual, firm, partnership, corporation, or association of its responsibility for any injury or damage caused to individuals or property by the discharge of the fireworks. Any discharge, with or without a permit, is at the individual, firm, partnership, corporation or association's own risk, and is not sanctioned by this ordinance.

- E. When, in the opinion of the Fire Chief, drought or other conditions exist which, when coupled with the discharge of fireworks, would pose a hazard to persons or property, the Fire Chief shall issue a ban on the discharge of all fireworks until such time as the condition causing the ban ceases to exist.
- F. Any individual, firm, partnership, corporation, or association discharging fireworks under this ordinance shall, upon such discharge, be responsible for clean-up of the discharge site, including disposal of all discharged fireworks, all non-discharged or "dud" fireworks, and the associated debris from the discharged fireworks in a safe manner.
- G. The safe and sane discharge of fireworks in accordance with the provisions of this chapter shall not be deemed a violation of Ordinance 2005-05, otherwise known as the 'Noise Ordinance.'

#### Section 3: Public Display Permitted When

A. Public display is permitted when performed in accordance with the Rules and Regulations of the Bryant Planning Commission and the State Fire Marshall. The most recent Rules & Regulations are hereby adopted by reference.

Section 4: The sale or display for sale of fireworks shall be unlawful within the City unless the appropriate firework permit is obtained from the City through the Planning Commission.

#### Section 5: Enforcement

- A. The Police Department, Fire Department and Code Enforcement Officers shall enforce the rules and regulations of this chapter.
- B. Any code enforcement officer, police officer or firefighter may, in the enforcement of this chapter, seize, impound, remove, or cause to be removed, at the expense of the owner, all stocks of fireworks offered for sale, sold, or in the possession of any individual, firm, partnership, corporation, or association in violation of this chapter. Notice of the seizure and the reasons for the seizure shall be reported to the Police Chief within 48 hours of the seizure.
- C. Fireworks seized under this section may be disposed of in a safe and proper manner by the Police Department ten days after seizure.
- D. Appeal of any seizure shall be filed with the Police Chief in writing within five working days of the seizure. The decision of the Police Chief on the appeal shall be final.

#### Section 6: Violation - Penalty

Any individual, firm, partnership, corporation, or association violating the provisions of this chapter shall be guilty of a misdemeanor and, upon conviction, shall be punished by a fine of not less than \$100 or more than \$500 for a first offense, a fine of not less than \$200 or more than \$500 for a second offense, and a fine of not less than \$300 or more than \$500 for a third or subsequent offense. Each day of a violation constitutes a separate offense. In the case of a violation by a firm, partnership, corporation, or association, the manager or members of the partnership or responsible officers or agents shall be deemed to be *prima facie* responsible, individually, and subject to the penalty as provided.

Any damages caused or injuries sustained as a result of any violation of this chapter shall be ordered paid as restitution as a part of any conviction for any violation.

ł

The court may order the reimbursement of costs of enforcement, investigation, fire suppression services, and overtime related to a violation upon conviction.

Section 7: Any previous ordinances in conflict herewith are hereby repealed.

Section 8: This ordinance shall take effect and be in full force from and after its passage.

PASSED AND APPROVED by the Bryant City Council on the day of September 25, 2006.

Acting Mayor for this Meeting

ATTEST:

CLERK:

Brenda Cockerham, City Clerk

#### DRAYTON INSURANCE BROKERS, INC.

2500 CENTER POINT ROAD, SUITE 301 BIRMINGHAM, ALABAMA 35215 PHONE: (205) 854-5806 FAX: (205) 854-5899

March 1, 2023

**DATE OF ISSUE** 

POST OFFICE BOX 94067 BIRMINGHAM, ALABAMA 35220 EMAIL: dib@draytonins.com

#### CERTIFICATE OF INSURANCE

NO. 340203

We certify that insurance is afforded as stated below. This Certificate does not affirmatively or negatively amend, extend or alter the coverage afforded by the insurance policy and the insurance afforded is subject to all the terms, exclusions and conditions of the policy.

arrorded by the insurance por	icy and the insurance arrorded is subject to	all the terms, exclusions and conditions of the poncy.	
INSURER	Admiral Insurance Company	POLICY NO. CA000018967-10	
NAMED INSURED	Atomic Fireworks Inc. of Arkansas Atomic Fireworks Inc. of Missouri Meramec Specialty Company P.O. Box 305 Arnold, Missouri 63010	T.E.A. Enterprises, Inc. Pacific Specialty Company West Alton Properties, Inc ATLG, LLC	
POLICY TERM	March 1, 2023 to March 1, 2024; Both D	ays 12:01 A.M. Standard Time	
COVERAGE	Premises-Operations Liability:	Occurrence Basis	
LIMIT OF LIABILITY	\$1,000,000 each occurrence, \$10,000,000. The limit of liability shall not be increased	general aggregate d by the inclusion of more than one insured or additional insu	red.
INSURED OPERATIONS	The sale of consumer fireworks (1.4G) are	nd related products at the Insured location, during the period	of operation.
operator(s), sponsor(s), prom Named Insureds and/or 2) the which the <b>Insured Premises</b>	oter(s), organizer(s), of the <b>Insured Prem</b> e owner(s), manager(s), tenant(s), mortgag is located and/or 3) the licensing authority	in named below as such, this policy includes as Additional ises used principally for the retail sale of consumer fireworks ee(s) (including other entities having similar interests), of the issuing a permit or license for the operation of the Insured lact, to provide insurance such as is afforded by the terms of the	supplied by the property on <b>Premises</b> and/or
NAME(S) OF ADDITIONAL INSURED(	S)		
Pinnacle Improvements, LLC Meramec Specialty Company Stand Manager and Sub-Ope Licensing Authorities-State of	y-Stand Owner and Operator crator		
ADDRESS OF INSURED PREMISES	An area measuring approximately 150 Bryant, Arkansas. #127B	'x 150' whose physical address is 6139 Hwy 5 N. in	
PERIOD OF OPERATION	N March 1, 2023 through February 28, 2	2024	
cancellation we will endeave	requires a 30 day mutual notice of cancell or to mail 10 days written notice to the Ado oose no obligation or liability of any kind u	ation between the Insurer and the Named Insured. In the eve ditional Insured(s), whose name and address is shown hereon, upon the insurer and/or the undersigned.	nt of such, but failure
		DRAYTON INSURANCE BROKERS, INC.	

RINGER, PRESIDENT



A HERICA'S OLDEST BONDING COMPANIES

## Western Surety Company


#### **CONTINUATION CERTIFICATE**

Western Surety Company hereby continues in force Bond No.	15146913 briefly
described as TEMPORARY BUSINESS PERMIT CITY OF BRYANT, ARKA	NSAS
	<del></del>
for MERAMEC SPECIALTY COMPANY	
	, as Principal,
in the sum of \$ ONE THOUSAND AND NO/100	Dollars, for the term beginning
<u>May 20</u> , <u>2023</u> , and ending <u>May 20</u>	, <u>2024</u> , subject to all
the covenants and conditions of the original bond referred to above.	
This continuation is issued upon the express condition that the lia	bility of Western Surety Company
under said Bond and this and all continuations thereof shall not be cumu	ulative and shall in no event exceed
the total sum above written.	
Dated this 5th day ofApril, 2023	
WESTERN By	SURETY COMPANY  Paul T. Brunat, Vice President

THIS "Continuation Certificate" MUST BE FILED WITH THE ABOVE BOND.

Form 90-A-8-2012

HWY. 5 N



# OUTDOOR MANAGEMENT DISPLAYS P.O. BOX 91 ALEXANDER, AR 72002 Telephone 501.847.1000

August 25, 2022

#### Bryant Planning Commission:

The purpose of this letter is to notify you that Meramec Specialty Company has permission to sell fireworks on my property during the period of June 15, 2023 through July 10, 2023. The physical address of the property is 6905 Highway 5 in Bryant, Arkansas.

Sincerely,

OUTDOOR MANAGEMENT DISPLAYS

Billy Smith

#### August 4, 2022

City of Bryant Planning Commission:

The purpose of this letter is to notify you that Meramec Specialty Company has permission to sell fireworks on my property during the period of June 15, 2023 through July 10, 2023. The physical address of the property is 6905 Highway 5 in Bryant, Arkansas.

Sincerely,

PINNACLE IMPROVEMENTS, LLC

Rick Jones

### State of Arkansas

ARKANSAS SALES AND USE TAX PERMIT

MERAMEC SPECIALITY CO

DATE ISSUED:

P.O. BOX 1150

PERMIT NUMBER: 035048-18-00i

WEST MEMPHIS AR 72301

DLN:

DATE OPENED: 01/01/1965

SIC: 5042
TOYS AND HOBBY GOODS AND SUPPLIES.

EXEMPTION: 81 THIS EUSINESS I SHEMPT FROM SALES IN DIMET FOR THE PURCHASES OF GOODS TO BE RESOLD IN THE MORNAL COURSE OF BUSINESS.

THIS PERMIT IS VALID UNTIL IT IS CANCELED AND SURRENDERED BY THE PERMIT HOLDER OR REVOKED BY THE COMMISSIONER OF REVENUES.

THIS PERMIT HUST BE SURRENDERED IF BUSINESS IS SOLD, DISCONTINUED OR LOCATION CHANGED.

WHEN THIS PERMIT IS SURRENDERED FOR ANY OF THE ABOVE REASONS, YOU MUST REPORT AND PAY ANY SALES OR USE TAX PLUS ANY PENALTIES OR INTEREST THAT IS OWED BY THIS BUSINESS. FAILURE TO PAY THESE TAXES WILL RESULT IN A LIEN BEING PLACED AGAINST THE STOCK AND FIXTURES OF THIS BUSINESS AND THE SAME IS ENFORCEABLE AGAINST PURCHASERS AND THIRD PARTIES.



## Certificate of Flame Resistance

the thick of	Frame Resistance	Date manufactured
THE WAS TENED FABRIC MUMBER	ISSUED BY	-,
1,4:19.4	VYDER MANUFACTION	06/02/10
	WW/ PREEDERS	•
This is to cortify that the metarinis riceast	DOVER, 0100 44622	
This is to certify that the materials described below are fit.  FOR RIVER CITY TENTS AND AMKING INC	ame-retardant and inherently nonflammable	
CITYPINE BLUFF	ADDRESS 3001 PM No. 14	
The articles described below are made fro Fire Marshal for such use.	STATE AR 71602 om a flame-resistant febrio or material registered and a	
I was the for such use.	replaced and a second s	
The Prince of		approved by the State
Thurse Hetardara Proces	de lleadam	
* FABRIC MEETS THE BEST HOW	4s Used WILL NOT Be Removed By Washing	•
AT AND THE PEUDINEMENTS OF THE	SPECIFICATIONS LISTED BELOW INDICATED BY	
M-PA-701 (Large Scale)	DELOW INDICATED BY	NO.
CANULC-STOR 41/1		
	DOWN -	MV86-902
SHYDER MANUFACTURING INC. BY HERCE		-A-5530s
STYLE PRV 13100 MITE 61" HI GLOSS		
CONTROL NO. 18629	Tible Supervisor, or	Miley Cornerol
		-
SAYDER S-ORDER NO. 216670	CLISTOMER ORDER NO. RAY	·
YARDS OR QUANTITY 375	DATE PROCESSED 06/02/10	
	DATE PERSONAL PROPERTY	

Certificate of Al	
Certificate of Flame Resistance	Date manufactured
F. Tile South Manual South Bridge South Processing South	05/02/10
This is to certify that the materials described below are flame-retardent and inherently nordiarremable.	
CITY PINE BLUFF ADDRESS 3006 PM AND	
The articles described below are made from a figure-resistant fabric or material registered  The Discourse of the control of t	and approved by the State
The Flame Retardent Process Used WILL NOT Be Removed By Washing "FABRIC MEETS THE REQUIREMENTS OF THE SPECIFICATIONS LISTED BELOW INDICATES  OF THE SPECIFICATIONS LISTED BELOW INDICATES  OF THE SPECIFICATIONS LISTED BELOW INDICATES	·
ENVOER MANUFLOTURING INC. By TELOUS TOBALLY U.S.	D BY (X)  D FMVSS-502  D A-A-55306  Mac, Quality Control
CONTROL NO	AGENTA COLDO
SIYDER GORDER NO. 216670 CUSTOMER ORDER NO. RAY	THE PROPERTY OF THE PROPERTY O
TERMS OF QUANTITY 375 DATE PROCESSED 06/02/10	And the second s
DATE CERTIFIED 06/04/10	White Control of the



## Certificate of Flame Resistance

ED TAVES-502 -A-58306 http://www.comes
vacang /11
0 56
by the State



#### **ARKANSAS STATE POLICE**

#### REGULATORY and BUILDING OPERATIONS DIVISION FIRE MARSHAL'S OFFICE

## **RETAIL FIREWORKS LICENSE - FEE \$25.00**

LICENSE EXPIRES January 6, 2024

This is to certify that the person named below is licensed to act as a RETAILER of FIREWORKS under the provision of Act 224 of 1961, as amended, State of Arkansas.

Name of Person Applying Waste Loud To	elephone #: <u>(876) 735-1753</u>
Address of Person Applying 381 Front Street West	Memphis 72301
Name of Organization Mevamec Special	
Address of the Stand Location (689 Hous N. Bryant City	
This license is issued to the person named above for use in r PERMISSIBLE FIREWORKS from June 20 through July 10 a January 5.	making retail sales of and December 10 through
This license is not transferable and must be DISPLAYED AT	ALL TIMES.
Vendor: Atomic of Arkansas Date Is	ssued: 4-13-2003
License #:	lajor Muhal May #148
	Major Michael Moyer State Fire Marshal elephone (501) 618-8624
NOTICE: This license may be revoked by the State Fire Mar	shal or his deputies for

violation of any of the provisions of the above referred to law.



#### SIGN PERMIT APPLICATION

Applicants are advised to read the Sign Ordinance prior to completing and signing this form. The Sign Ordinance is available at <a href="https://www.cityofbryant.com">www.cityofbryant.com</a> under the Planning and Community Development tab.

Date: 4/25/23	Note: Flectrical Permits may be Required, Please contact the Community Development Office for more information.
Sign Co. or Sign Owner Property	Owner
Name KTETSign/Kevin Holmos Name	Jalen
Address 3609 Crutcher St. Address	2337 Frontage Ral 1-30
Address 3609 Crutcher St. Address	501-612-4424
Email Address ktsignartwork & raher Email Add	dress
GENERAL INFORMATION	
Name of Business Weller Work KO AU	TO SALES
Address/Location of sign 23337 Frontage (	Zd.
Zoning Classification	
Please use following page to provide details on the signs required on this application, a Site Plan showing placement of property is required to be submitted. Renderings of the sign(s required to be submitted with the application. A thirty-five do collected at the time of permit issuance. According to the Sign special sign permit request shall be one hundred dollars (\$100) required by Sign Administrator.	f sign(s) and any existing sign(s) on the ) showing the correct dimensions is also llar (\$35) per sign payment will be Ordinance a fee for and sign variance or
READ CAREFULLY BEFORE SIGNING  I do hereby certify that all informand correct. I fully understand that the terms of the Sign Ordinance supersedesigns must fully comply with all terms of the Sign Ordinance regardless of apprauthorized by the owner of the property and that I am authorized by the property	oval. I further certify that the proposed sign is

that no sign may be placed in public right of way. I understand that I must comply with all Building and Electrical Codes and that it is my responsibility to obtain all necessary permits.

### Use table below to enter information regarding each sign for approval. Please use each letter to reference each sign rendering.

SIGN	<b>Type</b> (Façade, Pole, Monument, other)	<b>Dimensions</b> (Height, Length, Width)	Sqft (Measured in whole as rectangle)		of Sign om lot surface)	Column for Admin Certifying Approval
	V	4'X40'	104	Top of Sign	Bottom of Sign	
Α	(3) 3, X 8,		72	121		
В	(2) 4×8'0	4416'	32	12'	8	
С	4' 11					
Е	3' X/2'					
F						
G						

2337 Frontage Rd. Byrant, Ak





# Stratus

### **LOCATION NUMBER:**

6

## **SITE ADDRESS:**

1800 N Reynolds Rd Suite 8 Bryant, AR 72022

**View in Google Maps** 

#### SIGN CODE:

Permit timeline 2-4 Weeks

Allowed 2sf per linear ft of frontage

SF can be calculated with up to 3 distinct areas made of of squares or rectangles to measure Total SF


Window graphics are calculated in available SF Allowed

Frontage is 47' x 2 = 94sf allowed



#### SITE PLAN

Scale: NOT TO SCALE





## **Stratus**

stratusunlimited.com

8959 Tyler Boulevard
Mentor, Ohio 44060

888 503 1569

Sage Health

ADDRESS: PAGE NO.:

1800 N REYNOLDS RD SUITE 8 BRYANT, AR 72022

	ORDER NUMBER
	1192818

2

R NUMBER: PROJECT NUMBER: 87594

PROJECT MANAGER:
KYLE FREEMAN

<u>SITE NUMBER:</u> 6

	Rev#	Req#	Date/Artist	Description	Rev#	Req#	Date/Artist	Description
	Original	425604	04/11/23 AS					
Ш	Rev 1	426137	04/17/23 AS					
Ш								

STOREFRONT ELEVATION

Scale: 1/8"=1'-0"

**E01** 

CL-H-FC-283-R-I

EXISTING SIGN SF:	0		
PROPOSED SIGN SF:	83.9		





tratusunlimited.com
8959 Tyler Boulevard
Mentor, Ohio 44060

Sage Health

ADDRESS:

1800 N REYNOLDS RD SUITE 8 BRYANT, AR 72022 ORDER NUMBER: 1192818

SITE NUMBER:

PAGE NO.:

3

87594

PROJECT MANAGER:

PROJECT NUMBER:

KYLE FREEMAN

	Rev#	Req#	Date/Artist	Description	Rev#	Req#	Date/Artist	Description
	Original	425604	04/11/23 AS					
<u> </u>	Rev 1	426137	04/17/23 AS	Chose this option				
Ш								

## FACE LIT CHANNEL LETTERS ON RACEWAY

Scale: 3/8"=1'-0"

CL-H-FC-283-R-I

83.9 square feet



FACES: 3/16" #2447 white acrylic with surface applied dual-color white vinyl printed to match

Dk. Teal and Teal; Graphics will illuminate white at night

**TRIMCAP:** 1" jewelite trimcap painted Dk. Teal

**RETURNS:** 5" deep .040 alum. returns - insides painted High Gloss White; Outsides painted Dk. Teal

BACKS: .063 alum. backs - insides painted High Gloss White

ILLUM.: White LEDs as required by manufacturer; Power supplies housed in raceway

**RACEWAY:** Extruded low profile aluminum raceway 8.5" H x 4.375" D painted to match sign band

WALL MAT.: Stucco

**INSTALL**:


Thru bolted using all thread into blocking as required;

12" standard length of threaded rod will be supplied unless otherwise noted;

3/8" threaded rod into blocking or Stratus approved equivalent;


Compression sleeves required to avoid crushing wall & achieve max tensioning

QUANTITY: (1) ONE SET REQUIRED FOR STOREFRONT ELEVATION



#### SIMULATED NIGHT VIEW





TRIMCAPPED:

Teal & Dk. Teal faces Dk Teal trimcap Dk Teal returns

## **Stratus** \*\*

stratusunlimited.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888 503 1569



ADDRESS:

1800 N REYNOLDS RD SUITE 8 BRYANT, AR 72022 ORDER NUMBER: 1192818

PAGE NO.:

SITE NUMBER:

PROJECT MANAGER: KYLE FREEMAN

PROJECT NUMBER:

87594

1	Rev#	Req#	Date/Artist	Description	Rev#	Req#	Date/Artist	Description
	Original	425604	04/11/23 AS					
J	Rev 1	426137	04/17/23 AS	Chose this option				
l								
J								

#### D/F ILLUMINATED PYLON

Scale: 1/4"=1'-0"







**Stratus** 

ratusunlimited.com 8959 Tyler Boulevard Mentor, Ohio 44060 888 503 1569 CLIENT: Sage Health

ADDRESS: PAGE NO.:

1800 N REYNOLDS RD SUITE 8 BRYANT, AR 72022 ORDER NUMBER: 1192818

SITE NUMBER:

5


PROJECT NUMBER: 87594

PROJECT MANAGER:
KYLE FREEMAN

	Rev#	Req#	Date/Artist	Description	Rev#	Req#	Date/Artist	Description
	Original	425604	04/11/23 AS					
J	Rev 1	426137	04/17/23 AS	Chose this option				
1								
ال								
7								

11.1 square feet

If this cabinet is larger than the existing or alternate shape: Engineering review is required and may not be approved as shown. In this case, additional Engineering or change of scope will apply.



SIMULATED NIGHT VIEW



CABINET: 12" deep fab'd aluminum cabinet with 1-5/8" retainers painted Dk. Teal

**FACES:** .150 flat white polycarbonate

**GRAPHICS:** Surface applied digitally printed translucent vinyl to match Dk. Teal and Teal


**ILLUM.:** White LEDs as required by manufacturer;

Power supplies housed in cabinet

**SUPPORTS:** Existing 6" square supports to remain

**INSTALL:** Mounted between supports with angle iron welded to existing post and bolted to cabinet


QUANTITY: (1) ONE D/F ILLUMINATED CABINET REQUIRED FOR EXISTING PYLON




PROJECT NUMBER:

DDO IECT MANAGED

87594







stratusunlimited.com

8959 Tyler Boulevard

Mentor, Ohio 44060



PAGE NO.:

6

1800 N REYNOLDS RD SUITE 8 BRYANT, AR 72022

ADDRESS:

ORDER NUMBER: 1192818
SITE NUMBER:

SITE NOWIDER.	FROJECT MANAGER.			
6	KYLE FREEMAN			
ELECTRONIC FILE NAME:				
G:\ACCOUNTS\S\SAGE HEALTH' 6_Bryant_R1.cdr	\2023\AR\6_Bryant\			

Rev#	Req#	Date/Artist	Description	Rev#	Req#	Date/Artist	Description
Original	425604	04/11/23 AS					
Rev 1	426137	04/17/23 AS	Chose this option, revised cabinet to Dk. Teal				
					00.0745		



#### SIGN PERMIT APPLICATION

Applicants are advised to read the Sign Ordinance prior to completing and signing this form.

The Sign Ordinance is available at <a href="https://www.cityofbryant.com">www.cityofbryant.com</a> under the Planning and Community

Development tab.

Date:05/11/2023		Note: Electrical Permits may be Required, Please contact the Community Development Office for more information.
Sign Co. or Sign Owner	<b>Property Owner</b>	
Name Lumatech Inc	<sub>Name</sub> SN Managen	nent LLC
Address 6301 Murray Street	Address 1800 N Rey	ynolds Road
City, State, Zip_Little Rock, AR 72209	City, State, Zip Bryant	t, AR 72022
Phone 501-217-9919 ext 115	Phone	<del></del>
Email Address_service@lumatechservice.com	Email Address	
GENERAL INFORMATION		
Name of Business Sage Heath		
Address/Location of sign 1800 N Reynolds Rd, Br	yant, AR 72022	
Zoning Classification		
Please use following page to provide details on the provided on this application, a Site Plan showing pla property is required to be submitted. Renderings of	cement of sign(s) and a the sign(s) showing the	any existing sign(s) on the e correct dimensions is also

provided on this application, a Site Plan showing placement of sign(s) and any existing sign(s) on the property is <u>required</u> to be submitted. Renderings of the sign(s) showing the correct dimensions is also <u>required</u> to be submitted with the application. A thirty-five dollar (\$35) per sign payment will be collected at the time of permit issuance. According to the Sign Ordinance a fee for and sign variance or special sign permit request shall be one hundred dollars (\$100). Additional documentation may be required by Sign Administrator.

#### **READ CAREFULLY BEFORE SIGNING**

I <u>Wichelle Tucker</u>, do hereby certify that all information contained within this application is true and correct. I fully understand that the terms of the Sign Ordinance supersede the Sign Administrator's approval and that all signs must fully comply with all terms of the Sign Ordinance regardless of approval. I further certify that the proposed sign is authorized by the owner of the property and that I am authorized by the property owner to make this application. I understand

that no sign may be placed in public right of way. I understand that I must comply with all Building and Electrical Codes and that it is my responsibility to obtain all necessary permits.

### Use table below to enter information regarding each sign for approval. Please use each letter to reference each sign rendering.

SIGN	<b>Type</b> (Façade, Pole, Monument, other)	<b>Dimensions</b> (Height, Length, Width)	Sqft (Measured in whole as rectangle)	Height of Sign (Measured from lot surface)		Column for Admin Certifying Approval
				Top of Sign	Bottom of Sign	
Α	Facade	47'-0" x 6'-8"	83.9	19'-9"	13'-2"	
В	Pole	6'-1/2" x 1'-10"	11.1	19'-10"	18'-3"	
С						
E						
F						
G						



#### SIGN PERMIT APPLICATION

Applicants are advised to read the Sign Ordinance prior to completing and signing this form.

The Sign Ordinance is available at <a href="https://www.cityofbryant.com">www.cityofbryant.com</a> under the Planning and Community

Development tab.

Date: 5-16-23	Note: Electrical Permits may be Required, Please contact the Community Development Office for more information.
Sign Co. or Sign Owner	Property Owner
Name Custom Adhertising.  Address 23738 I-30  City, State, Zip Bryant, AR  Phone 501. 847. 1000  Email Address J: mmy Parker 65@ gmail. com	Name <u>Coulson</u> Address <u>SIOI</u> Northshore Lane  City, State, Zip <u>NLR</u> AR 72118  Phone <u>SO1.376-4222</u> Email Address <u>Callcente</u> (@ Coul Sonoil. Con
GENERAL INFORMATION	
Name of Business Rowronner  Address/Location of sign 23190 T-36  Zoning Classification C-3	Bryant

Please use following page to provide details on the signs requesting approval. Along with information provided on this application, a Site Plan showing placement of sign(s) and any existing sign(s) on the property is required to be submitted. Renderings of the sign(s) showing the correct dimensions is also required to be submitted with the application. A thirty-five dollar (\$35) per sign payment will be collected at the time of permit issuance. According to the Sign Ordinance a fee for and sign variance or special sign permit request shall be one hundred dollars (\$100). Additional documentation may be required by Sign Administrator.

READ CAREFULLY BEFORE SIGNING

, do hereby certify that all information contained within this application is true and correct. I fully understand that the terms of the Sign Ordinance supersede the Sign Administrator's approval and that all signs must fully comply with all terms of the Sign Ordinance regardless of approval. I further certify that the proposed sign is authorized by the owner of the property and that I am authorized by the property owner to make this application. I understand

that no sign may be placed in public right of way. I understand that I must comply with all Building and Electrical Codes and that it is my responsibility to obtain all necessary permits.

### Use table below to enter information regarding each sign for approval. Please use each letter to reference each sign rendering.

SIGN	<b>Type</b> (Façade, Pole, Monument, other)	(Façade, Pole, (Height, Length, Width)		Heigh (Measured fr	Column for Admin Certifying Approval	
	Facacle	6'x6'	36	Top of Sign	Bottom of	
Α	Facade	6'x6' 2'/2×8	20	14	11/2	
В						
С						
E						
F						
G						

Logo
Road Flance

