HILLTOP LANDING SUBDIVISION

HILLTOP ROAD & MILLER ROAD, BRYANT, AR 72022

DRAINAGE REPORT

FOR
City of Bryant, Saline County, AR

October 2022

Owner & Developer: NXT GEN HOMES LLC.


By:



TABLE OF CONTENTS

ITEM DESCRIPTION

- 1. Narrative & Summary
- 2. Hydrograph Report



PROJECT TITLE

Hilltop Landing Subdivision

PROJECT PROPERTY OWNER

Nxt Gen Homes LLC.

PROJECT LOCATION

Hilltop Road and Miller Road, Bryant, AR

PROJECT DESCRIPTION

The proposed sub divisional development is on Hilltop Road and Miller Road, Bryant, AR. Total development site area is 54.0 acres.

DRAINAGE ANALYSIS

On Site Drainage- Rational method was used to determine the existing and proposed flows from proposed site. There will be four detention ponds to detain water from this development. Detailed drainage calculations considering the future expected development has been conducted to determine the required detention ponds and culvert dimensions. Summary of the calculations are below:

Detention Pond-1

- Pond is situated on the north east side of the property.
- Pre-development area 34.50 acres.
- Post-development area 36.28 acres.
- Pre-development runoff coefficient 0.47.
- Post-development runoff cumulative coefficient 0.65
- Pond has a bottom area of 15,480 sft with bottom elevation of 439.00'.
- One 42" HDPE with 0.5% slope are proposed for outflow pipes.

Peak flows for Pre and post development phase of onsite area have been tabulated below-

Period of	Pre-development	Post-dev. Without	Post-dev. With detention
time		detention	
	Peak Flow (cfs)	Peak Flow (cfs)	Peak Flow (cfs)
2-Year	69.54	90.29	41.60
5-Year	77.15	99.87	45.13
10-Year	89.68	117.23	49.24
25-Year	102.61	134.37	54.42
50-Year	116.82	153.15	64.25
100-Year	123.94	162.70	70.54

Detention Pond-2

- Pond is situated on the South-west side of the property.
- Pre-development area 7.2 acres.
- Post-development area 4.11 acres.
- Pre-development runoff coefficient 0.40.
- Post-development runoff cumulative coefficient 0.40
- Pond has a bottom area of 18,270 sft with bottom elevation of 511.00'.
- One 12" HDPE with 9% slope are proposed for outflow pipes.

Peak flows for Pre and post development phase of onsite area have been tabulated below-

Period of	Pre-development	Post-dev. Without	Post-dev. With detention
time		detention	
	Peak Flow (cfs)	Peak Flow (cfs)	Peak Flow (cfs)
2-Year	12.77	6.629	0.387
5-Year	14.20	7.333	0.462
10-Year	16.42	8.607	0.613
25-Year	18.77	9.865	0.773
50-Year	21.35	11.24	0.959
100-Year	22.64	11.95	1.059

Detention Pond-3

- Pond is situated on the south east side of the property.
- Pre-development area 2.25 acres.
- Post-development area 3.21 acres.
- Pre-development runoff coefficient 0.47.
- Post-development runoff cumulative coefficient 0.65
- Pond has a bottom area of 5,512 sft with bottom elevation of 495.00'.
- One 18" HDPE with 9.5% slope are proposed for outflow pipes.

Peak flows for Pre and post development phase of onsite area have been tabulated below-

Period of	Pre-development	Post-dev. Without	Post-dev. With detention
time		detention	
	Peak Flow (cfs)	Peak Flow (cfs)	Peak Flow (cfs)
2-Year	5.039	9.942	2.797
5-Year	5.635	11.12	3.269
10-Year	6.430	12.69	3.910
25-Year	7.337	14.48	4.642
50-Year	8.326	16.43	5.424
100-Year	8.825	17.40	5.810

Detention Pond-4

- Pond is situated on the West side of the property.
- Pre-development area 14.40 acres.
- Post-development area 13.97 acres.
- Pre-development runoff coefficient 0.47.
- Post-development runoff cumulative coefficient 0.65
- Pond has a bottom area of 3725.16 sft with bottom elevation of 511.00'.
- One 36" HDPE with 9.0% slope are proposed for outflow pipes.

Peak flows for Pre and post development phase of onsite area have been tabulated below-


Period of	Pre-development	Post-dev. Without	Post-dev. With detention
time		detention	
	Peak Flow (cfs)	Peak Flow (cfs)	Peak Flow (cfs)
2-Year	31.09	43.27	27.37
5-Year	34.66	48.39	30.47
10-Year	39.81	55.21	34.08
25-Year	45.47	63.00	37.59
50-Year	51.67	71.49	41.26
100-Year	54.77	75.78	42.99

CONCLUSION

From the onsite drainage calculation, it is seen that there is decrease in flow for all storm events due to the proposed detention ponds.



Watershed Model Schematic



<u>Hyd.</u>	<u>Origin</u>	<u>Description</u>
1	Rational	Pre Development
2	Rational	Post development-1a
3	Rational	post development-1b
4	Combine	combine-1
5	Rational	post development-2a
6	Rational	post development-2b
7	Combine	combine-2
8	Combine	<no description=""></no>
9	Reservoir	detention pond 1

Project: drainage one pond.gpw

Thursday, 10 / 6 / 2022

Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1

Pre Development

Hydrograph type = Rational Peak discharge = 69.54 cfs Time to peak = 13 min Hyd. Volume = 54,242 cuft

Hyd. No. 9

detention pond 1

Hydrograph type = Reservoir
Peak discharge = 41.60 cfs
Time to peak = 23 min
Hyd. Volume = 81,225 cuft



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1

Pre Development

Hydrograph type = Rational
Peak discharge = 77.15 cfs
Time to peak = 13 min
Hyd. Volume = 60,181 cuft

Hyd. No. 9

detention pond 1

Hydrograph type = Reservoir
Peak discharge = 45.13 cfs
Time to peak = 23 min
Hyd. Volume = 89,848 cuft



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1

Pre Development

Hydrograph type = Rational Peak discharge = 89.68 cfs Time to peak = 13 min Hyd. Volume = 69,947 cuft

Hyd. No. 9

detention pond 1

Hydrograph type = Reservoir
Peak discharge = 49.24 cfs
Time to peak = 24 min
Hyd. Volume = 105,468 cuft



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 9

Hyd. No. 1

Pre Development detention pond 1

Hydrograph type = Rational Peak discharge = 102.61 cfs Time to peak = 13 min Hyd. Volume = 80,038 cuft Hydrograph type = Reservoir
Peak discharge = 54.42 cfs
Time to peak = 24 min
Hyd. Volume = 120,893 cuft



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1


Pre Development

Hydrograph type = Rational
Peak discharge = 116.82 cfs
Time to peak = 13 min
Hyd. Volume = 91,121 cuft

Hyd. No. 9

detention pond 1

Hydrograph type = Reservoir
Peak discharge = 64.25 cfs
Time to peak = 24 min
Hyd. Volume = 137,798 cuft



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1

Pre Development

Hydrograph type = Rational
Peak discharge = 123.94 cfs
Time to peak = 13 min
Hyd. Volume = 96,675 cuft

Hyd. No. 9

detention pond 1

Hydrograph type = Reservoir
Peak discharge = 70.54 cfs
Time to peak = 23 min
Hyd. Volume = 146,395 cuft



Thursday, 10 / 6 / 2022

Pond No. 2 - Detention Pond 1

Pond Data

Trapezoid -Bottom L x W = 258.0 x 60.0 ft, Side slope = 3.00:1, Bottom elev. = 439.00 ft, Depth = 5.00 ft

Stage / Storage Table


Stage (ft)	Elevation (ft)	Contour area (sqft)	Incr. Storage (cuft)	Total storage (cuft)
0.00	439.00	15,480	0	0
0.50	439.50	16,443	7,980	7,980
1.00	440.00	17,424	8,466	16,446
1.50	440.50	18,423	8,961	25,407
2.00	441.00	19,440	9,465	34,872
2.50	441.50	20,475	9,978	44,850
3.00	442.00	21,528	10,500	55,350
3.50	442.50	22,599	11,031	66,381
4.00	443.00	23,688	11,571	77,952
4.50	443.50	24,795	12,120	90,072
5.00	444.00	25,920	12,678	102,750

Culvert / Orifice Structures

Weir Structures

	[A]	[B]	[C]	[PrfRsr]		[A]	[B]	[C]	[D]
Rise (in)	= 42.00	Inactive	Inactive	0.00	Crest Len (ft)	= 6.00	Inactive	Inactive	0.00
Span (in)	= 42.00	0.00	0.00	0.00	Crest El. (ft)	= 443.00	0.00	0.00	0.00
No. Barrels	= 1	0	0	0	Weir Coeff.	= 3.33	3.33	3.33	3.33
Invert El. (ft)	= 439.00	0.00	0.00	0.00	Weir Type	= Rect			
Length (ft)	= 215.00	0.00	0.00	0.00	Multi-Stage	= No	No	No	No
Slope (%)	= 0.50	0.00	0.00	n/a					
N-Value	= .013	.013	.013	n/a					
Orifice Coeff.	= 0.60	0.60	0.60	0.60	Exfil.(in/hr)	= 0.000 (by	Wet area)		
Multi-Stage	= n/a	No	No	No	TW Elev. (ft)	= 0.00			

Note: Culvert/Orifice outflows are analyzed under inlet (ic) and outlet (oc) control. Weir risers checked for orifice conditions (ic) and submergence (s).



Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	69.54	1	13	54,242				Pre Development
2	Rational	60.00	1	15	53,998				Post development-1a
3	Rational	5.960	1	15	5,364				post development-1b
4	Combine	65.96	1	15	59,362	2, 3			combine-1
5	Rational	18.19	1	15	16,367				post development-2a
6	Rational	6.149	1	15	5,534				post development-2b
7	Combine	24.33	1	15	21,901	5, 6			combine-2
8	Combine	90.29	1	15	81,262	4, 7			<no description=""></no>
dra	inage one po	nd.gpw			Return F	Period: 2 Ye	ear	Thursday, 1	10 / 6 / 2022


Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	77.15	1	13	60,181				Pre Development
2	Rational	66.36	1	15	59,728				Post development-1a
3	Rational	6.592	1	15	5,933				post development-1b
4	Combine	72.96	1	15	65,661	2, 3			combine-1
5	Rational	20.11	1	15	18,103				post development-2a
6	Rational	6.801	1	15	6,121				post development-2b
7	Combine	26.92	1	15	24,225	5, 6			combine-2
8	Combine	99.87	1	15	89,885	4, 7			<no description=""></no>
dra	inage one po	nd gpw			Return F	Period: 5 Ye	ear.	Thursday	10 / 6 / 2022

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	89.68	1	13	69,947				Pre Development
2	Rational	77.90	1	15	70,107				Post development-1a
3	Rational	7.738	1	15	6,964				post development-1b
4	Combine	85.63	1	15	77,071	2, 3			combine-1
5	Rational	23.61	1	15	21,249				post development-2a
6	Rational	7.983	1	15	7,185				post development-2b
7	Combine	31.59	1	15	28,434	5, 6			combine-2
8	Combine	117.23	1	15	105,505	4, 7			<no description=""></no>
9	Reservoir	49.24	1	24	105,468	8	442.34	62,868	detention pond B
dra	inage one po	nd apw			Return F	Period: 10 \	/ear	Thursday	10 / 6 / 2022

lyd. Io.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	116.82	1	13	91,121				Pre Development
2	Rational	101.77	1	15	91,590				Post development-1a
3	Rational	10.11	1	15	9,098				post development-1b
4	Combine	111.88	1	15	100,688	2, 3			combine-1
5	Rational	30.85	1	15	27,761				post development-2a
3	Rational	10.43	1	15	9,387				post development-2b
7	Combine	41.27	1	15	37,147	5, 6			combine-2
8	Combine	153.15	1	15	137,835	4, 7			<no description=""></no>
9	Reservoir	64.25	1	24	137,798	8	443.22	83,213	detention pond B
dra	inage one po	nd.gpw			Return F	Period: 50	/ear	Thursday,	10 / 6 / 2022

lyd. Hydrograph lo. type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1 Rational	123.94	1	13	96,675				Pre Development
2 Rational	108.11	1	15	97,303				Post development-1a
3 Rational	10.74	1	15	9,665				post development-1b
4 Combine	118.85	1	15	106,968	2, 3			combine-1
5 Rational	32.77	1	15	29,492				post development-2a
6 Rational	11.08	1	15	9,972				post development-2b
7 Combine	43.85	1	15	39,464	5, 6			combine-2
8 Combine	162.70	1	15	146,433	4, 7			<no description=""></no>
	nd.gpw			Return F				10 / 6 / 2022

Watershed Model Schematic




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

Pre development detention pond

Hydrograph type = Rational Peak discharge = 12.77 cfs Time to peak = 12 min Hyd. Volume = 9,197 cuft Hydrograph type = Reservoir
Peak discharge = 0.39 cfs
Time to peak = 29 min
Hyd. Volume = 5,573 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

Pre development detention pond

Hydrograph type = Rational
Peak discharge = 14.20 cfs
Time to peak = 12 min
Hyd. Volume = 10,226 cuft

Hydrograph type = Reservoir
Peak discharge = 0.46 cfs
Time to peak = 29 min
Hyd. Volume = 6,203 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

Pre development detention pond

Hydrograph type = Rational
Peak discharge = 16.42 cfs
Time to peak = 12 min
Hyd. Volume = 11,819 cuft

Hydrograph type = Reservoir
Peak discharge = 0.61 cfs
Time to peak = 29 min
Hyd. Volume = 7,345 cuft



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023


Hyd. No. 3

Hyd. No. 1

Pre development detention pond

Hydrograph type = Rational
Peak discharge = 18.77 cfs
Time to peak = 12 min
Hyd. Volume = 13,512 cuft

Hydrograph type = Reservoir
Peak discharge = 0.77 cfs
Time to peak = 29 min
Hyd. Volume = 8,475 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

Pre development detention pond

Hydrograph type = Rational Peak discharge = 21.35 cfs Time to peak = 12 min Hyd. Volume = 15,370 cuft Hydrograph type = Reservoir
Peak discharge = 0.96 cfs
Time to peak = 29 min
Hyd. Volume = 9,713 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

Pre development detention pond

Hydrograph type = Rational Hydrograph type = Reservoir Peak discharge Peak discharge = 22.64 cfs= 1.06 cfsTime to peak = 12 min Time to peak = 29 min Hyd. Volume = 16,299 cuft Hyd. Volume = 10,343 cuft



Thursday, 10 / 6 / 2022

Pond No. 1 - Detention Pond 2

Pond Data

Trapezoid -Bottom L x W = 145.0 x 126.0 ft, Side slope = 3.00:1, Bottom elev. = 511.00 ft, Depth = 2.00 ft

Stage / Storage Table


Stage (ft)	Elevation (ft)	Contour area (sqft)	Incr. Storage (cuft)	Total storage (cuft)
0.00	511.00	18,270	0	0
0.20	511.20	18,597	3,687	3,687
0.40	511.40	18,926	3,752	7,439
0.60	511.60	19,259	3,818	11,257
0.80	511.80	19,594	3,885	15,142
1.00	512.00	19,932	3,953	19,095
1.20	512.20	20,273	4,020	23,115
1.40	512.40	20,617	4,089	27,204
1.60	512.60	20,964	4,158	31,362
1.80	512.80	21,313	4,228	35,590
2.00	513.00	21,666	4,298	39,888

Culvert / Orifice Structures

Weir Structures

	[A]	[B]	[C]	[PrfRsr]		[A]	[B]	[C]	[D]
Rise (in)	= 12.00	Inactive	Inactive	0.00	Crest Len (ft)	= 6.00	0.00	0.00	0.00
Span (in)	= 12.00	0.00	0.00	0.00	Crest El. (ft)	= 512.00	0.00	0.00	0.00
No. Barrels	= 1	0	0	0	Weir Coeff.	= 3.33	3.33	3.33	3.33
Invert El. (ft)	= 511.00	0.00	0.00	0.00	Weir Type	= Rect			
Length (ft)	= 64.00	0.00	0.00	0.00	Multi-Stage	= No	No	No	No
Slope (%)	= 9.00	0.00	0.00	n/a					
N-Value	= .013	.013	.013	n/a					
Orifice Coeff.	= 0.60	0.60	0.60	0.60	Exfil.(in/hr)	= 0.000 (by	Contour)		
Multi-Stage	= n/a	No	No	No	TW Elev. (ft)	= 0.00			

Note: Culvert/Orifice outflows are analyzed under inlet (ic) and outlet (oc) control. Weir risers checked for orifice conditions (ic) and submergence (s).



lyd. lo.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	12.77	1	12	9,197				Pre development
2	Rational	6.629	1	15	5,966				Post development
2 3						2	511.31	5,693	
	TENTION PO	1	1	1	 	_ Period: 2 Ye	1		10 / 6 / 2022

	Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk										
yd. o.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description		
1	Rational	14.20	1	12	10,226				Pre development		
2	Rational	7.333	1	15	6,599				Post development		
2 3	Reservoir	7.333	1 1	15 29	6,599 6,203	2	511.34	6,272	Post development detention pond		
DE	TENTION PO	ND 2.gpv	V	1	Return F	Period: 5 Ye	ear	Thursday,	Thursday, 10 / 6 / 2022		


Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	16.42	1	12	11,819				Pre development
2	Rational	8.607	1	15	7,746				Post development
3	Reservoir	0.613	1	29	7,345	2	511.39	7,310	detention pond
DE	TENTION PO	ND 2.apv	w		Return	Period: 10 \	 Year	Thursday	10 / 6 / 2022

lyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	18.77	1	12	13,512				Pre development
2	Rational	9.865	1	15	8,879				Post development
2 3	Reservoir	9.865 0.773	1 1	15 29	8,879 8,475	2	511.45	8,325	Post development detention pond

			_	Hydrallow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v								
Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description			
1	Rational	21.35	1	12	15,370				Pre development			
2	Rational	11.24	1	15	10,120				Post development			
3	Reservoir	0.959	1	29	9,713	2	511.50	9,427	detention pond			
DE	DETENTION POND 2.gpw				Return P	Period: 50 Y	'ear	Thursday, 10 / 6 / 2022				

	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	22.64	1	12	16,299				Pre development
2	Rational	11.95	1	15	10,751				Post development
	Reservoir	11.95	1 1	15 29	10,751	2	511.53	9,983	Post development detention pond

Watershed Model Schematic




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

pre development Detention Pond

Hydrograph type = Rational Peak discharge = 5.039 cfs Time to peak = 10 min Hyd. Volume = 3,023 cuft Hydrograph type = Reservoir
Peak discharge = 2.80 cfs
Time to peak = 17 min
Hyd. Volume = 5,925 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 3

Hyd. No. 1

pre development Detention Pond

Hydrograph type = Rational Peak discharge = 5.635 cfs Time to peak = 10 min Hyd. Volume = 3,381 cuft Hydrograph type = Reservoir
Peak discharge = 3.27 cfs
Time to peak = 17 min
Hyd. Volume = 6,630 cuft



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023


Hyd. No. 1

pre development

Hydrograph type = Rational Peak discharge = 6.430 cfs Time to peak = 10 min Hyd. Volume = 3,858 cuft Hyd. No. 3

Detention Pond

Hydrograph type = Reservoir
Peak discharge = 3.91 cfs
Time to peak = 17 min
Hyd. Volume = 7,571 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

pre development Detention Pond

Hydrograph type = Rational Peak discharge = 7.337 cfs Time to peak = 10 min Hyd. Volume = 4,402 cuft Hydrograph type = Reservoir
Peak discharge = 4.64 cfs
Time to peak = 17 min
Hyd. Volume = 8,645 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

pre development Detention Pond

Hydrograph type = Rational
Peak discharge = 8.326 cfs
Time to peak = 10 min
Hyd. Volume = 4,995 cuft

Hydrograph type = Reservoir
Peak discharge = 5.42 cfs
Time to peak = 17 min
Hyd. Volume = 9,816 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

pre development Detention Pond

Hydrograph type = Rational Hydrograph type = Reservoir Peak discharge Peak discharge = 8.825 cfs= 5.81 cfsTime to peak = 10 min Time to peak = 17 min Hyd. Volume = 5,295 cuft Hyd. Volume = 10,406 cuft



Thursday, 10 / 6 / 2022

Pond No. 1 - Detention Pond -3

Pond Data

Trapezoid -Bottom L x W = 106.0 x 52.0 ft, Side slope = 3.00:1, Bottom elev. = 495.00 ft, Depth = 2.50 ft


Stage / Storage Table

Stage (ft)	Elevation (ft)	Contour area (sqft)	Incr. Storage (cuft)	Total storage (cuft)
0.00	495.00	5,512	0	0
0.25	495.25	5,751	1,408	1,408
0.50	495.50	5,995	1,468	2,876
0.75	495.75	6,243	1,530	4,406
1.00	496.00	6,496	1,592	5,998
1.25	496.25	6,753	1,656	7,654
1.50	496.50	7,015	1,721	9,375
1.75	496.75	7,281	1,787	11,162
2.00	497.00	7,552	1,854	13,016
2.25	497.25	7,827	1,922	14,938
2.50	497.50	8,107	1,992	16,930

Culvert / Orifice Structures Weir Structures [A] [B] [C] [PrfRsr] [A] [

	[A]	[B]	[C]	[PrfRsr]		[A]	[B]	[C]	[D]
Rise (in)	= 18.00	0.00	0.00	0.00	Crest Len (ft)	= 6.00	0.00	0.00	0.00
Span (in)	= 18.00	0.00	0.00	0.00	Crest El. (ft)	= 496.25	0.00	0.00	0.00
No. Barrels	= 1	0	0	0	Weir Coeff.	= 3.33	3.33	3.33	3.33
Invert El. (ft)	= 495.00	0.00	0.00	0.00	Weir Type	= Rect			
Length (ft)	= 33.00	0.00	0.00	0.00	Multi-Stage	= No	No	No	No
Slope (%)	= 9.50	0.00	0.00	n/a					
N-Value	= .013	.013	.013	n/a					
Orifice Coeff.	= 0.60	0.60	0.60	0.60	Exfil.(in/hr)	= 0.000 (by	Wet area)		
Multi-Stage	= n/a	No	No	No	TW Elev. (ft)	= 0.00			

Note: Culvert/Orifice outflows are analyzed under inlet (ic) and outlet (oc) control. Weir risers checked for orifice conditions (ic) and submergence (s).



	Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023								
Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	5.039	1	10	3,023				pre development
2	Rational	9.942	1	10	5,965				post development
3	Reservoir	2.797	1	17	5,925	2	495.78	4,598	Detention Pond
detention pond 3.gpw			Return P	Return Period: 2 Year			Thursday, 10 / 6 / 2022		

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description		
1	Rational	5.635	1	10	3,381				pre development		
2	Rational	11.12	1	10	6,671				post development		
det	detention pond 3.gpw				Return F	Return Period: 5 Year			Thursday, 10 / 6 / 2022		


Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	6.430	1	10	3,858				pre development
2	Rational	12.69	1	10	7,612				post development
det	detention pond 3.gpw				Return F	Period: 10 Y	 /ear	Thursday,	10 / 6 / 2022

						Tiyaran		LAGISION IOI AU	todesk® Civil 3D® by Autodesk, Inc. v202
Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	7.337	1	10	4,402				pre development
2	Rational	14.48	1	10	8,686				post development
3	Reservoir	4.642	1	17	8,645	2	496.05	6,359	Detention Pond
							Thomas	0.40.4000	
detention pond 3.gpw			Return P	eriod: 25 Y	ear	Thursday, 10 / 6 / 2022			

lyd. lo.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description	
1	Rational	8.326	1	10	4,995				pre development	
2	Rational	16.43	1	10	9,856				post development	
3	Reservoir	5.424	1	17	9,816	2	496.17	7,100	Detention Pond	
detention pond 3.gpw				Return F	Return Period: 50 Year			Thursday, 10 / 6 / 2022		

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	8.825	1	10	5,295				pre development
2	Rational	17.41	1	10	10,447				post development
3	Reservoir	5.810	1	17	10,406	2	496.22	7,475	Detention Pond
detention pond 3.gpw				Return F	Period: 100	Year	Thursday.	10 / 6 / 2022	

Watershed Model Schematic



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1


pre development

Hydrograph type = Rational
Peak discharge = 31.09 cfs
Time to peak = 11 min
Hyd. Volume = 20,519 cuft

Hyd. No. 3

Reservior

Hydrograph type = Reservoir
Peak discharge = 27.37 cfs
Time to peak = 14 min
Hyd. Volume = 25,949 cuft



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1


pre development

Hydrograph type = Rational
Peak discharge = 34.66 cfs
Time to peak = 11 min
Hyd. Volume = 22,873 cuft

Hyd. No. 3

Reservior

Hydrograph type = Reservoir
Peak discharge = 30.47 cfs
Time to peak = 14 min
Hyd. Volume = 29,019 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

pre development Reservior

Hydrograph type = Rational Hydrograph type = Reservoir Peak discharge Peak discharge = 39.81 cfs= 34.08 cfsTime to peak = 11 min Time to peak = 14 min Hyd. Volume = 26,276 cuft Hyd. Volume = 33,115 cuft




Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

pre development Reservior

Hydrograph type = Rational Hydrograph type = Reservoir Peak discharge Peak discharge = 37.59 cfs= 45.47 cfsTime to peak = 11 min Time to peak = 14 min = 30,012 cuft Hyd. Volume Hyd. Volume = 37,790 cuft



Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

= Reservoir

= 41.26 cfs

= 42,883 cuft

= 14 min

Hyd. No. 1 Hyd. No. 3

pre development Reservior

Hydrograph type= RationalHydrograph typePeak discharge= 51.67 cfsPeak dischargeTime to peak= 11 minTime to peakHyd. Volume= 34,102 cuftHyd. Volume


pre development and Reservior Q (cfs) Q (cfs) 50-yr frequency 60.00 60.00 50.00 50.00 40.00 40.00 30.00 30.00 20.00 20.00 10.00 10.00 0.00 0.00 5 10 20 0 15 25 Time (min) Hyd No. 1 Hyd No. 3

Hydraflow Hydrographs Extension for Autodesk® Civil 3D® by Autodesk, Inc. v2023

Hyd. No. 1 Hyd. No. 3

pre development Reservior

Hydrograph type = Rational Peak discharge = 54.77 cfs Time to peak = 11 min Hyd. Volume = 36,151 cuft Hydrograph type = Reservoir
Peak discharge = 42.99 cfs
Time to peak = 14 min
Hyd. Volume = 45,453 cuft



Thursday, 10 / 6 / 2022

Pond No. 1 - Detention Pond -4

Pond Data

Trapezoid -Bottom L x W = 74.0 x 50.3 ft, Side slope = 3.00:1, Bottom elev. = 511.00 ft, Depth = 5.00 ft

Stage / Storage Table


Stage (ft)	Elevation (ft)	Contour area (sqft)	Incr. Storage (cuft)	Total storage (cuft)
0.00	511.00	3,725	0	0
0.50	511.50	4,107	1,957	1,957
1.00	512.00	4,507	2,153	4,110
1.50	512.50	4,925	2,357	6,468
2.00	513.00	5,361	2,571	9,038
2.50	513.50	5,815	2,793	11,832
3.00	514.00	6,287	3,025	14,857
3.50	514.50	6,777	3,265	18,122
4.00	515.00	7,285	3,515	21,637
4.50	515.50	7,811	3,773	25,410
5.00	516.00	8,355	4,041	29,451

Culvert / Orifice Structures

Weir Structures

	[A]	[B]	[C]	[PrfRsr]		[A]	[B]	[C]	[D]
Rise (in)	= 36.00	Inactive	Inactive	0.00	Crest Len (ft)	Inactive	5.00	Inactive	0.00
Span (in)	= 36.00	24.00	24.00	0.00	Crest El. (ft)	= 514.00	515.00	511.00	0.00
No. Barrels	= 1	1	1	0	Weir Coeff.	= 3.33	3.33	3.33	3.33
Invert El. (ft)	= 511.00	511.00	513.00	0.00	Weir Type	= 1	Rect	Rect	
Length (ft)	= 121.00	0.50	0.00	0.00	Multi-Stage	= Yes	No	Yes	No
Slope (%)	= 9.00	0.01	0.00	n/a					
N-Value	= .013	.013	.013	n/a					
Orifice Coeff.	= 0.50	0.60	0.60	0.60	Exfil.(in/hr)	= 0.000 (by	Contour)		
Multi-Stage	= n/a	No	No	No	TW Elev. (ft)	= 0.00			

Note: Culvert/Orifice outflows are analyzed under inlet (ic) and outlet (oc) control. Weir risers checked for orifice conditions (ic) and submergence (s).



Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	31.09	1	11	20,519				pre development
2	Rational	43.27	1	10	25,961				post development
det	detention pond 4.gpw					Period: 2 Ye	ear	Thursday,	10 / 6 / 2022

						Tiyuran	ow riyurograpiis 	LATERISION IOI AU	lodesk® Civii 3D® by Autodesk, Inc. v202
Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	34.66	1	11	22,873				pre development
2	Rational	48.39	1	10	29,031				post development
3	Reservoir	30.47	1	14	29,019	2	513.65	12,716	Reservior
detention pond 4.gpw			Return F	Period: 5 Ye	ear	Thursday, 10 / 6 / 2022			

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	39.81	1	11	26,276				pre development
2	Rational	55.21	1	10	33,127				post development
3	Reservoir	34.08	1	14	33,115	2	513.93	14,413	Reservior
det	ention pond 4	ł gpw			Return !	Period: 10 \	/ear	Thursday	10 / 6 / 2022

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	45.47	1	11	30,012				pre development
2	Rational	63.00	1	10	37,802				post development
3	Reservoir	37.59	1	14	37,790	2	514.26	16,533	Reservior
det	ention pond 4	1.gpw			Return I	Period: 25 \	/ear	Thursday,	10 / 6 / 2022

	Hydrallow Hydrographs Extension for Autodesk® Civil 3D® by Autode								Todeske Civil 3De by Adlodesk, Ilic. V2020
Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	Rational	51.67	1	11	34,102				pre development
2	Rational	71.49	1	10	42,895				post development
3	Reservoir	41.26	1	14	42,883	2	514.62	18,945	Reservior
detention pond 4.gpw					Return Period: 50 Year			Thursday, 10 / 6 / 2022	