

SMALL SCALE DEVELOPMENT COMMERCIAL BUILDING CHECKLIST

CITY OF BRYANT 210 SW 3RD STREET BRYANT, AR 72022 501-943-0309

PC MEETING DATE:

THURSDAY OF EACH WEEK

TIME:

9:00 A.M.

PLACE:

ADMINISTRATION CONFERENCE ROOM-BRYANT OFFICE

COMPLEX

AGENDA DEADLINE:

5:00 P.M. FRIDAY PRIOR TO SCHEDULED MEETING DATE

REQUIREMENTS FOR SUBMISSION

- 1. COMPLETED CHECKLIST (SUBDIVISION OR BUILDING)
- 2. ADA/ABA FORM COMPLETED
- 3. Two full sets of Building Plans
- 4. 12 FOLDED COPIES OF SITE PLAN (MINIMUM SIZE 17" X 34") THAT INCLUDES THE FOLLOWING:

A, VICINITY MAP

- **B. LEGAL DESCRIPTION**
- C. LANDSCAPING PLAN
- 5.\ 12 FOLDED COPIES OF FLOOR PLAN
- 6. 12 COPIES OF FRONT AND REAR BUILDING ELEVATIONS
- 7. A CD IN .PDF FORMAT
- 8. Copy of ADEQ Stormwater Pollution Prevention Plan for property parcel containing one acre or larger.
- 9. 2 COPIES OF STORMWATER DETENTION PLAN
- 10. \$250.00 FOR STORMWATER DETENTION AND DRAINAGE PLAN REVIEW

<u>ALL REQUIREMENTS LISTED ABOVE MUST BE COMPLETED AND ATTACHED BEFORE</u> SUBMITTING APPLICATION TO BE PLACED ON THE PLANNING COMMISSION AGENDA.

NOTE: When making changes to an approved Site Plan, a revised Site Plan must be submitted to the Bryant Planning Commission for approval. This must be done prior to implementation. Failure to comply will result in penalties/fines being imposed in accordance with City ordinances.

I HAVE COMPLIED WITH THE REQUIREMENTS LISTED ABOVE AND HAVE CHECKED ALL OF THE BOXES ON THE CHECKLIST WHICH APPLY TO THIS PROJECT SUBMITTAL.

SIGNATURE 5-2-2021

DATE

City of Bryant Commercial Building Checklist

Name of	f DevelopmentAria Oil Convenience Sto	ore	
Site Loc	ationLowery and Highway 5 Interse	ection	Current zoning C-2
Owner	Outdoor Management Displays, LLC	Phone	501-860-0467

I. BASIC INFORMATION NEEDED ON THE SITE PLAN

- ▲ 1. Name of Development
- 2. Current zoning
- ▲ 3. Name and Address of owner of Record
- ▲ 4. Name and address of the architect, landscape architect, engineer, surveyor, or other person involved in the preparation of the plan
- 5. Date of preparation of the plan
- ▲ 6. Vicinity map locating streets, highways, section lines, railroad, schools, & parks within ½ mile
- Legal description of the property with exact boundary lines
- 8. North arrow & Scale
- ▲ 9. Identification of any land areas within the 100 year floodplain and within the 100 year floodway
- ▲ 10. Lot area in square feet
- ▲ 11. Show scale (not less than 1" = 100') (paper size minimum 17" X 34")
- ▲ 12. Existing streams, drainage channels, and other bodies of water
- ▲ 13. Drainage easements for stormwater run-off and detention shown & labeled
- 14. Location and name of existing streets
- ▲ 15. Show source of water supply
- ▲ 16. Show location of waste water connection to municipal system & sanitary sewer layout
- ▲ 17. Fire Hydrant placement
- ▲ 18. Proposed location of buildings and other structures, parking areas, drives, loading areas, service areas, alleys, walks, screening, and public streets
- ▲ 19. Sufficient dimensions to indicate relationship between buildings, property lines, parking areas and other elements of the plan
- ▲ 20. Extent and character of proposed landscaping. Common and/or Botanical plant names and sizes of new vegetation must be clearly indicated.
- ▲ 21. Location, massing and pattern of existing vegetation to be retained
- 22. Existing structures on the site
- ▲ 23. Pedestrian and vehicular access points, sidewalks, crosswalks, etc.
- ▲ 24. Typical building elevations depicting the style, size and exterior construction materials of the buildings proposed. Where several building types are proposed on the plan, such as apartments and commercial buildings, a separate sketch shall be prepared for each type. The elevations shall be drawn at a minimum scale of 1/16" to a foot and must show adjoining context.
- 25. Any variance approvals

ADDITIONAL INFORMATION NEEDED, BUT NOT ON THE SITE PLAN

COMMERCIAL BUILDING WORKSHEET

	Ver	N-
Cita in annualible with Markon Church Dlan	Yes	No
Site is compatible with Master Street Plan		
Proposed improvement is within building line setbacks Front $\underline{50'}$ ft. Side $\underline{25'}$ ft. CNR Side $\underline{0}$ ft. Back $\underline{15'}$ ft.	Х	
Parking requirements can be satisfied Floor Space 3.500 sq.ft. divided by 300 = 11.6 (no. of parking spaces required)	X	
Improvement is outside 100 year flood plain (if answer is no - Provide 404 Permit for site)		X
Lowest building floor level and all mechanical equipment are above FEMA 100 year flood elevation	X	
Will there be a dumpster located on the site?	X	
Will there be a construction site office?	X	
Have you made "One Call"?	X	
Structure and site complies with ADA (Americans with Disability Act) and ABA (Architectural Barriers Act) Accessibility Guidelines	X	
Design complies with Arkansas Plumbing Code and National Electric Code requirements	X	
Foundation and structure meet earthquake requirements for Zone 1.	X	
Structure meets Arkansas Energy Code for specified use.	X	
Complies with Arkansas Fire Prevention Code	X	
Complies with International Code Council regulations		
Will a Site Clearance Permit be required? (City Ordinance 2002-03)		Х
Are you granted any variances by the Board of Adjustment?		X

III. LANDSCAPING COMPLIANCE WITH REQUIREMENTS

EARDSON ING COM EIGHGE WITH RECONCINETY	YES	<u>NO</u>
No planting within 5 feet of a fire hydrant	X	
Spacing will be 40' between trees	X	
Tree must be a minimum 3" in diameter at the base and 12' + tall	X	
Existing trees meeting the minimum size can be counted to meet above criteria	X	
No trees can be planted within 30 feet of a property corner or driveway	X	
Shrubs along street right-of-way lines cannot exceed 30 inches in height	X	

IV. SITE COVERAGE COMPLIANCE WITH REQUIREMENTS

(FOR YOUR CONVENIENCE WE HAVE LISTED THE THREE COMMERCIAL ZONING SITE COVERAGE REQUIREMENTS - CHOOSE THE ZONING FOR THIS PROJECT AND COMPLETE ONLY THAT SECTION)

		YES	NU
1.	C-1 Zoning - Neighborhood Commercial		
	Lot area: minimum of 2,500 square feet; maximum 16,000 square feet		-
	Front Yard: none required		
	Side Yard: minimum of 5 feet each side		
	Rear Yard: minimum of 55 feet		
	Maximum lot coverage of 70% of the total area of the site for all principal, accessory buildings, parking lots, sidewalks, private streets, or drives.		-
	Parking: one space per each 200 sq. ft. of commercial use		
	Loading areas: physically separated from all streets with 10 ft grassy area		
	When abuts a residential district, a minimum 6' high wood, rock, or masonry fence is required with a landscape screen		
2.	C-2 Zoning - Lots fronting along roadways designated as Interstate 30 and frontage roads, State Highway 5 and 183	d	
	Front Yard: not less than 50 feet from front property line		
	Side Yard: not required, except where they abut a street or a residential lot line then a minimum of 25 feet is required		
	Rear Yard: minimum of 15 feet, except where they abut residential area then a minimum of 55 feet is required		7
	A maximum lot coverage of 35% of the total area of the site for all principal and accessory buildings		
	Parking: one space per each 300 sq. ft. of occupied space		
	When abuts a residential district, a minimum 6' high wood, rock, or masonry fence is required with a landscape screen	-	
	w		
3.	C-2 Zoning - Lots fronting along roadways designated as interior local.		
	Front Yard: none required	X	
	Side Yard: not required, except where they abut a street or a residential lot line then a minimum of 25 percent of lot dimension	X	
	Rear Yard: minimum of 15 feet, except where they abut residential area then a minimum of 55 feet is required	<u>x</u>	
	A maximum lot coverage of 85% of the total area of the site for all principal, accessory buildings and parking	_x	
	Parking: one space per each 300 sq. ft. of occupied space	_X	
	When abuts a residential district, a minimum 6' high wood, rock, or masonry fence is required with a landscape screen	X	

V. SITE PLAN ATTACHMENTS

(APPLICATION WILL NOT BE ACCEPTED UNTIL ALL ATTACHMENT REQUIREMENTS ARE MET)

- ▲ 26. Letter to Planning Commission stating your request
- ▲ 27. Completed Checklist
- ▲ 28. Completed ADA/ABA Form
- ▲ 29. Two full sets of Building Plans
- ▲ 30. 20 copies of Site Plan (folded to no larger than 8 ½ X 14 size) that includes vicinity map and landscaping plan (minimum size 17" X 34" paper)
- ▲ 31. 20 copies of Landscaping Plan (folded to no larger than 8 ½ X 14 size)
- ▲ 32. 20 copies of building floor plan (folded to no larger than 8 ½ X 14 size)
- ▲ 33. Copy of Stormwater Detention approval
- ▲ 34. Copy of ADEQ Stormwater Pollution Prevention Plan for property containing one acre or larger.
- ▲ 35. IBM compatible diskette or CD with data in PDF format.
- ▲ 36. Receipt for \$250.00 for Stormwater Detention and Drainage Plan review

I CERTIFY that the design of Aria Oil Conv complies with the above regulations, laws and co	in the City of Diyant, Arkansas	
Outdoor Management Displays, LLC	Hope Consulting, LLC	
Owner PO BOX 91	Engineer/Architect 501-315-2626	
Mailing Address Bryant, Arkansas	Phone # 5/4/2021	
City	Date	
Action Taken: Special Conditions:		
Permit Issued: Date	Sq.Ft Amount \$	
Construction Completed Certified For Occupancy:	Date:	

Permit No.

BUILDING PERMIT

ADA/ABA ACCESSIBILITY STANDARDS

The Americans with Disability Act and Architectural Barriers Act Accessibility Guidelines were prepared by the U.S. Access Board and mandated by the U.S. Department of Justice regulations implementing Title III as the official ADA/ABA accessibility guidelines. All new construction, remodeling, and modifications must conform to these building standards for places of public accommodation and commercial facilities. Residential is exempt.

The ADA/ABA accessibility guidelines contain general design standards for building and site elements, such as accessible entrances and routes, ramps, parking spaces, stairs, elevators, restrooms, signage, etc. Also included are specific standards for restaurants, medical care facilities, libraries and transportation facilities and vehicles, and places of lodging.

The guidelines also include "scoping" requirements that outline the necessary features or appropriate quantity for achieving ready access. For example, at least 50 percent of all public entrances to buildings must be accessible with an accessible path of travel. In public restrooms, at least one bathroom stall must be accessible unless there are more than six stalls, in which case the number increases.

I hereby certify that I have read and examined the above notice and will comply with all guidelines of the ADA Accessibility Guidelines. I further understand that a copy of the ADA/ABA Regulations are available for inspection during business hours of City Hall or I may obtain a copy by writing:

The Access Board
1331 F Street, NW, Suite 1000
Washington, DC 20004-1111
(202) 272-0080 (v) (202) 272-0082 (TTY) (202) 272-0081 (fax)
(800) 872-2253 (v) (800) 993-2822 (TTY)
email: info@access-board.gov

Signature of Contractor or Authorized Agent	Date
or Authorized Agent	Date
Signature of Owner	
(if owner-builder)	Date
Application of Permit Approved:	Date
Commission - C	hairman

Bryant Water & Sewer Department

GREASE TRAP STANDARDS

The City of Bryant requires all commercial buildings comply with plumbing codes found in the Arkansas State Plumbing Code, Latest Edition. <u>All new construction, remodeling, and modifications must conform</u> to these plumbing standards for places of public accommodation and commercial facilities. These guidelines contain general design standards for construction and site elements relating to plumbing.

As of 7/27/04, the Bryant Sewer & Water Commission requires stringent specification standards for commercial or public businesses that involve any food preparation on the premise. The new standard requires calculations, and associated data to be submitted to the Bryant Water Utilities General Manager concurrent with the proposed building plumbing plans along with a grease trap calculation form. Building Permits will not be issued until this form has been received and approved by the Bryant Water Utilities General Manager.

All new buildings or strip centers containing sections designated for commercial enterprise are encouraged to provide a stub-out for a separate waste line for future grease interceptor installation. The owner of a new strip center shall consider suitable physical property space and sewer gradient that will be conducive for the installation of an exterior, in-ground grease interceptor(s) for any flex space contained within the strip center. Physical Property Restrictions and sewer gradient shall not be a defense for failure to install an exterior, in-ground grease interceptor.

I hereby certify that I have read and examined the above notice and will comply with all guidelines of the City of Bryant Water & Sewer Department. I further understand that copies of the Grease Interceptor Design and Structural Criteria regulations will be available from the Bryant Water/Wastewater Plant (501-847-8083) during business hours.

Project Name	Aria Oil Convenience Store	
Signature of Cont or Authorized Age	ractor ent	Date
Signature of Owne (if owner-builder	er ·)	Date
Calculations Approved:		Date
В	ryant Water Utilities General Manager	