

SIGN PERMIT APPLICATION

Applicants are advised to read the Sign Ordinance prior to completing and signing this form.

The Sign Ordinance is available at www.cityofbryant.com under the Planning and Community

Development tab.

Date: 05/05/2023		Note: Electrical Permits may be Required, Please contact the Community Development Office for more information.
Sign Co. or Sign Owner	Property Owner	
Name Branded Image Group	Name	
Address 227 E Emory Road	Address	
City, State, Zip Powell,TN 37849	City, State, Zip	
Phone 865-328-6108	Phone	
Email Address_rsmith@brandedimagegroup.com	Email Address	
GENERAL INFORMATION Circle K Name of Business		
Address/Location of sign_7701 Hwy 5 N,Bryant AR 7	72022	
Zoning Classification C2		
Please use following page to provide details on the provided on this application, a Site Plan showing please required to be submitted. Renderings of required to be submitted with the application. A the collected at the time of permit issuance. According special sign permit request shall be one hundred do required by Sign Administrator.	lacement of sign(s) and a of the sign(s) showing the hirty-five dollar (\$35) per g to the Sign Ordinance a	any existing sign(s) on the ecorrect dimensions is also sign payment will be fee for and sign variance or
READ CAREFULLY BEFORE SIGNING		
Robin Smith do hereby certify	y that all information containe	ed within this application is true
and correct. I fully understand that the terms of the Sign Ordinan signs must fully comply with all terms of the Sign Ordinance regard authorized by the owner of the property and that I am authorized	ardless of approval. I further o	certify that the proposed sign is

that no sign may be placed in public right of way. I understand that I must comply with all Building and Electrical Codes and that it is my responsibility to obtain all necessary permits.

Use table below to enter information regarding each sign for approval. Please use each letter to reference each sign rendering.

SIGN	Type (Façade, Pole, Monument, other)	Dimensions (Height, Length, Width)	Sqft (Measured in whole as rectangle)		t of Sign om lot surface)	Column for Admin Certifying Approval
				Top of Sign	Bottom of Sign	
Α	MID POLE	300'H 75'W	130.07			
В	Building	36 1/2h 91 3/8w	22.84			
С	Canopy	3'-6'x16'-0'	56			
E	Directionals	48hx 29w				
F						
G						







7701 AR-5
BRYANT, AR 72022

SITE# 150

VALERO / BIG RED TO CIRCLE K

DATE: 04/27/2023 (ZL/OC)(BS)(OC)
CK_150_7701_AR-5_BRYANT_AR_D



Los Angeles • Knoxville

800-423-4283

www.SignResource.com


SCOPE OF WORK • Reface Valero cabinet to new Circle K ID panel • Reface existing pricer to new Unleaded, 4" toggle / Diesel w/ 21" Red/Green Able LEDs per CK specs MID • Reface existing Big Red cabinet to new Fresh Food panel Remove existing EMC and Install new EMC • Install LED retrofit lighting in all existing cabinets • Repaint existing cabinet, retainers, & poles to Circle K specs. • Remove existing Big Red sign • Install new CK building sign BUILDING • Install (2) new illuminated fuel brand canopy ID signs • Install new illuminated fuel brand canopy fascia on 3 sides & non illuminated on 1 side **CANOPY** • Install white backer ACM on top side of fascia to optimal height Paint canopy poles to fuel brand specifications Paint bollards to fuel brand specifications Paint light poles to fuel brand specifications • Reimage dispensers to fuel brand specifications **DISPENSERS** • Replace trash cans to fuel brand specifications • Paint columns & islands to fuel brand specifications • Paint bollards to fuel brand specifications · Install pump flags to fuel brand specifications **FORECOURT** • Paint light poles to Circle K specifications • Directional signs to be installed at drive way entries DIRECTIONAL



SRE APPROVED SURVEY REQUIRED PRIOR TO MANUFACTURING.

THIS RENDERING IS FOR REFERENCE AND PERMITTING PURPOSES ONLY ANY SEPARATE OR OPTIONAL COMPONENTS MUST BE ORDERED SEPARATELY

ALL ELECTRICAL SIGNS WILL COMPLY WITH UL 48 – UL FILE #E46729



- Reface Valero cabinet to new Circle K ID panel
- Reface existing pricer to new Unleaded, 4" toggle / Diesel w/ 21" Red/Green Able LEDs per CK specs
- Reface existing Big Red cabinet to new Fresh Food panel
- Remove existing EMC and Install new EMC
- Install LED retrofit lighting in all existing cabinets
- Repaint existing cabinet, retainers, & poles to Circle K specs.

PRODUCT COPY: WHITE COPY ON OPAQUE BACKGROUND

eaded


Diesel

EXISTING

MID

136.32 Sq.Ft

130.07 Sq.Ft



PROPOSED LEDs SIZES: NEW 21" RED/GREEN

98 3/4"

81 3/4"

33 1/4"

300"

OAH

Valero

PROPOSED

AND 4" TOGGLE ABLE 7-SEG. LEDs

VENTS AND FANS TO MATCH LED MANUFACTURER'S SPECIFICATIONS

98 1/4"

FRAME SIZE

- 74 1/2" FRAME SIZE

4" WHITE ABLE ALTERNATOR LEDs OPTIONS:

ALL ALTERNATE MESSAGES
MUST BE PROGRAMED PRIOR TO SHIPPING
AND INSTALLER-CONFIRMED UPON INSTALL

PANEL REFACE ONLY



PANEL REFACE ONLY



PANEL REFACE ONLY



PROX: 36" X 72" VIEWING AREA ELECTRONIC MESSAGE CENTER
SR PART # 1ABLO306EMC-CS

NEW EMC

SIZES SUBJECT TO FINAL FIELD CONFIRMATION PRIOR TO MANUFACTURING

Main I.D.

EXISTING LEDs SIZES: 12"

(subject to confirmation)


SCALE = 1:38

BUILDING

- Remove existing Big Red signInstall new CK building sign

EXISTING

55.55 Sq.Ft




PROPOSED

22.84 Sq.Ft



(subject to confirmation)






C

• Install (2) new illuminated fuel brand canopy ID signs

- Install new illuminated fuel brand canopy fascia on 3 sides & non illuminated on 1 side
- Install white backer ACM on top side of fascia to optimal height
- Paint canopy poles to fuel brand specifications
- Paint bollards to fuel brand specifications
- Paint light poles to fuel brand specifications

EYEBROW DETAILS



EXISTING




SITE OVERVIEW

CANOPY

36"


HEIGHT OF ACM





PROPOSED


3'-6" x 16'-0" CK ID - 56 Sq.Ft.




DISPENSERS & FORECOURT

- Reimage dispensers to fuel brand specifications
- Replace trash cans to fuel brand specifications
- Paint columns & islands to fuel brand specifications
- Paint bollards to fuel brand specifications
- Install pump flags to fuel brand specifications
- Paint light poles to Circle K specifications

EXISTING



PROPOSED




DISPENSERS & FORECOURT

- Reimage dispensers to fuel brand specifications
- Replace trash cans to fuel brand specifications
- Paint columns & islands to fuel brand specifications
- Paint bollards to fuel brand specifications
- Install pump flags to fuel brand specifications
- Paint light poles to Circle K specifications

EXISTING



PROPOSED




DISPENSERS & FORECOURT

- Reimage dispensers to fuel brand specifications
- Replace trash cans to fuel brand specifications
- Paint columns & islands to fuel brand specifications
- Paint bollards to fuel brand specifications
- Install pump flags to fuel brand specifications
- Paint light poles to Circle K specifications

EXISTING




PROPOSED






DIRECTIONAL

• Directional signs to be installed at drive way entries



Circle K:					
Sample	Description	Applied to			
	Primary Red - PMS 485 3M - 3630-2553	Building Sign Fascia Car Wash			
	Primary Orange - PMS 144 3M - 3630-3534	Building Sign Fascia Column Flags			
	Safety Red Sherwin Williams - SW 4081	Building Bollards			
	Grays Harbor Sherwin Williams - SW 6236	Canopy Island Base Canopy Bollards High Rise Poles			
	White	Building Sign Fascia Light Posts			
	Green - PMS 355 3M - 3630-156 "Vivid Green" Vinyl	Diesel Door Skin CK Pricer (Diesel)			
	Blue - PMS 287 3M - 3630-157 "Sultan Blue" Vinyl	CK Pricer (Unleaded)			
	Egret White Sherwin Williams - SW 7570	Buildings 30" above grade to top of fascia			
	Neutral Ground Sherwin Williams - SW 7568	Buildings 30" above grade to top of fascia			
	Nuthatch Sherwin Williams - SW 6088	Buildings 30" to grade			

Paint Scheme



Circle K Paint Specifications