Hurricane Valley, Inc. Professional Engineering Consultants P.O. Box 118 (72089) 1506 Pricket Road Bryant, AR Tel 501-847-7282

STORM WATER DETENTION PLAN

ACA Middle School 21815 I-30 Bryant, Arkansas

September 9, 2023

PROJECT DESCRIPTION

This project consists of grubbing and grading approximately 0.91 acres in preparation for the construction of a 2-story 15,00 SF building.. Total drainage area is approximately 3 acres.

DETENTION PLAN

The construction activity consists of grading approximately 0.91 acres of surface area; placements of fill and storm sewer pipes. The will be no detention. An in-lieu fee will be paid.

During grading silt screen will be placed around the construction area as required.

DETENTION POND CALCULATIONS

The present runoff coefficient used for the existing undisturbed areas was 0.50. The runoff coefficient of the site after construction is completed is expected to be 0.92.

ACA Middle School HVI September 5, 2023

Pre-development

Pre-developme	nt			
	Flow Dist. $L = 300$ ft.			
	Slope $= 3 \%$			
	Total Area $= 3$ acres			
	Coefficient (undev) = 0.50			
	Conc. Time (Tc) = 18 min.			
	Return Period (yr)	Intensity (i)	Q (undev) = Aci	
	2	3.6	5.4	
	5	4.2	6.3	
	10	4.7	7.05	
	25	5.5	8.25	
	50	6.1	9.15	
	100	6.7	10.05	
Post Developm	ent			
-	Conc. Time $(Tc) = 5$ min.			
	Coefficient (undev) $= 0.92$			
	Total Area = 3 acres			
	Return Period (yr)	Intensity (i)	Q (cfs)	
			(.92)	
	2	5.9	16.28	
	5	6.8	18.77	
	10	7.5	20.70	
	25	8.5	23.46	
	50	9.5	26.22	
	100	10	27.60	

Detention Pond Volume Required

Diff. = Post Development – Pre-Development

Return Period	Diff. = Post Development - Pre-De	evelopment
2	16.28 - 5.4 =	10.88
5	18.77 - 6.3 =	12.47
10	20.70 - 7.05 =	13.65
25	23.46 - 8.25 =	15.21
50	26.22 - 9.15 =	17.07
100	27.60 - 10.05 =	17.55
V_{0} = 17.55 x 5 x 60	– 5262 CE	

Total Required Volume = $17.55 \times 5 \times 60 = 5262 \text{ CF}$

Assume 50 x 50 x 1 Detention Area = 2500 CF = .0574 acre feet In Lieu Fee 5262/2500 = 2.1048 2.1048 x .0574 = .1208 ac ft 0 .1208 x \$10,000/ ac-ft = \$1208 Use \$1192 as determine by the City Engineer.

Respectfully submitted,

Charles F. Best, P.E.