

CITY OF BRYANT WATER AND WASTEWATER UTILITIES

MONTHLY LEAK ADJUSTMENT REPORT

SUMMARY

Date: _____

July 2025

Total Number of Request for Adjustment		Total Number of Adjustments Approved	
Highest Bill Adjusted		Lowest Bill Adjusted	
Total Gallons Adjusted		Total Cost of Adjustments	

DETAILS

Customer Name	Miracle Baker	Customer Address	2403 Cyclone St.
Date Leak Detected by AMI		Date Customer Notified	
Date Leak Started		Date Leak Repaired	7.2025
Amount of Bill:	*770.29	Usage:	401
Average Bill:	*79.92	Three Month Average Usage:	32
Adjustment Approved:	Yes <input type="checkbox"/> No <input type="checkbox"/>	Approved By:	
Amount of Adjustment to Sewer Bill:	*332.46	Adjusted Bill Amount:	*437
Customer Name	Brady Baker	Customer Address	190 Quapaw
Date Leak Detected by AMI		Date Customer Notified	
Date Leak Started		Date Leak Repaired	7.2025
Amount of Bill:	*416.69	Usage:	212
Average Bill:	*64.95	Three Month Average Usage:	24
Adjustment Approved:	Yes <input type="checkbox"/> No <input type="checkbox"/>	Approved By:	
Amount of Adjustment to Sewer Bill:	*169.38	Adjusted Bill Amount:	*247.31
Customer Name	Mel'nika Hale	Customer Address	5920 HWY 5 Unit 5
Date Leak Detected by AMI		Date Customer Notified	
Date Leak Started		Date Leak Repaired	7.2025
Amount of Bill:	*964.12	Usage:	503
Average Bill:	*60.46	Three Month Average Usage:	20
Adjustment Approved:	Yes <input type="checkbox"/> No <input type="checkbox"/>	Approved By:	
Amount of Adjustment to Sewer Bill:	*435.17	Adjusted Bill Amount:	*528.95
Customer Name	Camiko Smith	Customer Address	614 SE 2nd St
Date Leak Detected by AMI		Date Customer Notified	
Date Leak Started		Date Leak Repaired	7.2025
Amount of Bill:	*729.13	Usage:	379
Average Bill:	*57.46	Three Month Average Usage:	20
Adjustment Approved:	Yes <input type="checkbox"/> No <input type="checkbox"/>	Approved By:	
Amount of Adjustment to Sewer Bill:	*323.45	Adjusted Bill Amount:	*405.68
Customer Name	Austin Kellum	Customer Address	205 S. Walnut St #2
Date Leak Detected by AMI		Date Customer Notified	
Date Leak Started		Date Leak Repaired	6.2025
Amount of Bill:	*570.10	Usage:	294
Average Bill:	*57.46	Three Month Average Usage:	20
Adjustment Approved:	Yes <input type="checkbox"/> No <input type="checkbox"/>	Approved By:	
Amount of Adjustment to Sewer Bill:	*246.86	Adjusted Bill Amount:	*323.24

CITY OF BRYANT WATER AND WASTEWATER UTILITIES

MONTHLY LEAK ADJUSTMENT REPORT

SUMMARY

Date: _____

July 2025

Total Number of Request for Adjustment		Total Number of Adjustments Approved	
Highest Bill Adjusted		Lowest Bill Adjusted	
Total Gallons Adjusted		Total Cost of Adjustments	

DETAILS

Customer Name	Christopher Span			Customer Address	2402 Richland Park
Date Leak Detected by AMI				Date Customer Notified	
Date Leak Started				Date Leak Repaired	6.2025
Amount of Bill:	721.64			Usage:	375
Average Bill:	94.88			Three Month Average Usage:	40
Adjustment Approved:	Yes		No	Approved By:	
Amount of Adjustment to Sewer Bill:	301.83			Adjusted Bill Amount:	419.81
Customer Name	Jordan Reed			Customer Address	403 Derek Ct
Date Leak Detected by AMI				Date Customer Notified	
Date Leak Started				Date Leak Repaired	6.2025
Amount of Bill:	654.29			Usage:	339
Average Bill:	57.46			Three Month Average Usage:	20
Adjustment Approved:	Yes		No	Approved By:	
Amount of Adjustment to Sewer Bill:	287.41			Adjusted Bill Amount:	366.88
Customer Name	Bryant High School			Customer Address	711 N. Reynolds
Date Leak Detected by AMI				Date Customer Notified	
Date Leak Started				Date Leak Repaired	
Amount of Bill:	4,528.68			Usage:	2288
Average Bill:	1,147.92			Three Month Average Usage:	481
Adjustment Approved:	Yes		No	Approved By:	
Amount of Adjustment to Sewer Bill:	1,628.10			Adjusted Bill Amount:	2,900.58
Customer Name	Charles Healy			Customer Address	325 Prospect Row
Date Leak Detected by AMI				Date Customer Notified	
Date Leak Started				Date Leak Repaired	
Amount of Bill:	304.43			Usage:	152
Average Bill:	72.43			Three Month Average Usage:	28
Adjustment Approved:	Yes		No	Approved By:	
Amount of Adjustment to Sewer Bill:	111.71			Adjusted Bill Amount:	192.72
Customer Name				Customer Address	
Date Leak Detected by AMI				Date Customer Notified	
Date Leak Started				Date Leak Repaired	
Amount of Bill:				Usage:	
Average Bill:				Three Month Average Usage:	
Adjustment Approved:	Yes		No	Approved By:	
Amount of Adjustment to Sewer Bill:				Adjusted Bill Amount:	

CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 06.2025
Customer Name: Miracle Baker
Service Address: 2403 Cyclone St
City: Bryant
Date Leak Detected: _____

Service Account No: 001-01032-09
Home Phone: 501-626-0646
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: 07.2025

Description of cause of leak (faucet, toilet, underground, etc.):

Toilet Leaking

Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Replaced Toilet

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$770.29	Usage:	401
Average Bill:	\$79.92	Three Month Average Usage:	32
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$332.46	Adjusted Bill Amount:	\$437.83
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:



Customer Service Manager

110
Greens at Hurricane Creek, a Limited Partnership
P O Box 13000
Fayetteville, AR 72703

Acct# 001-01032-09
Work Order No. 3112440
Date Call: 06/16/2025 10:19 AM

Page : 1

Status Work Completed

Date Completed: 06/16/2025 11:04 AM
Brief Desc: Still running, water still flowi

Job Site: 0114/2403
2403 Cyclone Street
Bryant, AR 72022

Caller Name: Miracle Baker

Caller Phone: (501) 626-0646x
Occupant: Baker (t0013499)
Office (501) 626-0646x

Priority: 3-General

Ok to enter? YES

Category: Plumbing

Animal in Apt? No

SubCategory: Toilet

Problem Description: Still running, water still flowing and bill steady being high

Parts & Labor

Quantity/ Hours	Item Type/ Employee Name	Description	Unit Price	Total
.00	Mitchell	Mitchell	.00	.00
			Total	.00

Authorized by:

Signed by

Dated

Invoice No.

Full Description Still running, water still flowing and bill steady being high

Technician Notes: replaced toilet handle

Greens at Hurricane Creek, a Limited Partnership
P O Box 13000
Fayetteville,AR 72703

Work Order No. 3122104
Date Call: 06/25/2025 02:12 PM

Status Work Completed

Date Completed: 06/24/2025 02:14 PM
Brief Desc: Toilet running

Job Site: 0114/2403
2403 Cyclone Street
Bryant,AR 72022

Caller Name: Miracle Baker

Caller Phone: (501) 626-0646x
Occupant: Baker (t0013499)
Office (501) 626-0646x

Priority: 3-General

Ok to enter? YES

Category: Plumbing

Animal in Apt? No

SubCategory: Toilet

Problem Description: Toilet running

Parts & Labor

Quantity/ Hours	Item Type/ Employee Name	Description	Unit Price	Total
.0000			.00	.00
			Total	.00

Authorized by:

Signed by

Dated

Invoice No.

Full Description Toilet running

Technician Notes: Replaced to handle

Greens at Hurricane Creek, a Limited Partnership
P O Box 13000
Fayetteville,AR 72703

Work Order No. 3131049
Date Call: 07/01/2025 10:57 AM

Status Work Completed

Date Completed: 07/02/2025 02:45 PM

Brief Desc: Need a new toilet

Job Site: 0114/2403
2403 Cyclone Street
Bryant,AR 72022

Caller Name: Miracle Baker

Caller Phone: (501) 626-0646x

Occupant: Baker (t0013499)

Office (501) 626-0646x

Priority: 3-General

Ok to enter? YES

Category: Plumbing

SubCategory: Toilet

Animal in Apt? No

Problem Description: Need a new toilet

Parts & Labor

Quantity/ Hours	Item Type/ Employee Name	Description	Unit Price	Total
.00	Mitchell	Mitchell	.00	.00
			Total	.00

Authorized by:

Signed by

Dated

Invoice No.

Full Description Need a new toilet

Technician Notes: Replaced entire toilet

CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 06.2025
Customer Name: Lindsey Mgmt
Service Address: 2407 Oak Hill
City: Bryant
Date Leak Detected: _____

Service Account No: 001-07643-00
Home Phone: 501-847-6178
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: 07.2025

Description of cause of leak (faucet, toilet, underground, etc.):

Toilet Leaks

Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Replaced

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$938.67	Usage:	491
Average Bill:	\$57.46	Three Month Average Usage:	20
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$424.36	Adjusted Bill Amount:	\$514.31
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:


Customer Service Manager

Emailed call not fixed 7-1-25

001-07643.00

Page : 1

Lakes at Hurricane Creek, a Limited Partnership

P O Box 13000
Fayetteville,AR 72703

Work Order No.

3122187

Date Call:

06/25/2025 03:27 PM

Model unit

Hope Spradlin manager

501-847-6178

Status

Work Completed

Date Completed:

06/25/2025 03:27 PM

Brief Desc:

toilet running

Job Site:

0178/2407-O
2407 Oak Hill Rd
Bryant,AR 72022

Caller Name:

Caller Phone:

Priority:

3-General

Ok to enter?

YES

Category:

Plumbing

SubCategory:

Toilet

Problem Description: toilet running

Parts & Labor

Quantity/ Hours	Item Type/ Employee Name	Description	Unit Price	Total
.0000			.00	.00
			Total	.00

Authorized by:

Signed by

Dated

Invoice No.

Full Description

maintenance checked toilets and replaced fill valves

CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 07.2025
Customer Name: Brady Baker
Service Address: 190 Quapaw
City: Bryant
Date Leak Detected: _____

Service Account No: 001-03824-04
Home Phone: 501-860-5336
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: 07.2025

Description of cause of leak (faucet, toilet, underground, etc.):

Toilet Leaks

Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Replaced

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$416.69	Usage:	212
Average Bill:	\$64.95	Three Month Average Usage:	24
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$169.38	Adjusted Bill Amount:	\$247.31
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:



Customer Service Manager

001-03824-04


7-7-25

190 Quapaw Dr

Bryant, Ar 72022

Brady Baker

I had a toilet that stayed running, purchased new float valve to fix issue.



CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 06.2025
Customer Name: Melnika Hale
Service Address: 5920 HWY 5 N Unit 5
City: Bryant
Date Leak Detected: _____

Service Account No: 001-03034-05
Home Phone: 501-240-8098
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: 07.2025

Description of cause of leak (faucet, toilet, underground, etc.):

Toilet Leaking

Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Replaced

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$964.12	Usage:	503
Average Bill:	\$60.46	Three Month Average Usage:	20
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$435.17	Adjusted Bill Amount:	\$528.95
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:


Customer Service Manager



Tiffany Jones <tjones@cityofbryant.com>

001-03034-05

501-574-1616

Office Plumbing Repair Summary and Receipts Attached

1 message

La Ta Da Enrichment <latadaenrichmenttherapyservice@gmail.com>

Mon, Jun 30, 2025 at 10:57 AM

To: Tiffany Jones <tjones@cityofbryant.com>

Cc: La Ta Da Enrichment <latadaenrichmenttherapyservice@gmail.com>

Dear City of Bryant Water Dept.,

I am writing to provide a summary of the recent plumbing issue at our office, as requested.

Because our office is not yet fully operational, we were unaware that the toilet was continuously running. Once the issue was brought to our attention, we discovered that the internal pump mechanism had failed and needed to be replaced. To resolve the problem and stop the water from running, we purchased and installed a new pump.

Please find the attached receipts for the purchase and repair.
Below is my contact information, as requested:

Name: Melnika Hale

Address: [5920 Hwy 5N Suite 5, Bryant, AR 72022](#)

Phone Number: 501-240-8098

I understand this will be reviewed by the committee in August, as the July deadline has passed. I will await further instructions once an adjustment has been made. In the meantime, I am prepared to either pay an average bill amount toward the current balance or visit the office to set up a payment plan.

Thank you for your time and consideration. Please don't hesitate to contact me if you need any additional information.

Warm regards,
Melnika Hale

La Ta Da Enrichment Therapy Services, LLC
[5920 Hwy 5N](#)
[Suite 5](#)
[Bryant, Arkansas 72022](#)
501-574-1616
www.latadacompanes.com



2 attachments



WAL*MART
5018472857 Mgr. CHRISTOPHER
BRYANT, AR
ST# 3230 OP# 9002 TE# 2 TR# 3211

12 GRVJNT	007681215082	10.44
PLUMBING	004905710292	23.97
PEPSI 6PK	001200017256 F	4.48

SUBTOTAL		38.89
TAX 1	9.875 %	3.84
TOTAL		42.73
VISA DEBIT TEND		42.73
VISA	**** *	3871
CHANGE DUE		0.00

ITEMS SOLD 3

TC# 1594 3193 1500 7556 3533



05/23/25 06:41:29



WAL*MART
5018472857 Mgr. CHRISTOPHER
BRYANT, AR
ST# 3230 OP# 9009 TE# 9 TR# 4387

TY REPAI	007452362990	6.50
CG TP SNS C	003500052584	8.96

SUBTOTAL	15.46
TAX 1 9.875 %	1.53
TOTAL	16.99
VISA DEBIT TEND	16.99
VISA **** * 3871	
CHANGE DUE	0.00

ITEMS SOLD 2

TC# 5360 4922 6088 1727 7234



05/16/25 06:55:28

CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 07.2025
Customer Name: Camiko Smith
Service Address: 614 SE 2nd St
City: Bryant
Date Leak Detected: _____

Service Account No: 001-01064-12
Home Phone: 501-599-7101
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: 07.2025

Description of cause of leak (faucet, toilet, underground, etc.):

Toilet Leaking

Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Replaced

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$729.13	Usage:	379
Average Bill:	\$57.46	Three Month Average Usage:	20
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$323.45	Adjusted Bill Amount:	\$405.68
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:


Customer Service Manager

7/9/25, 8:36 AM

CityofBryant.com Mail - [waterbilling] Leak repair



Lajena Holt <lholt@cityofbryant.com>

[waterbilling] Leak repair

1 message

001-01064-12

Camiko <camikoblends@gmail.com>

Wed, Jul 9, 2025 at 8:35 AM

To: waterbilling@cityofbryant.com

Camiko Smith

614 se 2nd st.

I had a toilet that needing a repair . I am sending in a receipt of repair. Please help with adjustments.

5015997101

8:28

05:12

✂ M •

N 5G


80



IMG_20250627_110721.heic



Saved, 632 KB



How doers
get more done™

12610 CHENAL PKWAY
LITTLE ROCK, AR 72211 (501)219-9600

1401 00016 38394 06/05/25 06:26 PM
SALE CASHIER BRITTENY

6972761080123 FLUSH VALVE <A>
REPLACEMNT FLUSH VALVE FOR MANSFIELD
2@10.88 21.76

6972761083032 FLAPPR CHAIN <A>
FLAPPER CHAIN
2@3.27 6.54

049057103609 SEAL KIT <A> 7.47
3" UNIVERSAL FLUSH VALVE SEAL KIT

SUBTOTAL 35.77
SALES TAX 3.09
TOTAL \$38.86

CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 06.2025
Customer Name: Austin Kellum
Service Address: 205 S Walnut St Unit 2
City: Bryant
Date Leak Detected: _____

Service Account No: 001-05790-03
Home Phone: 501-672-0538
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: 06.2025

Description of cause of leak (faucet, toilet, underground, etc.):

Toilet Leaking

Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Replaced

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$570.10	Usage:	294
Average Bill:	\$57.46	Three Month Average Usage:	20
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$246.86	Adjusted Bill Amount:	\$323.24
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:


Customer Service Manager

S & K Quality Plumbing, Inc.
 210 Cornerstone Road
 Alexander, AR 72002
 501-455-8100

Date	Invoice #
6/13/2025	36560

Invoice

Bill To
 Wright Siding
 Attn: Stacy Cato
 5616 McArthur
 N. Little Rock, AR 72118

001-05790-03
 Austin Kellum
 Sent in on 6-25-25

P.O. No.	Terms	Project
	Net 10	205 S. Walnut - Bry...

Quantity	Description	Rate	Amount
2	Fluid Master	18.21	36.42T
2	Korky Flapper	7.13	14.26T
	Plumber Labor 6/11/25 - 2.5 Hours	258.00	258.00
	Sales Tax in Bryant	9.875%	5.00
	Labor and material to replace fill valves and flappers in both toilets. Checked for leak on water piping. No leaks found. Water pressure is 65 psi.		

Thank you in advance for your prompt payment!

Remit to address above.

Total

\$313.68

CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 06.2025
Customer Name: Christopher Spann
Service Address: 2402 Richland Park Dr
City: Bryant
Date Leak Detected: _____

Service Account No: 001-06226-05
Home Phone: 501-859-5950
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: 06.2025

Description of cause of leak (faucet, toilet, underground, etc.):

Toilet Leaking

Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Replaced

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$721.64	Usage:	375
Average Bill:	\$94.88	Three Month Average Usage:	40
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$301.83	Adjusted Bill Amount:	\$419.81
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:



Customer Service Manager



001.06226.05

Lesa Warner <lwarner@cityofbryant.com>

[waterbilling] Water leak - Christopher Spann 2402 Richland Park Dr.

1 message

C Spann <cspann1990@gmail.com>

Wed, Jun 11, 2025 at 10:41 AM

To: waterbilling@cityofbryant.com

Christopher Spann
501-859-5950
2402 Richland Park Dr.
Bryant, AR 72022

Good Morning,

I noticed that I had a constantly running toilet in the guest bathroom that rarely gets used, so I ordered a new Toilet Fill Valve on May 29th 2025. It came in and I installed it last night/ early this morning and the toilet is no longer running constantly. I checked my bill afterwards and normally I average about a \$90-\$100 a month bill but the upcoming bill is showing I owe roughly \$280.

I have provided attached invoice/recipe of the purchase of the toilet fill valve from Amazon.com and provided a photo of the new unit installed and old unit removed.

If you are able to help me by adjusting my bill that would be greatly appreciated. If unable I understand. Thank you for your time!

Thanks,

Chris Spann

4 attachments

1000013485.png
98K



1000013480.jpg
3221K

$$\begin{aligned} \frac{\partial}{\partial t}(\rho_0 + \rho) &= -\nabla \cdot (\rho_0 \mathbf{v}_0 + \rho \mathbf{v}) = -\nabla \cdot (\rho_0 \mathbf{v}_0) - \nabla \cdot (\rho \mathbf{v}) \\ &= -\rho_0 \nabla \cdot \mathbf{v}_0 - \rho \nabla \cdot \mathbf{v} = 0. \end{aligned}$$

Order Placed: May 26, 2025
Amazon.com order number: 111-6162427-6140239
Order Total: \$18.65

Shipped on May 29, 2025

Items Ordered

[illegible]

Price
\$16.95

4. $\Delta \cdot \frac{1}{2} = 2^{\frac{1}{2}}$ **Yes.**

Shipping Address:

6100, Space
4.1" 0.150 420 248x 08
08YML, A5 77012 2680
United States

Shipping Speed:
 1-2 Business Days

CHU CHIN CHEN

Payment information

Payment Method.
 1. 50% cash on order; 1.33%

Hengxi Su et al:
Shipping & Handling

416.92
818.50

lifting address

[illegible]

Total before tax: _____
Estimated tax to be collected: _____

510.1
51.56

Grand Total:

110.6%

Credit Card transactions

View ending in 2340 May 20, 2021.

§ 10. 4. 9.


To move the status of your survey, return to [Order & Delivery](#)

[illegible]

8x6 60149

amazon

1. The following are the steps to be followed in the construction of a good questionnaire: (a) The questionnaire should be designed in such a way that it is easy to fill in. (b) The questions should be clear and unambiguous. (c) The questions should be relevant to the purpose of the study. (d) The questions should be asked in a logical order. (e) The questionnaire should be pre-tested before it is used.



CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 06.2025
Customer Name: Jordan Reed
Service Address: 403 Derek Ct
City: Alexander
Date Leak Detected: _____

Service Account No: 001-07992-05
Home Phone: 501-626-1922
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: 06.2025

Description of cause of leak (faucet, toilet, underground, etc.):

Leak at home

Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Repaired Leak

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$654.29	Usage:	339
Average Bill:	\$57.46	Three Month Average Usage:	20
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$287.41	Adjusted Bill Amount:	\$366.88
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:


Customer Service Manager

Acct# 001-07992-05
403 Derek

To Whom It May Concern,

I am writing to confirm that I repaired a plumbing leak at Jordan and Elijah Reed's residence on **Thursday, June 19, 2025**. The issue has been fully resolved, and there has been no further sign of leaking since the repair.

Please feel free to contact me if any further verification is needed.

Sincerely,

Joe Clark

Joe Clark
501-213-9637

3:34

17m



LOWE'S HOME CENTERS, LLC
1100 SOUTH BOWMAN ROAD
Little Rock, AR 72211
(501) 435-3164

Transaction # : 658746271
Order # : 202506183331658746271
Order Date : 06/18/25 11:58:20



Item	Price
FM 2-IN EVERYTHING REPAIR	\$ 44.76
Item #: 3625373	
27.98 Discount Ea -5.60	
2 @ 22.38	
BADGER 5XL 1/2-HP DISPOSE	\$ 103.20
Item #: 2329356	
129.00 Discount Ea -25.80	
1 @ 103.20	
LCC SYSTEM USE ONLY	\$ 0.00
Item #: 107204	
1 @ 0.00	
Invoice 91632 Subtotal	\$ 147.96
Invoice 91632 Subtotal	\$ 147.96
Subtotal	\$ 147.96
PULASKI - COUNTY TAX	\$ 1.48
LITTLE ROCK - CITY TAX	\$ 1.66
AR - STATE TAX	\$ 9.62
Total Tax	\$ 12.76
Total	\$ 160.72

Reply

Forward



CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 07.2025
Customer Name: Bryant High School
Service Address: 711 N. Reynolds
City: Bryant
Date Leak Detected: _____

Service Account No: 001-07261-00
Home Phone: _____
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: _____

Description of cause of leak (faucet, toilet, underground, etc.):

Service Line Broken


Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Replaced

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$4,528.68	Usage:	2288
Average Bill:	\$1,147.92	Three Month Average Usage:	481
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$1,628.10	Adjusted Bill Amount:	\$2,900.58
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:


Customer Service Manager



Angela Shepard <ashepard@cityofbryant.com>

Fwd: Water line fix Bryant High School

Julie Powell <jpowell@bryantschools.org>
To: Angela Shepard <ashepard@cityofbryant.com>

Mon, Jul 28, 2025 at 7:37 AM

This is for account # 001-07261-00. Please let me know of any adjustments on the account. I have been waiting to submit payment on this account until we had this resolved. Thanks for your help!

----- Forwarded message -----

From: **Terry Harper** <tharper@bryantschools.org>
Date: Sun, Jul 27, 2025 at 8:50 AM
Subject: Fwd: Water line fix Bryant High School
To: Julie Powell <jpowell@bryantschools.org>

Can you send this to Angela at the city. Not sure if she'll need a bill attached or not

Terry Harper
Maintenance Director
501-847-5640

----- Forwarded message -----

From: **Michael Van Keuren** <MVanKeuren@baldwinshell.com>
Date: Thu, Jul 24, 2025 at 1:10 PM
Subject: Water line fix Bryant High School
To: Terry Harper <tharper@bryantschools.org>

Terry

Between May 25 and June 25, 2025, we did encounter a water line during excavation. This did break the line, it was quickly repaired and operations continued.

This was located south of building 10 running West to East approximately 12ft down.

Thanks

MICHAEL VAN KEUREN | PROJECT MANAGER
CENTRAL ARKANSAS TEAM



P.O. BOX 1750 | LITTLE ROCK, AR 72203
1000 WEST CAPITOL AVE | LITTLE ROCK, AR 72201
(o) 501.374.8677 • (c) 501.690.4177 • (f) 501.375.7649
www.baldwinshell.com

URGENT! PROTECT YOURSELF FROM BANK FRAUD! Bank fraud and email hacking/phishing attacks are on the rise! If you receive an email or other communication from Baldwin & Shell containing Wire Transfer, ACH payment instructions, or any change to our banking information, DO NOT RESPOND TO THE EMAIL OR USE THAT INFORMATION TO REMIT PAYMENTS! Instead, call our office immediately at 501-374-8677. Simply follow the prompts to speak with our Controller or Accounting Manager to verify the information prior to sending fund transfers.

This email is confidential and may be legally privileged. If you are not the intended recipient, or received it in error, do not review or copy. Please immediately notify the sender and permanently delete/destroy the email and attachments.

--
Julie Powell
Bookkeeper
Bryant Public Schools
1511 North Reynolds Rd
Bryant, AR 72022
501-847-5600
JPowell@bryantschools.org

This email and any attachments may contain privileged and/or confidential information. If you are not the recipient, any dissemination, distribution or copying is prohibited. If you received this email in error, please immediately notify the sender and permanently delete all copies.

CITY OF BRYANT WATER AND WASTEWATER UTILITIES
LEAK ADJUSTMENT REQUEST

Date of Request: 07.2025
Customer Name: Charles Healy
Service Address: 325 Prospect Park
City: Bryant
Date Leak Detected: _____

Service Account No: 001-08852-01
Home Phone: 501-352-0476
Work Phone: _____
State, Zip: AR, 72022
Date Repaired: _____

Description of cause of leak (faucet, toilet, underground, etc.):

Service Line Broken

Explanation of how leak was repaired: Attach Plumbing invoice or receipts for repair Parts

Replaced

- You have the right to appeal the Customer Service Manager's decision to the Water and Sewer Advisory Committee (WSAC).
- If you are dissatisfied with the decision of the WSAC you have the right to appear before the Bryant City Council for a final decision.

FOR OFFICE USE ONLY:

Amount of Bill:	\$304.43	Usage:	152
Average Bill:	\$72.43	Three Month Average Usage:	28
Adjustment Approved:		Approved By:	
Amount of Adjustment to Water & Sewer Bill:	\$111.71	Adjusted Bill Amount:	\$192.72
Payment Plan:	Y: <input type="checkbox"/> N: <input type="checkbox"/>	Months:	Payment Amt:


Customer Service Manager

Description

Price

Piped water leak
in yard

200 32 App

Charles Healy
001-08852-01

501-352-
0476

Sub Total:

Tax:

Total Due:

200.00

Signature

Checks: Payable to J. Dodson Plumbing LLC
Cashapp: \$jdodsonplumbing
Please note the invoice number on payment.

Thank You for Your Business!