



SEWER LEGEND:

	SEWER SERVICE
	SEWER MAIN
	SEWER MANHOLE

NOTE: USE SDR-26 PVC SEWER PIPE EXCEPT WHERE DUCTILE IRON PIPE IS REQUIRED FOR COVER. USE DUCTILE IRON PIPE WHERE 3' MINIMUM COVER CANNOT BE MAINTAINED.
CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL BURIED UTILITIES PRIOR TO CONSTRUCTION.

WATER LEGEND:

	DUAL WATER METERS
	SINGLE WATER METER
	GATE VALVE
	45° FITTING
	90° FITTING
	TEE FITTING
	CROSS FITTING
	FIRE HYDRANT

HOPE CONSULTING ENGINEERS - SURVEYORS
 117 S. Market Street, Benton, Arkansas 72015
 PH. (501)315-2626 FAX (501) 315-0024
 www.hopeconsulting.com

FOR USE AND BENEFIT OF:
TITAN GENERAL CONTRACTORS, LLC

THE VILLAGES AT MAGNOLIA LANE, PHASE 1
 SANITARY SEWER, WATER & DRAINAGE AS-BUILTS
 A SUBDIVISION IN CITY OF BRYANT, SALINE COUNTY, ARKANSAS

DATE: 1/7/2022	C.A.D. BY:	DRAWING NUMBER:
REVISED:	CHECKED BY:	19-0238
SHEET:	SCALE:	

500	1S	15W	0	34	230	62	1807
-----	----	-----	---	----	-----	----	------

KULAND PROJECTS 2005/GRUBB DIVISIONS/2019/05/28 STARBUCK VILLAGE/19-0238-PP-AB-DWG