
CONSTRUCTION PLANS MEDICAL PLAZA

DELL STREET, BRYANT, SALINE COUNTY, ARKANSAS



VICINITY MAP


PREPARED BY:



DRAWING INDEX

SHEET NO.	TITLE
C-1.0	SITE PLAN
C-2.0	UTILITY PLAN & SEWER PROFILE
C-3.0-3.1	SEWER UTILITIES DETAILS
C-4.0-4.1	WATER UTILITIES DETAILS
C-5.0	STORM DRAINAGE PLAN & PROFILE
C-6.0	GRADING PLAN
C-7.0	EROSION CONTROL PLAN

DEVELOPER:
Name: R & M DUNLAP PROPERTIES, LLC
Address:
Phone:
Email:







R & M DUNLAP PROPERTIES, LLC


MEDICAL PLAZA


COVER SHEET


C.A.D. BY: DRAWING NUMBER: CHECKED BY: 24-1351 SHEET: SCALE:







































Benton, Arkansas 72015 PH. (501)315-2626


FOR USE AND BENEFIT OF: R & M DUNLAP PROPERTIES, LLC


MEDICAL PLAZA SEWER UTILITIES DETAILS DELL STREET, BRYANT, SALINE COUNTY, ARKANSAS


ı			,								
l	DATE: 03/19/2025				. BY	:		DRAWING NUMBER:			
l	REVISED:		CHEC	CKEI	O BY:			24_1351			
l	SHEET:	C-3.0			SCALE:					-1331	
	500	XX		X	0	XX	XX		XX	XX	













129 N. Main Street,
Benton, Arkansas 72015
PH. (501)315-2626
FAX (501) 315-0024 ENGINEERS - SURVEYORS www.hopeconsulting.com


FOR USE AND BENEFIT OF: R & M DUNLAP PROPERTIES, LLC


MEDICAL PLAZA SEWER UTILITIES DETAILS


	DELL STREET, BRYANT, SALINE COUNTY, ARKANSAS												
DATE:	03/19/202	25 C.	A.D. BY	:		DRAWING NUMBER:							
REVISED:		C	HECKE	D BY:		24-1351							
SHEET:	SHEET: C-3.1					<u> </u>	-1331						
500	XX	XX	0	XX	XX	XX	XX						


































R & M DUNLAP PROPERTIES, LLC


MEDICAL PLAZA
WATER UTILITIES DETAILS
DELL STREET, BRYANT, SALINE COUNTY, ARKANSAS


DATE:	03/19/202	25	C.A.D	. BY:			D	RAWING	NUMBER:	
REVISED:	REVISED:				BY:			2/1/1351		
SHEET:	SHEET: C-4.0		SCALE:						-1331	
500	XX	X	X	0	XX	X	X	XX	XX	


















129 N. Main Street,
Benton, Arkansas 72015
PH. (501)315-2626
FAX (501) 315-0024
Www.hopeconsulting.com


FOR USE AND BENEFIT OF:
R & M DUNLAP PROPERTIES, LLC


MEDICAL PLAZA WATER UTILITIES DETAILS


DELL STREET, BRYANT, SALINE COUNTY, ARKANSAS

DATE:	03/19/202	25 C.A.E). BY:			DRAWING	S NUMBER:	
REVISED:		СНЕС	CKEI	O BY:		2/1 1351		
SHEET:	IEET: C-4.1		E:			24-1331		
500	XX	XX	0	XX	XX	XX	XX	









PROPOSED STORM DRAIN-A PROFILE


OWNER:

VERTICAL SCALE 1" = 5' HORIZONTAL SCALE 1" = 50'

PROPOSED STORM DRAIN-B PROFILE

VERTICAL SCALE 1" = 5' HORIZONTAL SCALE 1" = 50'

PROPOSED SURFACE =



- PLSS Aliquot Corner
Out - Existing Access - Fnd. Corner Monument- Water Meter ⊙ - Set 1/2" Rebar/Cap (1664) Ø - Power Pole - SS - - - - Sewel Line
- - w - - - - Water Line
- - - ugt - - - - Telephone Line
Way Dedication △ - Computed Point (M)- As Measured

(P)- Per Deed or Plat Records

(ESMT - Easement

(M)- As Measured

(C)- Per Deed or Plat Records

(D)- Per Deed or Plat Records

(D)- Per Deed or Plat Records

(D)- Prainage Manhole


(ESMT - GAS - Gas Line) B.S.L. - Building Setback Lines - Gas Meter



FOR USE AND BENEFIT OF: R & M DUNLAP PROPERTIES, LLC


MEDICAL PLAZA STORM DRAINAGE PLAN & PROFILE DELL STREET, BRYANT, SALINE COUNTY, ARKANSAS

•									
	DATE:	03/19/202	25	C.A.D.	BY:			DRAWING	NUMBER:
ne Public Right-of- Way Dedication	REVISED:		CHECKED BY:				2/ 1351		
waj z carcaron	SHEET:	C-5.0		SCALE	Ξ:	1' =	20"	۷4-	-1331
─ Water Flow Path	500	XX	X	X	0	XX	XX	XX	XX



GRADING PLAN NOTES

- 1. DESIGN CONTOURS SHOWN ARE FINISHED GRADE.
- 2. SPOT ELEVATIONS SHOWN ARE FINISHED ASPHALT, GROUND OR CONCRETE ELEVATIONS.
- 3. CLEAR AND GRUB AREAS OF THE SITE WHERE CUT OR FILL IS TO OCCUR.
- 4. FILL SHALL BE COMPACTED AT LEAST 98% OF THE MATERIALS MAXIMUM STANDARD PROCTOR DRY DENSITY.
- 5. THE MOISTURE CONTENT OF 1% BELOW TO 3% ABOVE THE OPTIMUM MOISTURE CONTENT.
- 6. SUB-GRADES SHALL BE PROOF-ROLLED WITH A LOADED DUMP TRUCK TO DETECT ZONES OF UNSUITABLE AND/OR EXCESSIVELY WET SOILS. IF PUMPING BEGINS, COMPACTION SHALL BE STOPPED IMMEDIATELY AND RESUMED ONLY WHEN THE MATERIAL IS SUFFICIENTLY DRY THAT PUMPING DOES NOT OCCUR.
- 7. ALL UNUSABLE SOILS SHALL BE USED ON SITE FOR FILL PURPOSES OUTSIDE THE AREAS OF BUILDING AND PAVEMENT CONSTRUCTION.
- 8. PROPER DRAINAGE SHALL BE MAINTAINED THROUGHOUT THE PROJECT SITE TO PREVENT THE INCREASE OF THE IN-SITU SOILS MOISTURE CONTENT.



OWNER: Name: R & M DUNLAP PROPERTIES, LLC	DEVELOPER: Name: R & M DUNLAP PROPERTIES, LLC
Address:	Address:
Phone:	Phone:
Email:	Email:

		LEGEND		
PLSS Aliquot Corner	C/O	- Clean Out	— x— x— - Fence —— OHP—— - Overhead Power	- Existing Access
- Fnd. Corner Monument		- Water Meter	—— Overhead Power	Agreement
⊙ - Set 1/2" Rebar/Cap (1664)	Ø	- Power Pole	— – ss – – — - Sewer Line	
△ - Computed Point		- Sewer Manhole	—— – w – – —— - Water Line	- Public Right-of
(M)- As Measured	Ø	- Light Pole	— – – ugт – – — - Telephone Line	- Public Right-of Way Dedicatio
(P)- Per Deed or Plat Records			— – uge – – — - Electric Line	way Deareutio
ESMT - Easement			—— GAS —— - Gas Line	
B.S.L Building Setback Line	S	- Gas Meter		

PORTLAND CEMENT CONCRETE
(MIN STRENGTH=4000 PSI) AGGREGATE BASE COMPACTED SUBGRADE

(MIN CBR 6)

ACHM SURFACE COURSE AGGREGATE BASE
COURSE CLASS 7 ASPHALT PAVEMENT SECTION NOT TO SCALE

HEAVY DUTY CONCRETE PAVEMENT SECTION NOT TO SCALE







FOR USE AND BENEFIT OF: R & M DUNLAP PROPERTIES, LLC

> MEDICAL PLAZA GRADING PLAN

DELL STREET, BRYANT, SALINE COUNTY, ARKANSAS

03/19/2025 C.A.D. BY: DRAWING NUMBER: CHECKED BY: REVISED: 24-1351 C-6.0 1' = 20"500 XX XX 0 XX XX XX XX






1.) INSPECT AND REPAIR FENCE AFTER EACH STORM EVENT AND REMOVE SEDIMENT WHEN

TRENCH WITH NATIVE BACKFILL

2.) REMOVED SEDIMENT SHALL BE DEPOSITED TO AN AREA THAT WILL NOT CONTRIBUTE SEDIMENT OFF-SITE AND CAN BE PERMANENTLY

3.) SILT FENCE SHALL BE PLACED ON SLOPE CONTOURS TO MAXIMIZE PONDING EFFICIENCY.



VIEW LOOKING UPSTREAM

POINT 'A' MUST BE HIGHER THAN POINT 'B' (SPILLWAY HEIGHT)
 PLACE RIP-RAP BARRIER PERPENDICULAR TO THE FLOW WITH TIGHT GROUPING.
USE STRAW, ROCKS, OF FILTER FABRIC TO FILL ANY GAPS AND TAMP
BACKFILL MATERIAL TO PREVENT EROSION OR FLOW AROUND THE DAM.
 SPILLWAY HEIGHT SHALL NOT EXEED 18"-24".
 INSPECT AFTER EACH SIGNIFICANT STORM, MAINTAIN AND REPAIR PROMPTLY.

RIP-RAP CHECK DAM

TRENCH WITH GRAVEL

SILT FENCE

EROSION CONTROL NOTES

SOD OR SEED DETENTION AREA POST-CONSTRUCTION (IF

APPLICABLE) MAXIMUM SLOPE OF 3H:1V ON DETENTION POND LEVEES


CONTRACTOR MUST HAVE INLET PROTECTION MEASURES INSTALLED IMMEDIATELY AFTER CONSTRUCTION OF DRAINAGE INLETS/STRUCTURES IS COMPLETE. SEDIMENT BARRIERS SHALL BE MAINTAINED THROUGHOUT AND INSPECTED THROUGHOUT CONSTRUCTION PROCESS UNTIL PROJECT IS COMPLETE

RIP RAP SEDIMENT BARRIERS SHALL BE USED AT ALL STORMWATER DISCHARGE POINTS SHOWN ON PLANS ASAP

CONTRACTOR SHOULD WORK WITH ENGINEER TO ESTABLISH EFFECTIVE AND EFFICIENT PLAN TO PREVENT SEDIMENT RUNOFF BY DETERMINING WHERE SILT FENCING OR OTHER TYPES OF CONTROLS ARE NECESSARY

SOME EROSION CONTROL MEASURES, SILT FENCING, OR CHECK DAMS MAY NOT BE NECESSARY DURING INITIAL ROW CLEARING BUT MAY BE NEEDED ONCE LOT CLEARING AND HOME BUILDING

EXISTING VEGETATION WILL ONLY BE REMOVED INSIDE ROW AND WITHIN HOUSE FOOTPRINTS AS THEY ARE CONSTRUCTED. ADDITIONAL SILT FENCING WILL BE ADDED TO INDIVIDUAL LOTS AS HOME CONSTRUCTION TAKES PLACE.



PROPOSED MEDICAL PLAZA BUILDING #1 47 PARKING SPACES AREA 9,960 SQ. FT. FFE=391.50' PROPOSED MEDICAL PLAZA BUILDING #2 67 PARKING SPACES AREA 7,507 SQ. FT. FFE=389.5' _ S02°52′36"W 12.56′ DELL DRIVE (COLLECTOR CLASS,\60' R/W PER M.S.P.) - A18 — A18 ERC LEGEND SITE POSTING 50'-0" MIN OR FOUR TIMES THE CIRCUMFERENCE OF THE


CONC. WASHOUT DETENTION AREA

——— SILT FENCE


RIP RAP CHECK DAM

CONSTRUCTION ENTRANCE

DISTURBED AREA



N.T.S





FOR USE AND BENEFIT OF: R & M DUNLAP PROPERTIES, LLC

> MEDICAL PLAZA EROSION CONTROL PLAN

	DELL STREET, BRYANT, SALINE COUNTY, ARKANSAS												
DAT	DATE: 03/19/2025							DRAWING NUMBER:					
REV	REVISED:				CHECKED BY:					24-1351			
SHE	SHEET: C-7.0			SCAL	E:	1' =	30"	24-133					
5	00	XX	X	X	0	XX	XX	X	X	XX			

