

Bryant Planning Commission Meeting

 $Boswell\ Municipal\ Complex\ -\ City\ Hall\ Court\ Room$

210 SW 3rd Street

Date: May 09, 2022 - Time: 6:00 PM

Call to Order

Approval of Minutes

1. Planning Commission Meeting Minutes 4/11/2022

Announcements

Director's Report

DRC Report

2. Church's Chicken - 1901 N Reynolds Road

Kimmley Horn and Associates - Requesting Site Plan Approval - APPROVED

- · 0542-STW-01.pdf
- · 0542-APP-01.pdf
- 0542-PLN-02.pdf
- 0542-PLN-01.pdf

3. TNT Fireworks - 400 Byant Ave

American Promotional Events - Requesting Approval for Tempoarary Business - APPROVED

• <u>0541-APP-01.pdf</u>

4. New Life Church - 4200 HWY 5 - Sign Permit

Pinnacle Signs - Requesting Sign Permit Approval for Re-installation of Monument Sign - STAFF APPROVED

· 0539-APP-01.pdf

5. Bobalicious - 2900 Horizon Ave - Sign Permit

L Graphics - Requesting Sign Permit Approval - STAFF APPROVED

• 0540-APP-01.pdf

6. Andres Gardens - Replat - Lot A

Rasbury Surveying - Requesting Approval for Replat of Lot A - APPROVED

- 0547-PLN-01.pdf
- 0547-APP-01.pdf

7. 304 Reynolds Road - Parking Lot Addition

Hope Consulting - Requesting Approval for Site Plan - APPROVED, Contingent upon stormwater In-lieu of fee being paid

- 0533-CPLN-01.pdf
- · 0533-PLN-03.pdf

8. Medic Sleep Care - 3348 Main St - Sign Variance

Sign Studio - Requesting Approval for Sign Variance - RECOMMENDED APPROVAL

- · 0543-APP-02.pdf
- 0543-APP-01.pdf

Public Hearing

Old Business

New Business

9. Medic Sleep Care - 3348 Main St - Sign Variance

Sign Studio - Requesting Approval for Sign Variance

- 0543-APP-02.pdf
- 0543-APP-01.pdf

10. Hurricane Heights Lots 2-3 - Replat

Rasbury Surveying - Requesting Approval for Replat

- 0548-APP-01.pdf
- · 0548-PLN-02.pdf

Adjournments



February 4, 2022

City of Bryant - Engineering & Construction Department 210 SW 3rd St.
Bryant, Arkansas 72022

RE: Church's Chicken (1901 N Reynolds Rd)
Drainage Submittal Explanation Letter

To Whom It May Concern:

Please accept this letter as part of the permit submittal requirements for the proposed Church's Chicken restaurant, located in Lot 2 of the 10 Fitness subdivision, 1901 N. Reynolds Road, in Bryant Arkansas.

A drainage report for the 10 Fitness subdivision that encompassed Lots 1 and 2 was completed May 9, 2018 by Whitlow Engineering Services, Inc. The report originally established a blanket "C" factor of 0.67 for Lots 1 and 2 (3.465 acres) and determined that 6,435 cubic-feet of detention storage would be required (10,183 cubic-feet provided) for the subdivision. Upon further analysis of the report, it was discovered that the "C" factor established was not an appropriate value based on the development of Lot 1 and the proposed development of Lot 2. A composite "C" factor of 0.817 was established by breaking down the square footage of the existing and proposed surfaces types and assigning the correct "C" value shown in Table 400-1 of the City of Bryant, Arkansas Stormwater Management Manual. The required detention storage for the subdivision will increase due to the updated "C" factor by a ratio of 0.817/0.67. It was determined that the increase in the "C" factor would require 7,847 cubic feet of detention storage which is less than the total detention storage provided. Therefore, a detention pond will not be required for the development of Lot 2. However, Lot 2 will have an on-site storm system to capture and convey runoff to the 10 Fitness detention pond in order to limit the amount of release to predevelopment conditions.

Please feel free to contact me at 210-321-3433, if additional information is required.

Sincerely,

KIMLEY-HORN AND ASSOCIATES, INC.


Matt Gatto, EIT Project Manager




Chris Rogers, P.E. Project Engineer

Attachments:

- Church's Chicken (Bryant) Detention Pond Analysis (Sheet 2.3.3)
- Church's Chicken (Bryant) Drainage Area Map(Existing and Proposed Conditions) (Sheet 2.3.2)





10 Fitness (Lot 1) - Composite C										
Туре	С	CA								
Concrete / Roof	24,814	0.570	0.97	0.553						
Asphalt	59,737	1.371	0.95	1.303						
Lawn (good condition, average 2%-7%)	23,594	0.542	0.46	0.249						
Total	108,145	2.483		2.105						
Composite C	0.8	848								

Exist	Existing Site (Lot 1) - Rational Method Calculations									
Storm	2	5	10	25	50	100				
С	0.848	0.848	0.848	0.848	0.848	0.848				
1	5.9	6.85	7.5	8.5	9.45	10				
Α	2.483	2.483	2.483	2.483	2.483	2.483				
Q (cfs)	12.42	14.42	15.78	17.89	19.89	21.05				

Proposed Site (Lot 2)- Composite C									
Туре	Area (sf)	Area (ac)	C	CA					
Concrete / Roof	9,945	0.228	0.97	0.221					
Asphalt	12,384	0.284	0.95	0.270					
Lawn (good condition, average 2%-7%)	18,077	0.415	0.46	0.191					
Total	40,406	0.928		0.682					
Composite C	0.736								

Proposed Site (Lot 2) - Rational Method Calculations											
Storm	2	5	10	25	50	100					
С	0.736	0.736	0.736	0.736	0.736	0.736					
1	5.9	6.85	7.5	8.5	9.45	10					
Α	0.928	0.928	0.928	0.928	0.928	0.928					
Q (cfs)	4.03	4.68	5.12	5.81	6.45	6.83					

10 Fitness (Lots 1 & 2) - Composite C									
Type Area (sf) Area (ac) C CA									
Concrete / Roof	34,759	0.798	0.97	0.774					
Asphalt	72,121	1.656	0.95	1.573					
Lawn (good condition, average 2%-7%)	41,671	0.957	0.46	0.440					
Total	148,551	3.410		2.787					
Composite C		0.8	817						

Propose	d Site (Lo	ots 1 & 2)) - Rational Method Calculations						
Storm	2	5	10	25	50	100			
С	0.817	0.817	0.817	0.817	0.817	0.817			
I	5.9	6.85	7.5	8.5	9.45	10			
Α	3.410675	3.410675	3.410675	3.410675	3.410675	3.411			
Q (cfs)	16.45	19.09	20.90	23.69	26.34	27.87			


DETENTION POND CALCULATIONS

PREVIOUSLY APPROVED CALCULATIONS:

TOTAL DRAINAGE STUDY AREA = 3.465 ACRES PROPOSED RUNOFF COEFFICIENT: C=0.67 TIME OF CONCENTRATION: T_C=5 MINUTES
REQUIRED DETENTION VOLUME = 6,435 CF
DETENTION VOLUME PROVIDED = 10,183 CF

PROPOSED CALCULATIONS:

TOTAL DRAINAGE AREA = 3.410 ACRES PROPOSED RUNOFF COEFFICIENT: C=0.819
TIME OF CONCENTRATION: T_C=5 MINUTES REQUIRED DETENTION VOLUME: 6,435 CF $\times \frac{0.817}{0.67}$ = 7,847 CF DETENTION VOLUME PROVIDED = 10,183 CF > 7,847 CF



NOTES


- 1. DRAINAGE CALCULATIONS ARE PERFORMED ACCORDING TO THE CITY OF BRYANT STORMWATER MANAGEMENT MANUAL.
- 2. THE SUBJECT PROPERTY CONFORMS TO THE DRAINAGE ANALYSIS AS OUTLINED IN THE APPROVED DRAINAGE REPORT FOR THE 10 FITNESS COMMERCIAL SUBDIVISION DATED MAY 9, 2018 BY WHITLOW ENGINEERING SERVICES, INC.

DRAINAGE CALCULATIONS

BY RATIONAL METHOD: Q = CIA

- C RUNOFF COEFFICIENT PER THE CITY OF BRYANT STORMWATER MANAGEMENT
- MANUAL

 I VARIES PER TIME OF CONCENTRATION BASED OFF OF PRECIPITATION AREA PER THE APPROVED DRAINAGE REPORT FOR THE 10 FITNESS COMMERCIAL SUBDIVISION DATED MAY 9, 2018 BY WHITLOW ENGINEERING SERVICES, INC.
- A DRAINAGE BASIN AREA



Kimley» Horn

DATE: 02.15.2022 JOB NO: 068693645 DRAWN BY: SHEET NUMBER:

2.3.3

DATE:

02.15.2022 JOB NO: 068693645 DRAWN BY: SHEET NUMBER:

2.3.2

EXISTING DRAINAGE AREA MAP

PR-A1- Composite C									
Туре	Area (sf)	Area (ac)	С	CA					
Concrete / Roof	206	0.005	0.97	0.005					
Asphalt	1,116	0.026	0.95	0.024					
Lawn (good condition, average 2%-7%)	8,194	0.188	0.46	0.087					
Total	9,516	0.218		0.115					
Composite C	0.	.53							

PR-B1 - Composite C									
Type	C	CA							
Concrete / Roof	6,023	0.138	0.97	0.134					
Asphalt	1,155	0.027	0.95	0.025					
Lawn (good condition, average 2%-7%)	2,779	0.064	0.46	0.029					
Total	9,957	0.229		0.189					
Composite C	0.	.83							

Type	Area (ac)	С	CA	
Concrete / Roof	Area (sf)			100.00
00.00 P 500	175	0.004	0.97	0.004
Asphalt	763	0.018	0.95	0.017
Lawn (good condition, average 2%-7%)	5,282	0.121	0.46	0.056
Total	6,220	0.143		0.076
Composite C	0.	.53		

PR-B2 - Composite C									
Type Area (sf) Area (ac) C									
Concrete / Roof	3,133	0.072	0.97	0.070					
Asphalt	9,350	0.215	0.95	0.204					
Lawn (good condition, average 2%-7%)	1,795	0.041	0.46	0.019					
Total	14,278	0.328		0.293					
Composite C	0.	.89							


	PEAK FLOW CALCULATIONS															
Basin	Тс	Α	С	12	15	l10	125	150	I100	Q2	Q5	Q10	Q25	Q50	Q100	Collection Boint
Dasiii	(min)	(ac)		(in/hr)	(in/hr)	(in/hr)	(in/hr)	(in/hr)	(in/hr)	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)	Collection Point
EX-A	5.0	0.93	0.35*	5.90	6.85	7.50	8.50	9.45	10.00	1.92	2.23	2.44	2.77	3.08	3.26	DRAINAGE CULVERT
EX-B	5.0	0.01	0.35*	5.90	6.85	7.50	8.50	9.45	10.00	0.02	0.02	0.03	0.03	0.03	0.04	DETENTION POND
PR-A1	5.0	0.22	0.53	5.90	6.85	7.50	8.50	9.45	10.00	0.69	0.80	0.87	0.99	1.10	1.16	DRAINAGE CULVERT
PR-A2	5.0	0.14	0.53	5.90	6.85	7.50	8.50	9.45	10.00	0.44	0.51	0.56	0.64	0.71	0.75	DRAINAGE CULVERT
PR-B1	5.0	0.23	0.83	5.90	6.85	7.50	8.50	9.45	10.00	1.12	1.30	1.42	1.61	1.79	1.90	DETENTION POND**
PR-B2	5.0	0.33	0.89	5.90	6.85	7.50	8.50	9.45	10.00	1.74	2.02	2.21	2.50	2.78	2.95	DETENTION POND***

"C" VALUES FOR EXISTING DRAINAGE AREAS PER THE APPROVED DRAINAGE REPORT FOR THE 10 FITNESS COMMERCIAL SUBDIVISION DATED MAY 9, 2018 BY WHITLOW ENGINEERING SERVICES, INC. PR-B1 WILL BE CONVEYED TO THE 10 FITNESS DETENTION POND VIA SHEET FLOW
PR-B2 WILL BE CONVEYED TO THE 10 FITNESS DETENTION POND VIA AN ON-SITE STORM SYSTEM

D	RAINAG	E CULVI	ERT COM	MPARIS
	00	OF	040	ODE

DRAINAGE CULVERT COMPARISON TABLE						
Basin	Q2	Q5	Q10	Q25	Q50	Q100
	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)
EX-A	1.92	2.23	2.44	2.77	3.08	3.26
PR-A****	1.13	1.31	1.43	1.62	1.81	1.91
Δ	-0.79	-0.92	-1.01	-1.14	-1.27	-1.34

PR-A IS MADE UP OF THE DEVELOPED RUNOFF NOT BEING CONVEYED TO THE 10 FITNESS DETENTION POND. THE RUNOFF SHOWN FOR PR-A CONSISTS OF THE DRAINAGE BASINS PR-A1 AND PR-A2 COMBINED.



PROPOSED DRAINAGE AREA MAP

NOTES

PROPERTY BOUNDARY

PROPOSED CONTOUR

EXISTING CONTOUR (SEE NOTE 3 THIS SHEET)

DRAINAGE AREA

- DRAINAGE CALCULATIONS ARE PERFORMED ACCORDING TO THE CITY OF BRYANT STORMWATER MANAGEMENT MANUAL.
- THE SUBJECT PROPERTY CONFORMS TO THE DRAINAGE ANALYSIS AS OUTLINED IN THE APPROVED DRAINAGE REPORT FOR THE 10 FITNESS COMMERCIAL SUBDIVISION DATED MAY 9, 2018 BY WHITLOW ENGINEERING SERVICES, INC.
- 3. ON SITE TOPOGRAPHIC INFORMATION IS TAKEN FROM A TOPOGRAPHIC SURVEY PREPARED BY YOUNG - HOBBS AND ASSOCIATES FROM NOVEMBER 2021.

DRAINAGE CALCULATIONS

0.93

BY RATIONAL METHOD:

Q = CIA

C - RUNOFF COEFFICIENT PER THE CITY OF BRYANT STORMWATER MANAGEMENT

I - VARIES PER TIME OF CONCENTRATION BASED OFF OF PRECIPITATION AREA PER THE APPROVED DRAINAGE REPORT FOR THE 10 FITNESS COMMERCIAL SUBDIVISION DATED MAY 9, 2018 BY WHITLOW ENGINEERING SERVICES, INC.

INLET CAPCITY CALCULATIONS

2'X2' GRATE INLET (V5622): AREA = 266 SQ. IN *50% CLOGGED AREA = 133 SQ. IN h=0.50 FT Q_{CAP}= 3.67 CFS Q₁₀₀= 2.95 CFS

A - DRAINAGE BASIN AREA



SMALL SCALE DEVELOPMENT COMMERCIAL BUILDING CHECKLIST

CITY OF BRYANT 210 SW 3RD STREET BRYANT, AR 72022 501-943-0309

PC MEETING DATE:

THURSDAY OF EACH WEEK

TIME:

9:00 A.M.

PLACE:

ADMINISTRATION CONFERENCE ROOM-BRYANT OFFICE

COMPLEX

AGENDA DEADLINE:

5:00 P.M. FRIDAY PRIOR TO SCHEDULED MEETING DATE

REQUIREMENTS FOR SUBMISSION

- 1. COMPLETED CHECKLIST (SUBDIVISION OR BUILDING)
- 2. ADA/ABA FORM COMPLETED
- 3. Two full sets of Building Plans
- 4. 812 FOLDED COPIES OF SITE PLAN (MINIMUM SIZE 17" X 34") THAT INCLUDES THE FOLLOWING:
 - A. VICINITY MAP
 - B. LEGAL DESCRIPTION
 - C. LANDSCAPING PLAN
- 5. 812 FOLDED COPIES OF FLOOR PLAN
- 6. 8 12 COPIES OF FRONT AND REAR BUILDING ELEVATIONS
- 7. A CD IN . PDF FORMAT or PDF Copies Sent Via Email.
- 8. COPY OF ADEQ STORMWATER POLLUTION PREVENTION PLAN FOR PROPERTY PARCEL CONTAINING ONE ACRE OR LARGER.
- 2 Copies of Stormwater Detention Plan
- \$250.00 FOR STORMWATER DETENTION AND DRAINAGE PLAN REVIEW

ALL REQUIREMENTS LISTED ABOVE MUST BE COMPLETED AND ATTACHED BEFORE SUBMITTING APPLICATION TO BE PLACED ON THE PLANNING COMMISSION AGENDA.

NOTE: When making changes to an approved Site Plan, a revised Site Plan must be submitted to the Bryant Planning Commission for approval. This must be done prior to implementation. Failure to comply will result in penalties/fines being imposed in accordance with City ordinances.

I HAVE COMPLIED WITH THE REQUIREMENTS LISTED	D ABOVE AND HAVE CHECKED ALL OF THE BOXES ON THE
CHECKLIST WHICH APPLY TO THIS PROJECT SUBMIT	ΓΤΑL.
/ / / / / / / / / / / / / / / / / / / /	
· / / / / / / / / / / / / / / / / / / /	0/00/0000

3/30/2022 SIGNATURE 3/30/2022

DATE

City of Bryant Commercial Building Checklist

Name of	DevelopmentChurch's Chicken	
Site Loca	tion1901 N Reynolds Rd	Current zoning C-2
Owner	Ampler Restaurant Group	Phone 409-656-2852

I. BASIC INFORMATION NEEDED ON THE SITE PLAN

- ▲ 1. Name of Development
- 2. Current zoning
- 3. Name and Address of owner of Record
- ▲ 4. Name and address of the architect, landscape architect, engineer, surveyor, or other person involved in the preparation of the plan
- 5. Date of preparation of the plan
- ▲ 6. Vicinity map locating streets, highways, section lines, railroad, schools, & parks within ½ mile
- Legal description of the property with exact boundary lines
- 8. North arrow & Scale
- 9. Identification of any land areas within the 100 year floodplain and within the 100 year floodway
- 10. Lot area in square feet
- ▲ 11. Show scale (not less than 1" = 100') (paper size minimum 17" X 34")
- ▲ 12. Existing streams, drainage channels, and other bodies of water
- ▲ 13. Drainage easements for stormwater run-off and detention shown & labeled
- 14. Location and name of existing streets
- 15. Show source of water supply
- ▲ 16. Show location of waste water connection to municipal system & sanitary sewer layout
- 17. Fire Hydrant placement
- ▲ 18. Proposed location of buildings and other structures, parking areas, drives, loading areas, service areas, alleys, walks, screening, and public streets
- ▲ 19. Sufficient dimensions to indicate relationship between buildings, property lines, parking areas and other elements of the plan
- ▲ 20. Extent and character of proposed landscaping. Common and/or Botanical plant names and sizes of new vegetation must be clearly indicated.
- ▲ 21. Location, massing and pattern of existing vegetation to be retained
- 22. Existing structures on the site
- ▲ 23. Pedestrian and vehicular access points, sidewalks, crosswalks, etc.
- ▲ 24. Typical building elevations depicting the style, size and exterior construction materials of the buildings proposed. Where several building types are proposed on the plan, such as apartments and commercial buildings, a separate sketch shall be prepared for each type. The elevations shall be drawn at a minimum scale of 1/16" to a foot and must show adjoining context.
- ▲ 25. Any variance approvals

ADDITIONAL INFORMATION NEEDED, BUT NOT ON THE SITE PLAN COMMERCIAL BUILDING WORKSHEET Yes No Χ Site is compatible with Master Street Plan Proposed improvement is within building line setbacks 45_ft. Front <u>50</u> ft. Side _____ft. _ft. CNR Side ____ Back Parking requirements can be satisfied X Floor Space $_{-}^{1,683}$ $_{\text{sq.ft.}}$ divided by 300 = $_{\text{6}}$ (no. of parking spaces required) X Improvement is outside 100 year flood plain (if answer is no - Provide 404 Permit for site) Lowest building floor level and all mechanical equipment are above FEMA 100 year flood X elevation Χ Will there be a dumpster located on the site? X Will there be a construction site office? Χ Have you made "One Call"? Structure and site complies with ADA (Americans with Disability Act) and ABA X (Architectural Barriers Act) Accessibility Guidelines X Design complies with Arkansas Plumbing Code and National Electric Code requirements X Foundation and structure meet earthquake requirements for Zone 1. Χ Structure meets Arkansas Energy Code for specified use. Χ Complies with Arkansas Fire Prevention Code Χ Complies with International Code Council regulations Χ Will a Site Clearance Permit be required? (City Ordinance 2002-03) Χ Are you granted any variances by the Board of Adjustment? If you have been granted a variance please explain in detail: III. LANDSCAPING COMPLIANCE WITH REQUIREMENTS YES NO Χ No planting within 5 feet of a fire hydrant Spacing will be 40' between trees Tree must be a minimum 3" in diameter at the base and 12' + tall Existing trees meeting the minimum size can be counted to meet above criteria

No trees can be planted within 30 feet of a property corner or driveway Shrubs along street right-of-way lines cannot exceed 30 inches in height

IV. SITE COVERAGE COMPLIANCE WITH REQUIREMENTS

(FOR YOUR CONVENIENCE WE HAVE LISTED THE THREE COMMERCIAL ZONING SITE COVERAGE REQUIREMENTS - CHOOSE THE ZONING FOR THIS PROJECT AND COMPLETE ONLY THAT SECTION)

YES NO

	·	YES	NO
1.	C-1 Zoning - Neighborhood Commercial		
	Lot area: minimum of 2,500 square feet; maximum 16,000 square feet		
	Front Yard: none required		
	Side Yard: minimum of 5 feet each side		
	Rear Yard: minimum of 55 feet		
	Maximum lot coverage of 70% of the total area of the site for all principal, accessory buildings, parking lots, sidewalks, private streets, or drives.		
	Parking: one space per each 200 sq. ft. of commercial use		
	Loading areas: physically separated from all streets with 10 ft grassy area		•
	When abuts a residential district, a minimum 6' high wood, rock, or masonry fence is required with a landscape screen		
2.	C-2 Zoning - Lots fronting along roadways designated as Interstate 30 and frontage roads, State Highway 5 and 183		
	Front Yard: not less than 50 feet from front property line	X	
	Side Yard: not required, except where they abut a street or a residential lot line then a minimum of 25 feet is required	_X	
	Rear Yard: minimum of 15 feet, except where they abut residential area then a minimum of 55 feet is required	<u>X</u>	
	A maximum lot coverage of 35% of the total area of the site for all principal and accessory buildings	_X	
	Parking: one space per each 300 sq. ft. of occupied space	X	
	When abuts a residential district, a minimum 6' high wood, rock, or masonry fence is required with a landscape screen	X	
3.	C-2 Zoning - Lots fronting along roadways designated as interior local.		
	Front Yard: none required		
	Side Yard: not required, except where they abut a street or a residential lot line then a minimum of 25 percent of lot dimension		
	Rear Yard: minimum of 15 feet, except where they abut residential area then a minimum of 55 feet is required		
	A maximum lot coverage of 85% of the total area of the site for all principal, accessory buildings and parking	***************************************	
	Parking: one space per each 300 sq. ft. of occupied space		
	When abuts a residential district, a minimum 6' high wood, rock, or masonry fence is required with a landscape screen		

V. SITE PLAN ATTACHMENTS

(APPLICATION WILL NOT BE ACCEPTED UNTIL ALL ATTACHMENT REQUIREMENTS ARE MET)

- ▲ 26. Letter to Planning Commission stating your request
- ▲ 27. Completed Checklist
- ▲ 28. Completed ADA/ABA Form
- ▲ 29. Two full sets of Building Plans
- ▲ 30. 20 copies of Site Plan (folded to no larger than 8 ½ X 14 size) that includes vicinity map and landscaping plan (minimum size 17" X 34" paper)
- ▲ 31. 20 copies of Landscaping Plan (folded to no larger than 8 ½ X 14 size)
- ▲ 32. 20 copies of building floor plan (folded to no larger than 8 ½ X 14 size)
- 33. Copy of Stormwater Detention approval
- ▲ 34. Copy of ADEQ Stormwater Pollution Prevention Plan for property containing one acre or larger.
- ▲ 35. IBM compatible diskette or CD with data in PDF format.
- ▲ 36. Receipt for \$250.00 for Stormwater Detention and Drainage Plan review

I CERTIFY that the design ofChurch's Chicken - 190 complies with the above regulations, laws and codes	01 N Reynolds Rd in the City of Bryant, Arkansas
Ampler Restaurant Group	Kimley-Horn
Owner	Engineer/Architect
1850 Parkway Place, #1100	210-321-3433
Mailing Address	Phone #
Marietta, GA 30067	March 29, 2022
City	Date
Action Taken: Special Conditions:	TY USE
Permit Issued: Date Sc	q.Ft Amount \$
Construction Completed Certified For Occupancy:	Date:

Permit No.	•
------------	---

BUILDING PERMIT

ADA/ABA ACCESSIBILITY STANDARDS

The Americans with Disability Act and Architectural Barriers Act Accessibility Guidelines were prepared by the U.S. Access Board and mandated by the U.S. Department of Justice regulations implementing Title III as the official ADA/ABA accessibility guidelines. All new construction, remodeling, and modifications must conform to these building standards for places of public accommodation and commercial facilities. Residential is exempt.

The ADA/ABA accessibility guidelines contain general design standards for building and site elements, such as accessible entrances and routes, ramps, parking spaces, stairs, elevators, restrooms, signage, etc. Also included are specific standards for restaurants, medical care facilities, libraries and transportation facilities and vehicles, and places of lodging.

The guidelines also include "scoping" requirements that outline the necessary features or appropriate quantity for achieving ready access. For example, at least 50 percent of all public entrances to buildings must be accessible with an accessible path of travel. In public restrooms, at least one bathroom stall must be accessible unless there are more than six stalls, in which case the number increases.

I hereby certify that I have read and examined the above notice and will comply with all guidelines of the ADA Accessibility Guidelines. I further understand that a copy of the ADA/ABA Regulations are available for inspection during business hours of City Hall or I may obtain a copy by writing:

The Access Board
1331 F Street, NW, Suite 1000
Washington, DC 20004-1111
(202) 272-0080 (v) (202) 272-0082 (TTY) (202) 272-0081 (fax)
(800) 872-2253 (v) (800) 993-2822 (TTY)
email: info@access-board.gov

Signature of Contractor of Authorized Agent I I I I I I I I I I I I I I I I I I I	Date 08/30/22
Signature of Owner (if owner-builder)	Date
Application of Permit Approved: Commission - Cha	Date

Bryant Water & Sewer Department

GREASE TRAP STANDARDS

The City of Bryant requires all commercial buildings comply with plumbing codes found in the Arkansas State Plumbing Code, Latest Edition. <u>All new construction, remodeling, and modifications must conform</u> to these plumbing standards for places of public accommodation and commercial facilities. These guidelines contain general design standards for construction and site elements relating to plumbing.

As of 7/27/04, the Bryant Sewer & Water Commission requires stringent specification standards for commercial or public businesses that involve any food preparation on the premise. The new standard requires calculations, and associated data to be submitted to the Bryant Water Utilities General Manager concurrent with the proposed building plumbing plans along with a grease trap calculation form. Building Permits will not be issued until this form has been received and approved by the Bryant Water Utilities General Manager.

All new buildings or strip centers containing sections designated for commercial enterprise are encouraged to provide a stub-out for a separate waste line for future grease interceptor installation. The owner of a new strip center shall consider suitable physical property space and sewer gradient that will be conducive for the installation of an exterior, in-ground grease interceptor(s) for any flex space contained within the strip center. Physical Property Restrictions and sewer gradient shall not be a defense for failure to install an exterior, in-ground grease interceptor.

I hereby certify that I have read and examined the above notice and will comply with all guidelines of the City of Bryant Water & Sewer Department. I further understand that copies of the Grease Interceptor Design and Structural Criteria regulations will be available from the Bryant Water/Wastewater Plant (501-847-8083) during business hours.

Project Name Church's Chicken - 1901 N. Reyno	<u>ld</u> s Rd
Signature of Contractor from Authorized Agent from Authorized Agent	Date
Signature of Owner (if owner-builder)	Date
Calculations Approved:	Date
Bryant Water Utilities General Manager	



February 4, 2022

City of Bryant - Engineering & Construction Department 210 SW 3rd St.
Bryant, Arkansas 72022

RE: Church's Chicken (1901 N Reynolds Rd)
Drainage Submittal Explanation Letter

To Whom It May Concern:

Please accept this letter as part of the permit submittal requirements for the proposed Church's Chicken restaurant, located in Lot 2 of the 10 Fitness subdivision, 1901 N. Reynolds Road, in Bryant Arkansas.

A drainage report for the 10 Fitness subdivision that encompassed Lots 1 and 2 was completed May 9, 2018 by Whitlow Engineering Services, Inc. The report originally established a blanket "C" factor of 0.67 for Lots 1 and 2 (3.465 acres) and determined that 6,435 cubic-feet of detention storage would be required (10,183 cubic-feet provided) for the subdivision. Upon further analysis of the report, it was discovered that the "C" factor established was not an appropriate value based on the development of Lot 1 and the proposed development of Lot 2. A composite "C" factor of 0.817 was established by breaking down the square footage of the existing and proposed surfaces types and assigning the correct "C" value shown in Table 400-1 of the City of Bryant, Arkansas Stormwater Management Manual. The required detention storage for the subdivision will increase due to the updated "C" factor by a ratio of 0.817/0.67. It was determined that the increase in the "C" factor would require 7,847 cubic feet of detention storage which is less than the total detention storage provided. Therefore, a detention pond will not be required for the development of Lot 2. However, Lot 2 will have an on-site storm system to capture and convey runoff to the 10 Fitness detention pond in order to limit the amount of release to predevelopment conditions.

Please feel free to contact me at 210-321-3433, if additional information is required.

Sincerely,

KIMLEY-HORN AND ASSOCIATES, INC.

Matt Gatto, EIT Project Manager ARKANSAS

* * *

REGISTIFATO

FINGINEER

No. 10453 2055

TOPHER TOPHER

02/04/22

Chris Rogers, P.E. Project Engineer

Attachments:

- Church's Chicken (Bryant) Detention Pond Analysis (Sheet 2.3.3)
- Church's Chicken (Bryant) Drainage Area Map(Existing and Proposed Conditions) (Sheet 2.3.2)

Kimley » Horn

February 4, 2022

City of Bryant - Engineering & Construction Department 210 SW 3rd St.
Bryant, Arkansas 72022

RE: Church's Chicken (1901 N Reynolds Rd)
Drainage Submittal Explanation Letter

To Whom It May Concern:

Please accept this letter as part of the permit submittal requirements for the proposed Church's Chicken restaurant, located in Lot 2 of the 10 Fitness subdivision, 1901 N. Reynolds Road, in Bryant Arkansas.

A drainage report for the 10 Fitness subdivision that encompassed Lots 1 and 2 was completed May 9, 2018 by Whitlow Engineering Services, Inc. The report originally established a blanket "C" factor of 0.67 for Lots 1 and 2 (3.465 acres) and determined that 6,435 cubic-feet of detention storage would be required (10,183 cubic-feet provided) for the subdivision. Upon further analysis of the report, it was discovered that the "C" factor established was not an appropriate value based on the development of Lot 1 and the proposed development of Lot 2. A composite "C" factor of 0.817 was established by breaking down the square footage of the existing and proposed surfaces types and assigning the correct "C" value shown in Table 400-1 of the City of Bryant, Arkansas Stormwater Management Manual. The required detention storage for the subdivision will increase due to the updated "C" factor by a ratio of 0.817/0.67. It was determined that the increase in the "C" factor would require 7,847 cubic feet of detention storage which is less than the total detention storage provided. Therefore, a detention pond will not be required for the development of Lot 2. However, Lot 2 will have an on-site storm system to capture and convey runoff to the 10 Fitness detention pond in order to limit the amount of release to predevelopment conditions.

Please feel free to contact me at 210-321-3433, if additional information is required.

Sincerely,

KIMLEY-HORN AND ASSOCIATES, INC.


Matt Gatto, EIT Project Manager





Chris Rogers, P.E. Project Engineer

Attachments:

- Church's Chicken (Bryant) Detention Pond Analysis (Sheet 2.3.3)
- Church's Chicken (Bryant) Drainage Area Map(Existing and Proposed Conditions) (Sheet 2.3.2)









INSTALLATION

\$	BENCHMARK LIST
	ARKANSAS DISK FOUND ON HEADWALL ON NORTH SIDE OF S STATE HIGHWAY #183.

ELEVATION: 385.95 PK NAIL FOUND ON CURB ON THE PROPERTY WEST OF THIS TRACT







SITE DATA TABLE				
SENERAL SITE DATA				
EGAL DESCRIPTION	LOT 2, 10 FITNESS ADDITION, CITY OF BRYANT, SALINE COUNTY, ARKANSAS.			
ONING	C-2 (GENERAL COMMERCIAL)			
ITE ACREAGE	0.93 ACRE (40,406 SF)			
DDRESS	1901 N REYNOLDS RD, BRYANT, AR. 72022			
BUILDING DATA				
UILDING SQUARE FOOTAGE	1,683 SF			
UILDING HEIGHT	19' - 0"			
ARKING DATA				
EQUIRED PARKING SPACES	1,683 SF @ 1:300 = 6 SPACES			
TANDARD SPACES PROVIDED	21			
CCESSIBLE SPACES PROVIDED	2			
OTAL SPACES PROVIDED	23			

NOTES

- ALL DIMENSIONS ARE TO FACE OF CURB UNLESS OTHERWISE NOTED. REFER TO ARCHITECTURAL CONSTRUCTION DRAWINGS FOR EXACT BUILDING DIMENSIONS. REFER TO LANDSCAPE ARCHITECT'S PLANS FOR DIMENSIONS AND DETAIL
- OF HARDSCAPE.
- ALL CURB RADII ARE 3 FEET UNLESS DIMENSIONED OTHERWISE.
- BUILDING, MECHANICAL EQUIPMENT AND SIGNS ARE SHOWN HEREON FOR REFERENCE ONLY. REFER TO CONSTRUCTION PLANS OF THOSE ITEMS FOR LOCATIONS AND
- ALL CONSTRUCTION SPECIFICATIONS WITHIN CITY RIGHT-OF-WAY AND EASEMENTS SHALL COMPLY WITH CITY OF BRYANT STANDARDS. PRIOR APPROVAL TO USE ANY NON-STANDARD MATERIAL IS REQUIRED.

EXISTING UNDERGROUND UTILITIES IN THE AREA CONTRACTOR IS RESPONSIBLE FOR DETERMINING THE HORIZONTAL AND VERTICAL LOCATION OF ALL UTILITIES PRIOR TO CONSTRUCTION. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY REPAIRS TO EXISTING UTILITIES DUE TO DAMAGE INCURRED DURING CONSTRUCTION. CONTRACTOR SHALL NOTIFY THE ENGINEER OF ANY DISCREPANCIES ON THE PLANS.

(DIMENSION

REVISIONS:

Kimley»





DATE: 02.15.2022 JOB NO: 068693645 DRAWN BY:

SHEET NUMBER:

City of Bryant, Arkansas				
Site Area - 40,405.20 sqft (0.	9276 AC)			
Zoning - C-2		· · · · · · · · · · · · · · · · · · ·		

			REQUIRED	PROVIDED
<u>Trees</u>				
1/each 1/2 acre 0.9276/0.5 = 2 Trees			2 Trees	2 Trees
<u>Evergreens</u>				
(0.9276)(43,560)/2000 = 21 Evergro	eens		21 Evergreens	45 Evergreens





PLANTING NOTES:

- 1. CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATIONS OF ALL UNDERGROUND UTILITIES, PIPES, STRUCTURES, AND LINE RUNS IN THE FIELD PRIOR TO THE INSTALLATION OF ANY PLANT MATERIAL.
- 2. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ADVISE THE LANDSCAPE ARCHITECT OF ANY CONDITION FOUND ON SITE WHICH PERMITS INSTALLATION AS SHOWN ON THESE DRAWINGS.
- WHICH PERMITS INSTALLATION AS SHOWN ON THESE DRAWINGS.

 ALL PLANT MATERIAL SHALL BE MAINTAINED IN A HEALTHY, GROWING CONDITION AND MUST BE REPLACED WITHIN 30 DAYS
- WITH PLANT MATERIAL OF THE SAME VARIETY AND SIZE IF DAMAGED, DESTROYED, OR REMOVED.

 CONTRACTOR SHALL BE RESPONSIBLE FOR FINE GRADING AND REMOVAL OF DEBRIS PRIOR TO PLANTING IN ALL AREAS.
- 4. CONTRACTOR SHALL BE RESPONSIBLE FOR FINE GRADING AND REMOVAL OF DEBRIS PRIOR TO PLANTING IN ALL AREAS.

 5. FINAL FINISH GRADING SHALL BE REVIEWED AND APPROVED BY THE LANDSCAPE ARCHITECT. THE CONTRACTOR SHALL BE
- RESPONSIBLE FOR ANY ADDITIONAL TOPSOIL REQUIRED TO CREATE A SMOOTH CONDITION PRIOR TO PLANTING.

 6. CONTRACTOR SHALL VERIFY ALL PLANT QUANTITIES. ALL PLANT QUANTITIES ARE LISTED FOR INFORMATION PURPOSES ONLY.

 IT IS THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE FULL COVERAGE IN ALL PLANTING AREAS AS SHOWN ON THE PLANS
- AND SPECIFIED IN THE PLANT SCHEDULE.
 7. CONTRACTOR TO PROVIDE STEEL EDGING BETWEEN ALL PLANTING BEDS AND TURF AREAS UNLESS OTHERWISE INDICATED ON
- 7. CONTRACTOR TO PROVIDE STEEL EDGING BETWEEN ALL PLANTING BEDS AND TORF AREAS UNLESS OTHERWISE INDICATED
 THE DRAWINGS.
- 8. ALL PLANT MATERIAL SHALL CONFORM TO THE SPECIFICATIONS GIVEN IN THE PLANT SCHEDULE, PLANTING DETAILS, AND PLANTING SPECIFICATIONS.
- 9. ALL PLANT MATERIAL SHALL MEET INDUSTRY STANDARDS AS INDICATED IN THE CURRENT EDITION OF THE AMERICAN
- STANDARD FOR NURSERY STOCK (ANSI Z60.1).

 10. ALL PLANT MATERIAL SUBSTITUTIONS SHALL BE APPROVED BY LANDSCAPE ARCHITECT PRIOR TO PURCHASE.
- 11. CONTRACTOR IS RESPONSIBLE FOR ALL COORDINATION WITH OTHER CONTRACTORS ON SITE AS REQUIRED TO ACCOMPLISH
- ALL PLANTING OPERATIONS.

 12. ALL PLANTING AREAS SHALL RECEIVE SOIL AMENDMENTS.
- 13. PLANT MATERIAL SHALL BE PRUNED PER PLANTING DETAILS UNLESS OTHERWISE NOTED ON DRAWINGS.
- 14. PLANTING AREAS SHALL BE KEPT FREE OF TRASH, WEEDS, DEBRIS, AND DEAD PLANT MATERIAL.
- 15. ALL LIME STABILIZED SOIL AND INORGANIC SELECT FILL FOR BUILDING OR PAVING CONSTRUCTION SHALL BE REMOVED FROM ALL PLANTING BEDS TO A MINIMUM DEPTH OF 24" UNLESS OTHERWISE NOTED. REPLACE MATERIAL REMOVED WITH IMPORTED TOPSOIL.
- 16. TREES OVERHANGING PEDESTRIAN WALKS AND WITHIN VISIBILITY TRIANGLES AS NOTED ON THE PLANS SHALL BE LIMBED TO A HEIGHT OF SEVEN FEET (7'). TREE OVERHANGING PUBLIC STREETS AND FIRELANES SHALL BE LIMBED TO A HEIGHT OF FO
- FOURTEEN FEET (14').
 17. TREES PLANTED NEXT TO ACCESSIBLE ROUTES AND ACCESSIBLE AREAS SHALL BE LIMBED TO 7'6" (80" MIN.) AFF.
- 18. ALL PROPOSED TREES SHALL BE STAKED WITH AN AT-GRADE ROOT BALL SECURING SYSTEM AS SHOWN IN THE PLANTING DETAILS AND SPECIFICATIONS. NO ABOVE-GROUND STAKING SYSTEMS, GUY WIRES/WIRES, HOSES, STRAPS, POSTS (METAL
- OR WOOD) SHALL BE ALLOWED UNLESS AUTHORIZED IN WRITING BY THE LANDSCAPE ARCHITECT.
- 19. CONTRACTOR IS TO PROVIDE WEED BARRIER UNDER ALL AGGREGATE AND PLANTING AREAS.

 20. CONTRACTOR IS TO REPAIR/REPLACE ALL DISTURBED AREAS ON-SITE AND REESTABLISH PLANTING. CONTRACTOR IS TO PROVIDE TEMPORARY IRRIGATION IF REQUIRED.

PI	ANT	SCHEDULE.	

Spacing will be 40' between trees

	PLANT SCI	HEDU	LE					
	TREES	CODE	QTY	BOTANICAL / COMMON NAME	ROOT	<u>CAL</u>	SIZE	REMARKS
age and a		UP	2	ULMUS PARVIFOLIA 'EMER II' / ALLEE LACEBARK ELM	B & B	3" CAL.	12`-14` HT.	SINGLE STRAIGHT CENTRAL LEADER, FULL AND MATCHING
(·		MG	1	MAGNOLIA GRANDIFLORA 'BRACKEN'S BROWN BEAUTY / BRACKEN'S BROWN BEAUTY MAGNOLIA	B & B	3" CAL.	8`-10` H.	SINGLE STRAIGHT CENTRAL LEADER, FULL AND MATCHING
	SHRUBS	CODE	QTY	BOTANICAL / COMMON NAME	ROOT	SIZE	SPACING	REMARKS
	0	ND	13	DISTYLIUM 'PIIDIST-II' PP #24,409 / BLUE CASCADE EVERGREEN DISTYLIUM	CONT.	12"-18" HT.	36" O.C.	FULL AND MATCHING
	0	IC	14	ILEX CORNUTA `DWARF BURFORD` / DWARF BURFORD HOLLY	CONT.	24" HT.	36" O.C.	FULL AND MATCHING
	July State	HY	9	TAXUS X MEDIA ' HICKSII' / HICK'S YEW	CONT.	36" HT. AT PLANTING	42" O.C.	FULL AND MATCHING
	\bigcirc	AG	7	ABELIA X 'EDWARD GOUCHER' / PINK ABELIA	CONT.	24" HT.	42" O.C.	FULL AND MATCHING
	GROUND COVERS	CODE	QTY	BOTANICAL / COMMON NAME	CONT.	SIZE	SPACING	REMARKS
		SOD	9,635 SF	CYNODON DACTYLON / BERMUDA GRASS	N/A	N/A	N/A	SOD TO HAVE TIGHT, SAND FILLED JOINTS AND BE FREE OF WEEDS.
		LM	302	LIRIOPE MUSCARI `BIG BLUE` / BIG BLUE LILYTURF	1 GAL		18" O.C.	FULL AND MATCHING
	AGGREGATE	CODE	QTY	BOTANICAL / COMMON NAME	CONT.	SIZE	SPACING	REMARKS
		CG	3,881 SF	CRUSHED GRANITE / CRUSHED GRANITE	N/A	N/A	N/A	COBBLE SIZE TO BE 1"-2". REFERENCE DETAIL FOR DEPTH.

CAUTION!!


EXISTING UNDERGROUND UTILITIES IN THE AREA CONTRACTOR
IS RESPONSIBLE FOR DETERMINING THE HORIZONTAL AND
VERTICAL LOCATION OF ALL UTILITIES PRIOR TO CONSTRUCTION.
CONTRACTOR SHALL BE RESPONSIBLE FOR ANY REPAIRS TO
EXISTING UTILITIES DUE TO DAMAGE INCURRED DURING
CONSTRUCTION. CONTRACTOR SHALL NOTIFY THE ENGINEER OF
ANY DISCREPANCIES ON THE PLANS.



REVISIONS:



© 2022 KIMLEY-HORN AND ASSOCIATES, INC. 601 NW LOOP 410, SUITE 350, SAN ANTONIO, TX 78216 PHONE : 210-541-9166 FAX: 210-541-8699 WWW.KIMLEY-HORN.COM TBPE FIRM NO. 928



Ates
PLANNING CONSULTING
AN ANTONIO, TEXAS 78216 TEI: (210) 349-6005

Charles
William
Pope

& Associate

TE: 2/17/2022


 DATE:
 2/7/2022

 JOB NO:
 068693645


 DRAWN BY:
 BDM

 SHEET NUMBER:

2.7.1



5/8" IPF NO ID



REVISIONS:

TNG DETAILS
SOOT

PLANT C SECTION OF THE COLUMN TO SECTION OF TH

© 2022 KIMLEY-HORN AND ASSOCIATES, INC. 601 NW LOOP 410, SUITE 350, SAN ANTONIO, TX 78216 PHONE: 210-541-9166 FAX: 210-541-8699 WWW.KIMLEY-HORN.COM TBPE FIRM NO. 928

MICHAEL WASHEDJON STORE OF ARKANSAS

les
Pope
ASSOCIATES
TECTURE PLANNING CONSULTING

Willian
Road ASS
ARCHITECT
ARCHITECT
A000 BLANCO RD., Sui


DATE: 2/7/2022


JOB NO: 068693645


DRAWN BY: BDM

SHEET NUMBER:

2.7.2







RIGHT SIDE ELEVATION

SCALE: 1/4" = 1'-0"

EXTERIOR FINISH SCHEDULE

AREA	TAG	ITEM	MANUFACTURER	MATERIAL TYPE	COLOR (SPEC #)	CONTACT	REMARKS
Wall Cladding	CL-1	Wood Cladding	Nichiha	Vintagewood	Spruce	Contact Church's Chicken construction manager for vendor contact information	Use Church's National Account
	CL-2	Base Cladding	Nichiha	Industrial Block	Gray	Contact Church's Chicken construction manager for vendor contact information	Use below wood - cut to 9", Use below window on drive thru side.
-	CL-3	Stone Veneer	Boral	Austin Cobblefield stone, Champagne trim (subject to change, being tested)	Austin Cobblefield & Champagne	Contact Church's Chicken construction manager for vendor contact information	
	CL-4	Fiber Cement Panel	Hardie Board	Smooth Hardie Board	P-6	Contact Church's Chicken construction manager for vendor contact information	
Paint	P-6	Upper Wall Paint	Sherwin Williams	"Primer: Loxon Concrete & Masonry Primer, LX02W0050 Finish: 2 coats, Loxon Self Cleaning Acrylic, LX13 Flat or LX14 Satin"	Big Chill SW7648	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-7	Yellow Fin, Front Door	Sherwin Williams	"Metal Primer, Pro Industrial Pro-Cryl Universal Primer, B66W01310 Finish: 2 Coats: Pro Industrial DTM Acrylic Semi-Gloss, B66-1100 Series"	Goldenrod SW6677	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-8	Bollard, Pole Bases	Sherwin Williams	"Metal Primer, Pro Industrial Pro-Cryl Universal Primer, B66W01310 Concrete Primer: Loxon Concrete & Masonry Primer, LX02W0050	Chinese Red SW0057	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
				Finish: 2 Coats: Pro Industrial DTM Acrylic Semi-Gloss, B66-1100 Series"			
	P-9	Black Beam, DT Menuboard & Poles, Storefront, Side Door, Stencil Letters on Painted Wall	Sherwin Williams	"Metal Primer: Pro Industrial Pro-Cryl Universal Primer, B66W01310 Concrete Primer: Loxon Concrete & Masonry Primer, LX02W0050 Metal Finish: 2 Coats: Pro Industrial DTM Acrylic Semi-Gloss, B66-1100 Series Concrete Finish: 2 coats, Loxon Self Cleaning A"	Tricorn Black SW6258	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-10	Chicken Stencil on Painted Wall	Sherwin Williams	"Primer: Loxon Concrete & Masonry Primer, LX02W0050 Finish: 2 coats, Loxon Self Cleaning Acrylic, LX13 Flat or LX14 Satin"	Stamped Concrete SW7655	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-11	Chicken Stencil on Wood Cladding	Sherwin Williams	"Primer: Loxon Concrete & Masonry Primer, LX02W0050 Finish: 2 coats, Loxon Self Cleaning Acrylic, LX13 Flat or LX14 Satin"	Library Pewter SW0038	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-12	Lower Walls on Reimages, Trash Corral	Sherwin Williams	"Primer: Loxon Concrete & Masonry Primer, LX02W0050 Finish: 2 coats, Loxon Self Cleaning Acrylic, LX13 Flat or LX14 Satin"	Roycroft Pewter SW2848	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account

KEY NOTES

- 1. BUILDING SIGN (ILLUMINATED) TO BE PROVIDED AND INSTALLED BY SIGN VENDOR UNDER SEPARATE PERMIT. G.C. TO PROVIDE BLOCKING AND COORDINATE J-BOX LOCATIONS WITH PM AND CIRCUITING WITH ELEC. SHEETS. SIZE OF SIGNS ARE SHOWN FOR REFERENCE ONLY.
- 2. PRE-FINISHED METAL COPING, COLOR TO MATCH PAINT COLOR SPECIFIED
- PRE-FINISHED METAL SCUPPER AND DOWNSPOUT, COLOR TO MATCH PAINT COLOR SPECIFIED.
 VERIFY STORM WATER REQUIREMENTS, SURFACE DRAIN IF ALLOWED.
- 4. PRE-FINISHED OVERFLOW SCUPPER.
- 5. EXTERIOR LIGHT FIXTURE, G.C. TO PROVIDE J-BOX SEE ELEC. DWGS.
- 6. STUCCO JOINT, LOCATE AS DIMENSIONED
- 7. DRIVE-THRU WINDOW, SEE 5.1.1.
- 8. STUCCO WITH FINE TEXTURE FINISH, PAINT COLOR AS SPECIFIED
- 9. 2" DEEP, STUCCO PILASTER WITH WITH FINE TEXTURE FINISH, PAINT COLOR AS SPECIFIED. CHAMFER TOP EDGE TO BE FLUSH WITH BASE STUCCO AT METAL COPING
- 10. PRE-FINISHED METAL BLUE "PORTAL" PROVIDED BY SIGN VENDOR. G.C. TO PROVIDE BLOCKING AND POWER CONNECTION AND COORDINATE WITH VENDOR.
- 11. PRE-FINISHED METAL CANOPY BY SIGN VENDOR
- 12. STOREFRONT WINDOW SEE 5.1.1
- 13. STOREFRONT ENTRY DOOR AND FRAME SEE 5.1.1
- 14. GATE SEE 5.1.1
- 15. SPANDREL GLASS PANEL AT THIS WINDOW SEE 5.1.1
- 16. GRAPHIC PANEL WITH WOOD TEXTURE AND ICONS BY OWNER VENDOR
- 17. PAINTED GRAPHIC BY OWNER VENDOR, PAINT COLOR SPECIFIED
- 18. FRAMED MARKETING PANEL PROVIDED BY OWNER VENDOR
- EXTERIOR WALK-IN COOLER/FREEZER BOX BY OWNER KITCHEN VENDOR. G.C. TO PROVIDE SLAB AND ELECTRICAL CONNECTIONS, COORDINATE WITH VENDOR. PAINT EXTERIOR COLOR SPECIFIED.
- 20. VINYL WINDOW GRAPHIC BY OWNER VENDOR
- 21. SMOOTH HARDIE PANEL FINISH AT SCREEN WALL, PAINT COLOR SPECIFIED.
- 22. EXTERIOR ROOF LADDER, PAINT COLOR SPECIFIED
- 23. REAR SIGN OPTIONAL FOR USE WHEN BACK OF BUILDING FACES A STREET OR PLAZA.

GENERAL NOTES:

- A. EXTERIOR AWNINGS / CANOPIES / SIGNS TO BE PROVIDED BY OWNER AND INSTALLED BY OWNER VENDOR.
- B. ALL EXTERIOR PENETRATIONS OR OPENINGS FOR RECEPTACLES, HOSE BIBS, ETC. SHALL BE SEALED.
- C. SEE MPE DRAWINGS FOR LOCATION OF ALL EXTERIOR UTILITIES.

STONE GROUT NOTE:

ALL GROUT TO BE SIMILAR TO SPECTRUM AHI TEXAS TAN

THE STATE OF STATE OF


REVISIONS:


Charles
Willian
Pol

R ASSC
ARCHITECTU


JOB NO: 44453
DRAWN BY:
SHEET NUMBER:

LE NAME: CCB-03_3 Elevs.dwg ESCRIPTION: CHURCH'S - Bryant, AR 7202.





BACK ELEVATION SCALE: 1/4" = 1'-0"



EXTERIOR FINISH SCHEDULE

AREA	TAG	ITEM	MANUFACTURER	MATERIAL TYPE	COLOR (SPEC #)	CONTACT	REMARKS
Wall Cladding	CL-1	Wood Cladding	Nichiha	Vintagewood	Spruce	Contact Church's Chicken construction manager for vendor contact information	Use Church's National Account
	CL-2	Base Cladding	Nichiha	Industrial Block	Gray	Contact Church's Chicken construction manager for vendor contact information	Use below wood - cut to 9", Use below window on drive thru side.
	CL-3	Stone Veneer	Boral	Austin Cobblefield stone, Champagne trim (subject to change, being tested)	Austin Cobblefield & Champagne	Contact Church's Chicken construction manager for vendor contact information	
	CL-4	Fiber Cement Panel	Hardie Board	Smooth Hardie Board	P-6	Contact Church's Chicken construction manager for vendor contact information	
Paint	P-6	Upper Wall Paint	Sherwin Williams	"Primer: Loxon Concrete & Masonry Primer, LX02W0050 Finish: 2 coats, Loxon Self Cleaning Acrylic, LX13 Flat or LX14 Satin"	Big Chill SW7648	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-7	Yellow Fin, Front Door	Sherwin Williams	"Metal Primer, Pro Industrial Pro-Cryl Universal Primer, B66W01310 Finish: 2 Coats: Pro Industrial DTM Acrylic Semi-Gloss, B66-1100 Series"	Goldenrod SW6677	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-8	Bollard, Pole Bases	Sherwin Williams	"Metal Primer, Pro Industrial Pro-Cryl Universal Primer, B66W01310 Concrete Primer: Loxon Concrete & Masonry Primer, LX02W0050 Finish: 2 Coats: Pro Industrial DTM Acrylic Semi-Gloss, B66-1100 Series"	Chinese Red SW0057	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-9	Black Beam, DT Menuboard & Poles, Storefront, Side Door, Stencil Letters on Painted Wall	Sherwin Williams	"Metal Primer: Pro Industrial Pro-Cryl Universal Primer, B66W01310 Concrete Primer: Loxon Concrete & Masonry Primer, LX02W0050 Metal Finish: 2 Coats: Pro Industrial DTM Acrylic Semi-Gloss, B66-1100 Series Concrete Finish: 2 coats, Loxon Self Cleaning A"	Tricorn Black SW6258	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-10	Chicken Stencil on Painted Wall	Sherwin Williams	"Primer: Loxon Concrete & Masonry Primer, LX02W0050 Finish: 2 coats, Loxon Self Cleaning Acrylic, LX13 Flat or LX14 Satin"	Stamped Concrete SW7655	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-11	Chicken Stencil on Wood Cladding	Sherwin Williams	"Primer: Loxon Concrete & Masonry Primer, LX02W0050 Finish: 2 coats, Loxon Self Cleaning Acrylic, LX13 Flat or LX14 Satin"	Library Pewter SW0038	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account
	P-12	Lower Walls on Reimages, Trash Corral	Sherwin Williams	"Primer: Loxon Concrete & Masonry Primer, LX02W0050 Finish: 2 coats, Loxon Self Cleaning Acrylic, LX13 Flat or LX14 Satin"	Roycroft Pewter SW2848	Call (800) 321-8194 for nearest Sherwin Williams Distributor	Use Church's National Account

KEY NOTES

- BUILDING SIGN (ILLUMINATED) TO BE PROVIDED AND INSTALLED BY SIGN VENDOR UNDER SEPARATE PERMIT. G.C. TO PROVIDE BLOCKING AND COORDINATE J-BOX LOCATIONS WITH PM AND CIRCUITING WITH ELEC. SHEETS. SIZE OF SIGNS ARE SHOWN FOR REFERENCE ONLY.
- 2. PRE-FINISHED METAL COPING, COLOR TO MATCH PAINT COLOR SPECIFIED
- 3. PRE-FINISHED METAL SCUPPER AND DOWNSPOUT, COLOR TO MATCH PAINT COLOR SPECIFIED. VERIFY STORM WATER REQUIREMENTS, SURFACE DRAIN IF ALLOWED.
- 4. PRE-FINISHED OVERFLOW SCUPPER.
- 5. EXTERIOR LIGHT FIXTURE, G.C. TO PROVIDE J-BOX SEE ELEC. DWGS.
- 6. STUCCO JOINT, LOCATE AS DIMENSIONED
- 7. DRIVE-THRU WINDOW, SEE 5.1.1.
- 8. STUCCO WITH FINE TEXTURE FINISH, PAINT COLOR AS SPECIFIED
- 9. 2" DEEP, STUCCO PILASTER WITH WITH FINE TEXTURE FINISH, PAINT COLOR AS SPECIFIED. CHAMFER TOP EDGE TO BE FLUSH WITH BASE STUCCO AT METAL COPING
- 10. PRE-FINISHED METAL BLUE "PORTAL" PROVIDED BY SIGN VENDOR. G.C. TO PROVIDE BLOCKING AND POWER CONNECTION AND COORDINATE WITH VENDOR.
- 11. PRE-FINISHED METAL CANOPY BY SIGN VENDOR
- 12. STOREFRONT WINDOW SEE 5.1.1
- 13. STOREFRONT ENTRY DOOR AND FRAME SEE 5.1.1
- 14. GATE SEE 5.1.1
- 15. SPANDREL GLASS PANEL AT THIS WINDOW SEE 5.1.1
- 16. GRAPHIC PANEL WITH WOOD TEXTURE AND ICONS BY OWNER VENDOR
- 17. PAINTED GRAPHIC BY OWNER VENDOR, PAINT COLOR SPECIFIED
- 18. FRAMED MARKETING PANEL PROVIDED BY OWNER VENDOR
- EXTERIOR WALK-IN COOLER/FREEZER BOX BY OWNER KITCHEN VENDOR. G.C. TO PROVIDE SLAB AND ELECTRICAL CONNECTIONS, COORDINATE WITH VENDOR. PAINT EXTERIOR COLOR SPECIFIED.
- 20. VINYL WINDOW GRAPHIC BY OWNER VENDOR
- 21. SMOOTH HARDIE PANEL FINISH AT SCREEN WALL, PAINT COLOR SPECIFIED.
- 22. EXTERIOR ROOF LADDER, PAINT COLOR SPECIFIED
- 23. REAR SIGN OPTIONAL FOR USE WHEN BACK OF BUILDING FACES A STREET OR PLAZA.

GENERAL NOTES:

- A. EXTERIOR AWNINGS / CANOPIES / SIGNS TO BE PROVIDED BY OWNER AND INSTALLED BY OWNER VENDOR.
- B. ALL EXTERIOR PENETRATIONS OR OPENINGS FOR RECEPTACLES, HOSE BIBS, ETC. SHALL BE SEALED.
- C. SEE MPE DRAWINGS FOR LOCATION OF ALL EXTERIOR UTILITIES.

STONE GROUT NOTE:

ALL GROUT TO BE SIMILAR TO SPECTRUM AHI TEXAS TAN

MAR U O CONTROL OF THE PER APPLICATION OF CONTROL OF THE PER APPLICATION OF THE PER APPLICA

Charles
William
Pope

& ASSOCIATES
ARCHITECTURE PLANNING CONSULTING
ARCHITECTURE PLANNING CONSULTING
AMORAGO BLAGO BLAGO

DATE: 03.08.22

JOB NO: 44453

DRAWN BY:
SHEET NUMBER:

2 2 7

DRIVE-THRU SIDE ELEVATION

SCALE: 1/4" = 1'-0"

KEY NOTES

- 1. FULL HEIGHT, STAINLESS STEEL FINISH BY G.C. RE: 11.2 & 11.3.
- 2. EXTEND STAINLESS STEEL SHEATHING + CEMENT BOARDS 18" BEYOND EDGE OF HOOD AS REQUIRED BY NFPA REQUIREMENTS. RE: 11.2.
- 3. PLYWOOD BACKING 1/2" CDX REQUIRED AT THIS WALL. (FROM 24" A.F.F., COVER ENTIRE LENGTH AND HEIGHT OF WALL. PROVIDED AND INSTALLED BY THE GENERAL CONTRACTOR). OTHER AREAS MAY REQUIRE TREATED WOOD BLOCKING, PLYWOOD, RE: WALL NOTES BELOW.
- 4. STAINLESS STEEL CAP RE: 15/4.6.
- 5. STAINLESS STEEL CORNER GUARD.
- 6. WALL TO BE SET BY CONTRACTOR WITH 6" ELECTRICAL CHASE BETWEEN EXTERIOR WALL. ELECTRICAL PANELS BY CONTRACTOR. RE: ELECTRICAL SHEETS FOR ADDITIONAL INFORMATION.
- PHONE BOARD, IRRIGATION CONTROL & TIME CLOCKS LOCATIONS TO BE CONFIRMED WITH PROJECT MANAGER AND CITY INSPECTOR ON SITE.
- 8. EXTERIOR SCUPPER AND DOWNSPOUT. RE: 3.3.2.
- 9. CUT OUT AT COUNTER TO RECEIVE HAND SINK, REFER TO SPECS FOR SIZE.
- 10. SALES COUNTER. RE: 12,13/4.6. REAR WALL SUPPORT WITH ADJACENT SHELVES ABOVE AND STEEL ANGLE SUPPORT BY G.C. RE: 14/4.6. G.C. TO PROVIDE NECESSARY CUT-OUTS TO RECEIVE EQUIPMENT, COORDINATE WITH EQUIPMENT VENDOR.
- 11. PROVIDE BLOCKING AS REQUIRED. COORDINATE ADDITIONAL BLOCKING WITH EQUIPMENT VENDOR.
- 12. DOUBLE STUD WALL AT FRONT WALL WITH STEEL COLUMNS. RE: WALL SECTIONS
- 13. G.C. TO COORDINATE INSTALLATION OF HALF-WALLS. VERIFY CORE LOCATIONS WITH SEATING VENDOR PRIOR TO INSTALLATION.

14. G.C TO PROVIDE LEG SUPPORTS FOR SERVICE COUNTER (4 LOCATIONS). DIMENSIONS ARE TO CENTER OF LEG SUPPORTS.

- 15. INSULATED COOLER FLOOR BY COOLER MFR. WITH INTEGRAL RAMP.
- 16. STRUCTURAL STEEL COLUMNS, REFER TO
- STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION.

17. GAS METER, RE: CIVIL & PLUMBING DRAWINGS.

- 18. CO2 TANK & GREASE TANK. RE: 10.1 & PLUMBING
- DRAWINGS.
- 19. ELECTRICAL MDP, RE: ELECTRICAL DRAWINGS.
- 20. UTILITY METERS & CT CAB, RE: CIVIL & ELECTRICAL DRAWINGS.
- 21. TANKLESS WATER HEATERS, RE: 10.1 & PLUMBING DRAWINGS.
- 22. WALLS TO ALIGN.
- 23. ELECTRICAL PANELS, RE: ELECTRICAL DRAWINGS.
- 24. VISION GLASS AT DOOR WITH FILM, RE. 5.1.1.
- 25. PEEP-HOLE AT EXIT DOOR, RE: 5.1.1
- 26. NOT USED
- 27. ROOF LADDER. RE: 3/4.2.2 28. FURNITURE BY SEATING VENDOR - SEE 10.1 FOR
- MORE INFO.
- 29. EXTERIOR PARTITION WITH 6" METAL STUD AT 16"
- 30. OVERHEAD BULKHEAD: 2X4 WOOD STUDS AT 16" O.C. SUSPEND FROM ROOF STRUCTURE ABOVE. FINISH WITH 5/8" GWB BOTH SIDES AND BOTTOM. RE:2/4.6
- 31. PARTIAL HEIGHT WALL: 2X4 WOOD STUDS AT 16" O.C. WITH 5/8" CEMENT BOARD FULL HEIGHT ON DINING SIDE. RE: 13/4.6

GENERAL NOTES

ALUM, PORTAL AWNING BY SIGN VENDOR

3.4 SPANDREL WINDOW, SEE SHEET 5.1.1

5'-10/2"

SPANDREL WINDOW, SEE SHEET 5.1.1

- A. PERIMETER EXTERIOR DIMENSIONS ARE TO FACE OF THE FOUNDATION EDGE. REFER TO STRUCTURAL SHEETS FOR FACE OF CONC. DIMENSIONS. ALL INTERIOR DIMENSIONS ARE FROM FACE OF STUD UNLESS NOTED OTHERWISE (U.N.O.). DIMENSIONS NOTED AS "CLEAR" OR "HOLD" ARE MIN. REQ'D NET CLEARANCE FROM FACE OF
- INT. WALL FRAMING. B. REFER TO STRUCTURAL DRAWINGS FOR REQUIRED BRACING FOR ALL INTERIOR NON-LOAD BEARING WALLS.

WALL FINISH. VERIFY FINAL EQUIPMENT SIZES W/ VENDOR PRIOR TO

- C. PROVIDE CEMENT BD. TO 24" A.F.F. @ ALL INTERIOR WALLS ON BOTH SIDES AND ON THE INTERIOR SIDE OF EXTERIOR WALLS EXCEPT
- SHEARWALL SURFACES, U.O.N. D. PROVIDE SCHEDULED FRP PANEL ON ALL KITCHEN INTERIOR WALLS
- E. PROVIDE BLOCKING AS REQUIRED. COORDINATE ADDITIONAL BLOCKING NOT SHOWN WITH EQUIPMENT VENDOR.

U.N.O. RE: 5.1.1 FINISH SCHEDULE & INTERIOR ELEVATIONS.

- F. G.C. SHALL COORDINATE ALL EQUIPMENT RECESSED IN PLUMBING WALLS WITH PLUMBING LINE LOCATIONS PRIOR TO COMMENCEMENT
- G. CAULK 1/8" SEAM BETWEEN CEMENT BOARD, GYPSUM BOARD, DENS-SHIELD TB, OR PLYWOOD WITH 10 PERCENT SILICONE CAULK.
- H. PROVIDE SOUND BATT INSULATION AT PERIMETER OF WALLS OF RESTROOMS.

15'-21/2"

- J. ALL INTERIOR CEMENT BOARD, GYPSUM BOARD, DENS-SHIELD TB, OR PLYWOOD AT PERIMETER WALLS TO EXTEND TO BOTTOM OF TRUSS.
- K. PROVIDE LATICRETE SYSTEM APPLICATION AT SPECIFIED WALLS AND FLOORS, RE: 5.2
- ALL JOINTS, GAPS OR SPACES LEADING TO ALL HOLLOW OR INACCESSIBLE SPACES SHALL BE SEALED WITH "NSF INTERNATIONAL" APPROVED SEALANTS.
- M. SEE SCHEDULE FOR WINDOW AND DOOR TYPES.
- N. ALL DOOR AND WINDOW OPENING DIMENSIONS ARE TO ROUGH
- O. DRAWINGS ARE BASED UPON WOOD FRAMING. UTILIZATION OF METAL STUDS ON NON-BEARING INTERIOR PARTITIONS, BULKHEADS AND SOFFITS IS ACCEPTABLE.

60'-10%"

3'-6/2"

COORD. 55 PANEL @ THIS WALL W EQUIP. SEE SHEET 10.1

__ALUM. PORTAL AWNING BY SIGN VENDOR

13'-21/2"

60'-10/2"

- P. ALL ATTACHMENTS MADE THROUGH STUCCO SHALL BE BUSHED TO PREVENT DAMAGE TO THE FINISH.
- Q. ALL PENETRATIONS THROUGH STUCCO SHALL BE SEALED USING MFR'S. APPROVED METHOD.

44'-7"

11'-7/5"

- R. DECOR: SEE 10.1 FOR SEATING PLAN AND DETAILS.
- SEE 5.1.1 & 5.2 FOR FLOOR FINISHES.
- SEE 5.1.1 FOR WALL FINISHES. 4. SEE 3.2 & 5.1.1 FOR CEILING FINISHES.

TYPICAL NEW EXTERIOR WALL: 2X6 STUDS @ 16" O.C. W/ 1/2" EXTERIOR GRADE SHEATHING. WALL STUDS SHALL BE CONTINUOUS

TYPICAL NEW INTERIOR WALL: 2X4 WD STUDS (2X6 WHERE NOTED) AT 16" O.0 W/ 5/8" GYP. BD. SUBSTRATE U.O.N. USE MOISTURE RESISTANT GYP. BD. BEHIND ALL CERAMIC WALL TILE. U.O.N. ACCEPTABLE ALTERNATE: METAL STUDS IN LIEU OF WOOD STUDS ON NON-BEARING INTERIOR PARTITIONS.

8'-0" CLEAR MIN

7'-8/2"

24'-10"

Tag Location Size Type Height Interior | Exterior | E Reference 4C Int. 3 1/2" Wood 6" Above Clg Gyp. - X Kit & Toilet: 5/8" Durock to 24" a.f.f. w/ 5/8" sheathing above MR board (WP wallboard) @ wet walls 4F Ext./Int. 3 1/2" Wood Full Gyp. See Elevs X See exterior elevations for finishes 4M Int. 3 5/8" Metal 6" Above Clg Gyp. - X 3 5/8" 18 GA, metal studs @ 16" O.C. w/ 18 GA, top and bottom track. 5/8" cement board full height on interior side wall MR board (WP wallboard) @ wet walls 6C Int. 5 1/2" Wood 6" Above Clg Gyp. - X Kit & Toilet: 5/8" Durock to 24" a.f.f. w/ 5/8" sheathing above 6F Ext./Int. 5 1/2" Wood Full Gyp. See Elevs X Kit & Toilet: 5/8" Durock to 24" a.f.f. w/ 5/8" sheathing above MR board (WP wallboard) @ wet walls 6M Int. 6" Metal Full Gyp. See Elevs X 6" 18 GA. metal studs @ 16" O.C. w/ 18 GA. top and bottom track. 5/8" cement board full height on interior side wall Int. 4" Cooler - - - - Walk-in Cooler - Maintain 2" min clearance @ all walls See Sheet 5.1 for Room Finish Schedule & Notes 4) See Sheet 3.3.1 & 3.3.2 for Exterior Finishes Gyp Bd. to be 5/8" type "X" - typical 8) CDX Plywd to be 5/8" - typical 5) RR, Warewash & Mech Faces - 5/8" water resistant gyp bd 2) All Studs to be 16" o.c. - typical

3) Provide Sound Batt Insul @ Exterior Walls. Toilet Rooms & Office

6) See Sheets 3.4, 11.1, 11.2 & 11.3 for Interior Finishes

HOODWALL NOTE:

ATTACH WOOD PLATE TO FOUNDATION THEN 18 GA. BOTTOM TRACK. INSTALL STUDS @ 16" O.C. w/ 18 GA. TOP TRACK. PLACE 2 - 2X6 WOOD TOP PLATE ON TOP. ENSURE BOTTOM PLATE IS ANCHORED DOWN TO FOUNDATION w/ 5/8" EXPANSION ANCHOR BOLTS PER SCHEDULE

Provide fireblocking in walls as required per code

EXTERIOR WALL WITH 20 GA. S.S. PANEL BEHIND HOOD. EXTEND MIN. 18" BEYOND END OF HOOD. REFER TO MECHANICAL FOR EXTENT OF S.S. PANEL.

UNDERLAYMENT NOTE:

TWO LAYERS OF TYVEK COMMERCIAL WRAP AT EXTERIOR WALLS WITH NICHIHA PANELS

SINGLE LAYER OF TYVEK COMMERCIAL WRAP AT ALL OTHER EXTERIOR WALL LOCATIONS

GENERAL NOTES

VERIFY FINAL EQUIPMENT SIZES W/ VENDOR PRIOR TO INT. WALL FRAMING.

- ALL ANGLES ARE 45° UNLESS NOTED OTHERWISE. NO RUNNING CHANNELS OR BRACING SHALL BE DIRECTLY ATTACHED TO UNDERSIDE OF ROOF DECK. ALL RUNNERS & BRACING SHALL ATTACH TO STRUCTURE, NOT DECK.
- ALL WALL, FLOOR, CEILING & FINISH MATERIALS TO MEET FIRE CODES.

DIMENSION NOTE: VERIFY LOCATION OF COL LINES. DIMENSIONS FROM PERIMETER WALLS HOLD PRECEDENCE OVER COL LINES. REPORT DISCREPANCIES TO ARCHITECT.

SEE SHEET 4.0 FOR INSULATION NOTES

DENOTES PLYWOOD SHEATHING

REVISIONS:



PLAN NORTH



STATEMENT OF PURPOSE

American Promotional Events dba TNT Fireworks is submitting for approval for the attached application.

Location address: 400 BRYANT AVENUE, BRYANT, ARKANSAS 72022

The purpose is to sell Arkansas approved fireworks in a temporary tent from June 20th 2022 - July 5th 2022. The tent will be erected three days prior to the sale and removed within two days of completion of the sale. The hours of operation will be from 9am-10pm, as permitted by local location ordinances.

There will be two fire extinguishers readily accessible. "No Smoking" and age limit signs will be posted and enforced. Arkansas State Fireworks Sales Permits will be obtained prior to the sale date and will be posted on-site along with our insurance and Certificate of Authority. There will be a minimum of two people onsite at all times and the product will be secured 24/7 to ensure safety.

If you have any questions, please do not hesitate to call me at 256-740-6158.

Please forward any processed permits to:

4003 Helton Dr. Florence, AL 35630

Attn: Virginia Hightower

If you have any questions, please do not hesitate to call me at 256-740-6158.

Sincerely,

Virginia Hightower

Permitting Coordinator

hightowerv@tntfireworks.com

Vigine Hightower



September 2, 2021

To Whom It May Concern,

American Promotional Events, Inc. dba TNT Fireworks is an approved National Supplier to conduct fireworks promotions on our Walmart parking lots where this type of promotion is legal. All stores have been researched and approved by the Walmart Realty Department. Approximate time frame for the promotions are:

- December 26th, 2021 through and including January 10th, 2022.
- June 11th, 2022 through and including July 12th, 2022 with the exception of Utah which has an additional selling period through the end of July for Pioneer Days.

American Promotional Events, Inc. dba TNT Fireworks is authorized to sign for and obtain all necessary permits and/or licenses for the promotion and must display such permits and/or licenses at each stand/tent. Walmart grants permission for all patrons of the sale to utilize the restroom facilities at each participating store.

An American Promotional Events, Inc. dba TNT Fireworks representative will call you to introduce the company and discuss your participation in the event. Participation is encouraged and does add additional income to your other income account. Store Management must approve the store's participation and placement on the parking lot.

Thank you in advance for your cooperation in this matter and if you have any questions, please contact TNT Fireworks at 256-767-7142.

Best Regards,

Docusigned by:

Sasmine Ollen

BOE00EFEF25F4DE...

Jasmine Allen

Walmart Retail Services

Temporary Business Application City of Bryant

	3-1-2022	
Name of	f Business	AMERICAN PROMOTIONAL EVENTS DBA TNT FIREWORKS
Federal	Tax Emplo	yer Identification Number
Arkansa	s State Sal	es Tax Number 00286128
Type of	Business	RETAIL FIREWORKS SALES
Location	n of propos	sed Temporary Business 400 BRYANT AVENUE, BRYANT, AR 72022
Owner I	Mailing Ado	dress ATTN: VIRGINIA HIGHTOWER 4003 HELTON DRIVE, FLORENCE, AL 35630
Contact	: Person _	VIRGINA HIGHTOWER [.]
Daytime	e Phone No	256-740-6158
Evening	g Phone No	417-770-4881
Please d	check the	category you are applying for. Permits cannot exceed the following time
- - - -	✓ Fire	rnivals
Beginni	ing Date Re	equested 6-20-2022 Ending Date Requested 7-6-2022
by a fin violatio 12-mon	e of up to	tion of Temporary Business Ordinance 2007-43 is a misdemeanor punishable \$500.00 per occurrence of violation. Each day's occurrence is a separate porary business may operate for more than 180 days during any consecutive

CITY OF BRYANT – BRYANT, ARKANSAS 210 S.W. Third Street, Bryant, Arkansas Phone: (501) 847-5559 (Ext 212) or FAX: (501) 847-5332

Privilege Fee Information TEMPORARY BUSINESS LICENSE PERMIT

(WHEN FILLING IN THE BLANKS PLEASE PRINT OR TYPE IN INK)

A \$1000.00 Surety Bond made payable to the city of Bryant is required for all applicants and must be received in this office and approved before any license will be issued.

Daminosa Nonsos	AMERICAN PROMOTIONAL EVENTS DBA TNT FIREWORKS							
Business Name: Location of Business:	400 BRYANT AVENUE, BRYANT, AR 72022							
Pocation or passions.	ATTN: VIRGINIA HIGHTOWER 4003 HELTON DRIVE							
Mailing Address: City: FLORENCE			AL.	Zip Code:	35630			
City: FLORENCE Business Telephone:	256-740-615		Cellphone:	417-770-4881				
~								
Type of License appli	ed for: TEM	IPORARY BUSINE	SS Period licen	ise is desired:	6-20-2022 TO 7-6-20			
Type of Business (Ser	vices offer	ed or product s	sold): CONSUMER	FIREWORKS SALES				
Applicants Name:	TNT FIREV							
Applicants Home Add	iress: _40	003 HELTON DRIVE		Zip Code:	35630			
City: FLORENCE			AL Call	· •				
Applicants Home Tele	ephone: _25	6-740-6158	C011	phone417.7	70-4881			
Name(s) of each empl				0 BRYANT AVENUE				
Address of business of	r premises	to be used in a	Bryant:	0 0////////////////////////////////////				
Address of business of			<u></u>					
Last two cities worke	d in: 1 <u>.</u>	ASH FLAT	2	ARKADELPHIA				
	d in: 1. above to be city zoning understantly other city once.	ash FLAT oe true and cong regulations and that if I am ty laws, I may	2	hat I am operaticity, state, or feiolation of any ones as outlined	of the city zoning			



To Whom It May Concern,

All individuals who operate temporary stands and tents under the name "TNT Fireworks" are contracted out through American Promotional Events. No stand or tent operator is an employee of American Promotional Events; therefore, no workers' compensation is provided for operators. In the event of a premise liability or products liability claim, American Promotional Events adds all stand and tent operators as additional insured to provide them with coverage.

If you have any questions, please do not hesitate to call me at 256-740-6158. Sincerely,

Virginia Hightower

Permitting Coordinator

hightowerv@tntfireworks.com

Sworn to this

day of March

LISA MC

Notary Public

AR 0153 – BRYANT, AR – Walmart #3230 Row 12



VERIFICATION OF SURETY BOND RENEWAL

February 28, 2022

RE: BOND #

106725029

BOND AMOUNT:

\$1,000.00

PRINCIPAL:

American Promotional Events, Inc. dba TNT

Fireworks

OBLIGEE:

City of Bryant, AR

DESCRIPTION:

Fireworks Stand at 400 Bryant Avenue, Bryant, AR

72022 - FAR0153

EFFECTIVE DATE:

April 24, 2017

PREMIUM TERM:

4/24/2022 - 4/24/2023

THE ABOVE REFERENCED BOND CONTINUES TO BE IN FULL FORCE AND EFFECT. THE BOND IS CONTINUOUS IN NATURE AND WILL REMAIN IN FORCE UNTIL CANCELED BY THE SURETY ACCORDING TO THE TERMS AND CONDITIONS OF THE BOND.

Travelers Casualty and Surety Company of America

Stephen A. Vann Attorney-in-Fact



Travelers Casualty and Surety Company of America Travelers Casualty and Surety Company St. Paul Fire and Marine Insurance Company

POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS: That Travelers Casualty and Surety Company of America, Travelers Casualty and Surety Company, and St. Paul Fire and Marine Insurance Company are corporations duly organized under the laws of the State of Connecticut (herein collectively called the "Companies"), and that the Companies do hereby make, constitute and appoint STEPHEN A VANN of ATLANTA , Georgia , their true and lawful Attorney(s)-in-Fact to sign, execute, seal and acknowledge any and all bonds, recognizances, conditional undertakings and other writings obligatory in the nature thereof on behalf of

acknowledge any and all bonds, recognizances, conditional undertakings and other writings obligatory in the nature thereof on behalf of the Companies in their business of guaranteeing the fidelity of persons, guaranteeing the performance of contracts and executing or guaranteeing bonds and undertakings required or permitted in any actions or proceedings allowed by law.

IN WITNESS WHEREOF, the Companies have caused this instrument to be signed, and their corporate seals to be hereto affixed, this 21st day of April, 2021.







State of Connecticut

City of Hartford ss.

On this the 21st day of April, 2021, before me personally appeared Robert L. Raney, who acknowledged himself to be the Senior Vice President of each of the Companies, and that he, as such, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing on behalf of said Companies by himself as a duly authorized officer.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

My Commission expires the 30th day of June, 2026



Anna P. Nowik, Notary Public

Robert L. Ranev Senior Vice President

This Power of Attorney is granted under and by the authority of the following resolutions adopted by the Boards of Directors of each of the Companies, which resolutions are now in full force and effect, reading as follows:

RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President, any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary may appoint Attorneys-in-Fact and Agents to act for and on behalf of the Company and may give such appointee such authority as his or her certificate of authority may prescribe to sign with the Company's name and seal with the Company's seal bonds, recognizances, contracts of indemnity, and other writings obligatory in the nature of a bond, recognizance, or conditional undertaking, and any of said officers or the Board of Directors at any time may remove any such appointee and revoke the power given him or her; and it is

FURTHER RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President may delegate all or any part of the foregoing authority to one or more officers or employees of this Company, provided that each such delegation is in writing and a copy thereof is filed in the office of the Secretary; and it is

FURTHER RESOLVED, that any bond, recognizance, contract of indemnity, or writing obligatory in the nature of a bond, recognizance, or conditional undertaking shall be valid and binding upon the Company when (a) signed by the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary and duly attested and sealed with the Company's seal by a Secretary or Assistant Secretary; or (b) duly executed (under seal, if required) by one or more Attorneys-in-Fact and Agents pursuant to the power prescribed in his or her certificate or their certificates of authority or by one or more Company officers pursuant to a written delegation of authority; and it is

FURTHER RESOLVED, that the signature of each of the following officers: President, any Executive Vice President, any Senior Vice President, any Secretary, any Assistant Secretary, and the seal of the Company may be affixed by facsimile to any Power of Attorney or to any certificate relating thereto appointing Resident Vice Presidents, Resident Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such Power of Attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding on the Company in the future with respect to any bond or understanding to which it is attached.

I, Kevin E. Hughes, the undersigned, Assistant Secretary of each of the Companies, do hereby certify that the above and foregoing is a true and correct copy of the Power of Attorney executed by said Companies, which remains in full force and effect.

Dated this 28th day of February

HARTFORD SHE





Har E. Huylon Kevin E. Hughes, Assistant Secretary



CERTIFICATE OF LIABILITY INSURANCE

11/1/2022

DATE (MM/DD/YYYY) 12/28/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(les) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRO	DUCER	Lockton Companies				CONTAC NAME:	;T			
3280 Peachtree Road NE, Suite #250					PHONE FAX (A/C, No, Ext): (A/C, No):					
		Atlanta GA 30305				E-MAIL ADDRESS:				
		(404) 460-3600				7,551,56		URER(S) AFFOR	DING COVERAGE	NAIC#
						INCLIDE			nsurance Company	10851
INS	JRED							macminity i	nsurance company	10031
	9629	American Promotional Events, I	nc.			INSURE				
		DBA TNT Fireworks, Inc. P.O. Box 1318				INSURE				
		4511 Helton Drive				INSURE	RD:			
		Florence AL 35630				INSURE	RE:			
						INSURE	RF:			
					NUMBER: 1219074					XXXXX
11	NDICA ERTIF	S TO CERTIFY THAT THE POLICIES TED. NOTWITHSTANDING ANY RE FICATE MAY BE ISSUED OR MAY I SIONS AND CONDITIONS OF SUCH	QUIF PERT	REMEI	NT, TERM OR CONDITION THE INSURANCE AFFORD	OF ANY	Y CONTRACT	OR OTHER I S DESCRIBEI	DOCUMENT WITH RESPECT TO D HEREIN IS SUBJECT TO ALL	WHICH THIS
INSF		TYPE OF INSURANCE	ADDL	SUBR			POLICY EFF (MM/DD/YYYY)		LIMITS	
		COMMERCIAL GENERAL LIABILITY	INSD Y	WVD						000,000
Α	A		Y	N	SI8GL00242-211		11/1/2021	11/1/2022	DAMAGE TO RENTED	
	-	CLAIMS-MADE X OCCUR								0,000
									MED EXP (Any one person) \$ 5,0	
	Ш									000,000
	GEN	L AGGREGATE LIMIT APPLIES PER:		1					GENERAL AGGREGATE \$ 2,0	000,000
l		POLICY PRO- X LOC	i						PRODUCTS - COMP/OP AGG \$ 2,0	000,000
		OTHER:							\$	
1	AUT	OMOBILE LIABILITY			NOT APPLICABLE				COMBINED SINGLE LIMIT (Ea accident) \$ X	XXXXXX
		ANY AUTO							BODILY INJURY (Per person) \$ X	XXXXXX
		OWNED SCHEDULED AUTOS ONLY							BODILY INJURY (Per accident) \$ X	XXXXXX
		HIRED NON-OWNED AUTOS ONLY							DDODEDTY DAMAGE	XXXXXX
		AUTOS ONET		Ì					(1 or doordont)	XXXXXX
	+ +	UMBRELLA LIAB OCCUR			NOT APPLICABLE					XXXXXX
•					1.01 M LICHBEE					XXXXXXX
		CEANVIO-IVIADE		ļ						
┝	WOR	DED RETENTION \$	-	+	NOT A PRI ICA PA E		-			XXXXXX
	AND	EMPLOYERS' LIABILITY Y/N			NOT APPLICABLE				PER OTH- STATUTE ER	
	ANY	PROPRIETOR/PARTNER/EXECUTIVE CER/MEMBER EXCLUDED?	N/A							XXXXXX
	(Man	datory in NH)							E.L. DISEASE - EA EMPLOYEE \$ X	XXXXXX
L	DES	s, describe under CRIPTION OF OPERATIONS below		<u>l</u>					E.L. DISEASE - POLICY LIMIT \$ X	XXXXXX
TH:	s CERT	TION OF OPERATIONS / LOCATIONS / VEHIC IFICATE SUPERSEDES ALL PREVIOUSLY ISSI al Insured; (AR 0153) Wal-Mart #3230 by written contract subject to policy ter	UED CÌ locate	ERTIFIC cd at 4	CATES FOR THIS HOLDER, APPLIC 00 Bryant Avenue in Bryant.	CABLE TO	THE CARRIERS I	JISTED AND THE	POLICY TERM(S) REFERENCED.	pility as
Ļ	- D T ''	TOATE HOLDED				C 4 N 1	CELLATION			
7		FICATE HOLDER				T	CELLATION			
12190744 WAL-MART STORES, INC 400 BRYANT AVENUE BRYANT AR 72022					SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.					
		L				AUTHO	ORIZED REPRES	Kly	er full EJ1.	
							© 1	988-2015 A	CORD CORPORATION. All r	iahts reserved.



SIGN PERMIT APPLICATION

Applicants are advised to read the Sign Ordinance prior to completing and signing this form.

The Sign Ordinance is available at www.cityofbryant.com under the Planning and Community

Development tab.

Date: 4-5-2022	Note: Electrical Permits may be Required, Please contact the Community Development Office
Sign Co. or Sign Owner	for more information. Property Owner
Name Pinnacle Signs Address 7610 Lounts Massie	Name Schn Secrys Address 4030 4000 A1-5
City, State, Zip North Little Rock 72113	City, State, Zip Doyant Ar 72202
Phone 501-812-4433	Phone 1870 307 495\
Email Address into Opinnacle-Signs. com	Email Address Syckery Q Med life chroch. tV
GENERAL INFORMATION	
Name of Business New Life Church	\
Address/Location of sign 4030 4200 A	-5 Biyant 72202
Zoning Classification	
Please use following page to provide details on the provided on this application, a Site Plan showing plan property is required to be submitted. Renderings of required to be submitted with the application. A thin collected at the time of permit issuance. According to special sign permit request shall be one hundred doll required by Sign Administrator.	the sign(s) and any existing sign(s) on the the sign(s) showing the correct dimensions is also ty-five dollar (\$35) per sign payment will be the Sign Ordinance a fee for and sign variance or
READ CAREFULLY BEFORE SIGNING	hat all information contained within this application is true
nd correct. I fully understand that the terms of the Sign Ordinance regard in the Sign Ordinance regard that I am authorized by the owner of the property and that I am authorized	e supersede the Sign Administrator's approval and that all fless of approval. I further certify that the proposed sign is


that no sign may be placed in public right of way. I understand that I must comply with all Building and Electrical Codes and that it is my responsibility to obtain all necessary permits.

Use table below to enter information regarding each sign for approval. Please use each letter to reference each sign rendering.

SIGN	Type (Façade, Pole, Monument, other)	Dimensions (Height, Length, Width)	Sqft (Measured in whole as rectangle)		of Sign om lot surface)	Column for Admin Certifying Approval
				Top of Sign	Bottom of	
Α	Monument	6' x 8'	48	6	Sign A	
В					<i>N F</i> \	
С						
E						
F						
G						

Please note:

- Carefully review spelling, information, and placement as the proof is intended to be an accurate illustration of the final product. Customer will be responsible for 50% of the remake cost if any errors are caught after production and/or installation begins.
- The first (3) revisions are included in initial quote, any customer changes after that are subject to a minimum \$45 art charge, unless otherwise noted in final quote.
- Colors portrayed on proof may not match final product due to difference between digital and pigmented colors. If you have a specific Pantone Color that we need to match, please let us know prior to art approval.
- We are not responsible for poor image quality as a result of unprovided vector images or client provided low resolution artwork.
- If customer cancels job for any reason after the proofing process has begun, customer will be charged art charge based on original quoted amount.



.

CLIENT CONTACT:
Seth

PROOF #: DATE: 1 08-27-21

DESCRIPTION: Per Quote

PINNACLE SIGNS
AND GRAPHICS

LOCATION: NLR

ACCT. EXE.:


DESIGNER:

PSG DH

7610 Counts Massie Rd., Suite A, North Little Rock AR 72113 • P: 501-812-4433 • E: info@pinnacle-signs.com

THIS ARTWORK REMAINS THE INTELLECTUAL PROPERTY OF PINNACLE SIGNS AND GRAPHICS UNTIL PAID FOR, IN FULL, BY CUSTOMER.

USE OF THE ARTWORK FOR ANY COMMERCIAL PURPOSE WITHOUT OUR WRITTEN PERMISSION IS STRICTLY PROHIBITED!





SIGN PERMIT APPLICATION

Applicants are advised to read the Sign Ordinance prior to completing and signing this form.

The Sign Ordinance is available at www.cityofbryant.com under the Planning and Community

Development tab.

Note: Electrical Permits may be Required, Please contact the Community Development Office for more information. **Property Owner** Sign Co. or Sign Owner INdook-Outdook Agriname Address 2900 Horizon Dr City, State, Zip City, State, Zip Alternate Phone, 501 Alternate Phone **GENERAL INFORMATION** Bobalicious Bobalicious Address/Location of sign 2900 Horizon Dr Swife 5, Boyant, AR **Zoning Classification** Please use following page to provide details on the signs requesting approval. Along with information provided on this application, a Site Plan showing placement of sign(s) and any existing sign(s) on the property is required to be submitted. Renderings of the sign(s) showing the correct dimensions is also required to be submitted with the application. A thirty-five dollar (\$35) per sign payment will be collected at the time of permit issuance. According to the Sign Ordinance a fee for and sign variance or special sign permit request shall be one hundred dollars (\$100). Additional documentation may be required by Sign Administrator. **READ CAREFULLY BEFORE SIGNING** , do hereby certify that all information contained within this application is true and correct. I fully understand that the terms of the Sign Ordinance supersede the Sign Administrator's approval and that all signs must fully comply with all terms of the Sign Ordinance regardless of approval. I further certify that the proposed sign is authorized by the owner of the property and that I am authorized by the property owner to make this application. I understand

that no sign may be placed in public right of way. I understand that I must comply with all Building and Electrical Codes and that it is my responsibility to obtain all necessary permits.


Use table below to enter information regarding each sign for approval. Please use each letter to reference each sign rendering.


SIGN	Type (Façade, Pole, Monument, other)	Dimensions (Height, Length, Width)	Sqft (Measured in whole as rectangle)		of Sign om lot surface)	Column for Admin Certifying Approval
				Top of Sign	Bottom of	
					Sign	
Α	Channel letter	43" × 143"	42	1613"	12'8"	
В		,				
С						
Е	,					
F						
G						




City of Bryant Subdivision Replat Checklist

Subdivision Na	me Andre's Gardens
Contact Person	Rasburn Gurveying LLC Phone (501) 860-6893
Mailing Address	: 308 W. South Street Benton, AR 72015
I. BASIC INFOR	MATION NEEDED ON THE PLAT
2. Nam 3. Date 4. Vicin 5. New 6. Lot a 7. Lot li 8. Build 9. Certi 11. Certi 12. Certi 13. Show 14. North 15. Show 16. Layou 17. Layou 18. Layou (Provi 19. Draina 20. Any p 21. Show	e of Subdivision te and Address of owner of Record of Survey ity map locating streets, highways, section lines, railroad, schools, & parks within ½ mile lot and block numbers rea in square feet nes with appropriate dimensions ing setback lines ficate of Surveying Accuracy ficate of Owner ficate of Final Plat Approval ficate of Recording scale (not less than 1" = 100') Arrow Title block It of all proposed streets including traffic control devices (stop signs, speed limit, etc.) It of all proposed sidewalk systems It identifies any FEMA flood plain and flood way property within the 100-year flood elevation. It de Corp of Engineers 404 Permit if required) age easements for stormwater run-off and detention giving dimensions, locations, and purpose roposed open space must be shown the direction and flow of all water courses entering the tract the direction and flow of all water courses leaving the tract
III. FINAL PLAT	
Control of the Contro	WILL NOT BE ACCEPTED UNTIL ALL ATTACHMENT REQUIREMENTS ARE MET)
 24. Compl 25. 20 cop 26. 20 cop 	to Planning Commission stating your request eted Checklist pies of current lot Plan (folded) pies of Final replat Plan (folded) that includes vicinity map (minimum size 17" X 34" paper) for \$25.00 + \$1.00 per lot for final Subdivision Replat fee
HAVE COMPLIED CHECKLIST WHIC	WITH THE REQUIREMENTS LISTED ABOVE AND HAVE CHECKED ALL OF THE BOXES ON THE HAPPLY TO THIS PROJECT SUBMITTAL.
Owner Signature	Engineer Signature PROCESSIONAL SUBJEVOR







City of Bryant 210 SW 3rd Street Bryant, AR 72022

Variance Request - Medic Sleep Care - 3348 Main Street #300

I am requesting a variance for sign code Section 3.06 Signs in Commercial C-2 Districts. The code states that one facade sign is allowed per business. This sign shall not exceed two square feet for each one linear foot of building facade fronting a public street, and is to be mounted on the building wall. For businesses on corner lots, side walls facing public streets may have one additional façade sign subject to the same restrictions noted in this paragraph.

There was a mixup in our office where a previous version of the sign design was exported for production that wasn't the sign that was permitted. The sign size that was installed was 60" x 186" which comes out to 77.5 square feet. According to the ordinance the maximum square footage would be 60 square feet.

If signage allowance was calculated from actual sign area covered, the total square footage would be 58.6. We are not asking the variance committee to change the ordinance, just the method used to calculate the square footage. If the City of Bryant doesn't count the square footage as 58.6, then we are formally requesting a variance for a larger sign. Either of these would save our client from having to purchase a new sign.

The signage that was installed is not out of place for that shopping center. The swoosh part of the logo is what is causing the square footage to be higher because of the rectangle method of calculation.

In closing, if we can draw rectangles around the logo and the actual text, the signage would be in the allowable square footage. We are asking for the city's consideration of this calculation or a variance for the larger sign.

Thank you for your time and consideration.

Matt Reese, COO Brandon Hoover, Art Director Sign Studio 204 Jane Place Lowell, AR 72745 479-250-4844



Medic Sleep Care - Channel Letters



Job #: 369
Sales Rep:

IGNER: Brandon PROOF DATE: 4/7/2022

PLEASE CONFIRM ALL PROOF SPECS ARE ACCURATE. IT IS YOUR RESPONSIBILITY TO CHECK FOR ANY AND ALL ERRORS.

WE ARE NOT RESPONSIBLE FOR ERRORS AFTER APPROVAL. ANY ADDITIONS OR CORRECTIONS AFTER PROOF APPROVAL WILL BE AT CUSTOMER'S EXPENSE.

Type: LED Channel Letters

Size: 60" x 186.05"

Material: aluminum, acrylic/lexan, LEDs, vinyl

Color: full color

Quantity: 1

Notes:


Sq footage of signage using rectangle method = 77.5

Sq footage of actual signage area = 58.6

Allowable square footage = 60

Bentonville, Cave Springs, and Lowell : 479-250-4844 | www.yoursignstudio.com







APPROVED:







City of Bryant 210 SW 3rd Street Bryant, AR 72022

Variance Request - Medic Sleep Care - 3348 Main Street #300

I am requesting a variance for sign code Section 3.06 Signs in Commercial C-2 Districts. The code states that one facade sign is allowed per business. This sign shall not exceed two square feet for each one linear foot of building facade fronting a public street, and is to be mounted on the building wall. For businesses on corner lots, side walls facing public streets may have one additional façade sign subject to the same restrictions noted in this paragraph.

There was a mixup in our office where a previous version of the sign design was exported for production that wasn't the sign that was permitted. The sign size that was installed was 60" x 186" which comes out to 77.5 square feet. According to the ordinance the maximum square footage would be 60 square feet.

If signage allowance was calculated from actual sign area covered, the total square footage would be 58.6. We are not asking the variance committee to change the ordinance, just the method used to calculate the square footage. If the City of Bryant doesn't count the square footage as 58.6, then we are formally requesting a variance for a larger sign. Either of these would save our client from having to purchase a new sign.

The signage that was installed is not out of place for that shopping center. The swoosh part of the logo is what is causing the square footage to be higher because of the rectangle method of calculation.

In closing, if we can draw rectangles around the logo and the actual text, the signage would be in the allowable square footage. We are asking for the city's consideration of this calculation or a variance for the larger sign.

Thank you for your time and consideration.

Matt Reese, COO Brandon Hoover, Art Director Sign Studio 204 Jane Place Lowell, AR 72745 479-250-4844



Medic Sleep Care - Channel Letters



Job #: 369
Sales Rep:

IGNER: Brandon PROOF DATE: 4/7/2022

PLEASE CONFIRM ALL PROOF SPECS ARE ACCURATE. IT IS YOUR RESPONSIBILITY TO CHECK FOR ANY AND ALL ERRORS.

WE ARE NOT RESPONSIBLE FOR ERRORS AFTER APPROVAL. ANY ADDITIONS OR CORRECTIONS AFTER PROOF APPROVAL WILL BE AT CUSTOMER'S EXPENSE.

Type: LED Channel Letters

Size: 60" x 186.05"

Material: aluminum, acrylic/lexan, LEDs, vinyl

Color: full color

Quantity: 1

Notes:


Sq footage of signage using rectangle method = 77.5

Sq footage of actual signage area = 58.6

Allowable square footage = 60

Bentonville, Cave Springs, and Lowell : 479-250-4844 | www.yoursignstudio.com







APPROVED:







City of Bryant Subdivision Replat Checklist

Subdivision Name Hurricane Heights Subdivision, Phase
Contact Person Rasburry Surveying Phone (501)860-6893
Mailing Address 308 W. South Street, Benton, AR 72015
1. BASIC INFORMATION NEEDED ON THE PLAT
1. Name of Subdivision 2. Name and Address of owner of Record 3. Date of Survey 4. Vicinity map locating streets, highways, section lines, railroad, schools, & parks within ½ mile 5. New lot and block numbers 6. Lot area in square feet 7. Lot lines with appropriate dimensions 8. Building setback lines 9. Certificate of Surveying Accuracy 10. Certificate of Owner 11. Certificate of Final Plat Approval 12. Certificate of Recording 13. Show scale (not less than 1" = 100") 14. North Arrow 15. Show Title block 16. Layout of all proposed streets including traffic control devices (stop signs, speed limit, etc.) 17. Layout of all proposed sidewalk systems 18. Layout identifies any FEMA flood plain and flood way property within the 100-year flood elevation. (Provide Corp of Engineers 404 Permit if required) 19. Drainage easements for stormwater run-off and detention giving dimensions, locations, and purpose 20. Any proposed open space must be shown 21. Show the direction and flow of all water courses entering the tract 22. Show the direction and flow of all water courses leaving the tract
III. FINAL PLAT ATTACHMENTS (APPLICATION WILL NOT BE ACCEPTED UNTIL ALL ATTACHMENT REQUIREMENTS ARE MET)
 ▲ 23. Letter to Planning Commission stating your request ▲ 24. Completed Checklist ▲ 25. 20 copies of current lot Plan (folded) ▲ 26. 20 copies of Final replat Plan (folded) that includes vicinity map (minimum size 17" X 34" paper) ▲ 27. Check for \$25.00 + \$1.00 per lot for final Subdivision Replat fee
I HAVE COMPLIED WITH THE REQUIREMENTS LISTED ABOVE AND HAVE CHECKED ALL OF THE BOXES ON THE CHECKLIST WHICH APPLY TO THIS PROJECT SUBMITTAL.
Owner Signature Pose Stand L. Survetor



(NTS)

308 W. South Street

Benton, AR 72015 Office/Fax: (501) 860-6893

E-Mail: aaron@razsurvey.com

FIELD WORK DATE: 2-20-22 PLAT DATE:5-2-22

FILE: C:\DRAWINGS\HURRICANEHEIGHTS\LOT 2 AND 3 REPLAT

BY GRAPHIC PLOTTING ONLY THE DESCRIBED PROPERTY DOES NOT LIE WITHIN A FLOOD

SOURCE: FEMA PANEL NO.: 05125C0360E DATE: 6-5-2020

PRONE AREA.

LOT 2-R, BEING A REPLAT OF LOT 2 AND LOT 3, HURRICANE HEIGHTS SUBDIVISION, PHASE 1, TO THE CITY OF BRYANT, SALINE COUNTY, ARKANSAS


Certificate of Surveying Accuracy

I, James Aaron Rasburry, hereby certify that this plat correctly represents a survey and a plan made by me, or under my supervision; that all monuments shown hereon actually exist and their locations, size, type, and material are correctly shown; and that all requirements of the city of Bryant Subdivision Rules and Regulations have been fully

Date of Execution:__

Registered Land Surveyor No. 1506, Arkansas





under my supervision on this day. No independent search for

encumbrances, or any other facts

which an accurate title search may

easements, covenants,

disclose was performed.

CONNIE JOHNSON

PROPERTY ADDRESS:

3109 & 3117 ANDERSON LAKE ROAD BRYANT, AR 72019

JOB #: 22-037

DRAWN BY: DCR

CHECKED BY: JAF

PROFILE SIGN.

SIGN.

SIGN.

A. RASBOA

MAL LAND